- 3. CONTRACTORS BIDDING THIS PROJECT SHALL VISIT THE SITE BEFORE BIDDING.
- 4. THE CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AND EXISTING CONDITIONS PRIOR TO CONSTRUCTION AND NOTIFY THE ENGINEER OF ANY DISCREPANCY IMMEDIATELY.
- 5. THE CONTRACTOR SHALL BE RESPONSIBLE FOR REPAIRS TO ANY UTILITY LINES AND EXISTING IMPROVEMENTS TO REMAIN THAT ARE DAMAGED AS A RESULT OF THE WORK.
- 6. ALL SECTIONS, DETAILS, AND NOTES SHOWN ON THE DRAWINGS ARE INTENDED TO BE TYPICAL AND SHALL APPLY TO SIMILAR SITUATIONS ELSEWHERE, UNLESS OTHERWISE SHOWN.
- 7. ALL SIDEWALKS SHALL BE 5 INCHES THICK AND CONSTRUCTED TO THE WIDTH STATED ON THE PLANS. JOINT SPACING SHALL BE AS SHOWN ON DETAIL.
- 8. THE CONTRACTOR IS RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS.
- 9. ALL STORM SEWER STRUCTURES SHALL BE PRECAST CONCRETE, STORM SEWER PIPE SHALL BE AS SHOWN IN TABLE LOCATED ON THE PLAN SHEETS. SIZE OF PRECAST RISERS AND/OR GRADE RINGS SHALL BE THE SAME INSIDE SIZE AS THE PRECAST BOX OR MATCH THE NOMINAL SIZE OF THE INLET BOX.
- 10. ALL TRENCH BACKFILL SHALL BE COMPACTED TO 98% OF STANDARD PROCTOR DENSITY, NO
- 11. ALL TRENCH BACKFILL SHALL BE IMPORTED GRANULAR MATERIAL UNLESS EXISTING GRANULAR MATERIALS ARE SPECIFICALLY APPROVED BY THE ENGINEER.
- 12. ALL REINFORCEMENT BARS SHALL CONFORM TO ASTM-A615, GRADE 60.
- 13. ADJUSTMENT OF PROPOSED GRADES TO MATCH EXISTING ENTRANCES OR OTHER FIELD CONDITIONS MAY BE REQUIRED AS DIRECTED BY THE ENGINEER.
- 14. ANY DAMAGE TO THE EXISTING SIDEWALK OR CURB TO REMAIN DURING ANY CONSTRUCTION ACTIVITY SHALL BE REPAIRED AT THE CONTRACTOR'S EXPENSE.
- 15. IN ACCORDANCE WITH SECTION 602 OF STANDARD SPECIFICATIONS, THE CONNECTION OF EXISTING DRAIN TILES, PIPE UNDERDRAINS, PIPE CULVERTS, AND STORM SEWERS TO THE PROPOSED DRAINAGE SYSTEM STRUCTURES WILL NOT BE PAID FOR SEPARATELY BUT SHALL BE CONSIDERED AS INCLUDED
- 16. THE CONTRACTOR, AT HIS OWN EXPENSE, SHALL BE REQUIRED AS DIRECTED BY THE ENGINEER
  TO RELOCATE OR TO REMOVE AND REINSTALL ALL ROAD SIGNS WHICH INTERFERE WITH CONSTRUCTION OPERATIONS AND TO TEMPORARILY RESET ALL SUCH SIGNS DURING CONSTRUCTION. ALL WORK INVOLVING SIGNS SHALL BE GOVERNED BY THE FOLLOWING REQUIREMENTS:
  - A. SIGNS SHALL NOT BE MOVED UNTIL PROGRESS OF WORK DEMANDS.
  - B. EVERY SIGN REMOVED MUST BE RE-ERECTED AT A TEMPORARY LOCATION IN A WORKMAN LIKE MANNER AND BE VISIBLE TO ALL TRAFFIC. ALL SUCH SIGNS MUST BE MAINTAINED STRAIGHT AND NEAT FOR THE DURATION OF THE TEMPORARY SETTING.
  - C. ALL PAVEMENT MARKINGS WITHIN A GIVEN WORK AREA SHALL BE COMPLETED PRIOR TO CONSTRUCTION
- 17. ACCESS MUST BE MAINTAINED TO ALL EXISTING PROPERTIES DURING CONSTRUCTION PER ARTICLE 107.09 UNLESS ARRANGEMENTS ARE MADE IN WRITING BY THE CONTRACTOR WITH NORTHERN ILLINOIS UNIVERSITY WITH A COPY TO THE ENGINEER FOR SHORT-TERM CLOSURES.
- 18. ALL ELEVATIONS, STATIONS, AND OFFSETS SHOWN ON THE PLANS SHALL BE FIELD VERIFIED BY THE CONTRACTOR PRIOR TO CONSTRUCTION.
- 19. ALL PAVEMENT, CURB, SIDEWALK AND DRIVEWAYS TO BE ADJUSTED SHALL BE SAW CUT FULL DEPTH AT THE LIMITS OF THE ADJUSTMENT AND TRANSITION. PAYMENT FOR THE SAW CUT SHALL BE INCLUDED IN THE COST OF THE ITEM BEING REMOVED.
- 20. ANY UNCONTROLLED CRACKING THAT OCCURS IN P.C.C. PAVEMENTS, SIDEWALKS, CURBS, OR CURB AND GUTTER PRIOR TO FINAL ACCEPTANCE SHALL BE ROUTED OR SAWED AND SEALED ACCORDING TO IDOT STANDARD SPECIFICATION SECTION 452. THIS WORK SHALL NOT BE PAID FOR SEPARATELY, BUT SHALL BE CONSIDERED INCIDENTAL TO THE CONCRETE ITEMS.
- 21. TRENCH BACKFILL SHALL BE USED IN ALL LOCATIONS WHERE THE EDGE OF THE EXCAVATION TRENCH FOR UTILITY EXCAVATION IS WITHIN 2 FEET OF PROPOSED ROADWAY, CURB AND/OR SIDEWALK. QUANTITY FOR TRENCH BACKFILL WAS CALCULATED FROM IDOT "TRENCH BACKFILL TABLE" BASED ON A THEORETICAL TRENCH WIDTH. ADDITIONAL TRENCH BACKFILL THAT IS NECESSARY DUE TO OVER EXCAVATION OF TRENCH WILL NOT BE PAID FOR,
- 22. TRENCH BACKFILL FOR MANHOLES, INLETS, CATCH BASINS, FIRE HYDRANTS, AND VALVE BOXES WILL NOT BE PAID FOR SEPARATELY, BUT SHALL BE CONSIDERED INCIDENTAL OT THE COST OF THOSE ITEMS.

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
	04-00001-00-PV	DEKALB	43	3	
STA.	7	TO STA.	,		
cen n	A.D. DICT. UD	ero   cco   170	ana mar		

- 23. SEE INTERSECTION DETAIL SHEET FOR ROADWAY CLOSURE SIGNAGE. COST INCLUDED IN TRAFFIC CONTROL AND PROTECTION.
- 24. EXISTING DRAIN THE CONNECTIONS TO THE PROPOSED STORM SEWER SHALL BE MADE USING FITHER SHCEDULE 40 PVC PIPE CONFORMING TO ASTM D 1785 OR CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONFORMING TO AASHTO M252-94. ALL COUPLINGS SHALL BE ELASTOMERIC SEAL MECHANINCAL JOINTS CONFORMING TO ASTM 3212. THE EQUIPMENT, LABOR, AND MATERIALS NECESSARY FOR THIS WORK SHALL BE CONSIDERED INCIDENTAL TO THE VARIOUS STORM SEWER PAY ITEMS.
- 25. DETECTABLE WARNINGS SHALL BE CONSTRUCTED IN ALL CURB RAMPS FOR SIDEWALKS IN ACCORDANCE WITH ADA REQUIREMENTS, HIGHWAY STANDARD 424001 AND BDE SPECIAL PROVISION 80113. ANY EQUIPMENT, LABOR, OR MATERILS NECESSARY FOR CONSTRUCTION OF DETECTABLE WARNINGS SHALL BE INCIDENTAL TO PCC SIDEWALK, 5-IN.
- 26. ALL WARNING SIGNS FOR TRAFFIC CONTROL AND PROTECTION SHALL BE 48-IN. SIZE AND FLOURESCENT ORANGE.
- 27. ALL RCP STORM SEWER JOINTS SHALL CONFORM TO ASTM C 443. COST FOR MATERIAL OR LABOR NECESSARY TO MEET THIS REQUIREMENT SHALL BE INCIDENTAL TO THE VARIOUS STORM SEWER PAY ITEMS.
- 28. THE CONTRACTOR IS ADVISED THAT A RESURFACING CONTRACT ON IL 38 MAY BE UNDER CONSTRUCTION DURING THE CONSTRUCTION OF THIS PROJECT. THE CONTRACTOR IS REQUIRED TO COORDINATED HIS ACTIVITIES WITH THE CONTRACTOR ON THE OTHER PROJECT. THIS COORDINATION WILL NOT BE PAID SEPARATELY, BUT SHALL BE CONSIDERED INCIDENTAL TO THE CONTRACT.

REVISIONS		ILLINOIS DEPARTMENT OF TRANSPORTATION						
NAME	DATE	TELINOIS DELANTMENT OF TRANSPORTATION						
		SECTION 04 DEKALE NORTHERN ILLINOIS UNIV	1-00 3 CC ERS	001-00-1 DUNTY ITY WES	PV T ACCESS	ROAD		
		GENER	ΔL	NOTE	S			
		SCALE: VERT. HORIZ. DATE 06/03/05			AWN BY ECKED BY	RLA MGD		