

Wang Engineering
wangeng@wangeng.com
1145 Main Street
Lombard, IL 60148
Telephone: 630 953-9928
Fax: 630 953-9938

BORING LOG 53LB-08
WEI Job No.: 456-01-01
Client: ABNA of Illinois, Inc.
Project: I.L. Route 53 (Kohlwing Road), P.I.B. 153/21
Location: W 1/2 of Section 6, T40N R11E

Date: 05/14/2010
Elevation: 717.41 ft
North: 1937355.27 ft
East: 1066368.25 ft
Station: 246+11.07
Offset: 28.78 RT

Page 2 of 2

Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample Type	Sample No.	SPT Values (blows/in)	CU (tsf)	Moisture Content (%)	Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample Type	Sample No.	SPT Values (blows/in)	CU (tsf)	Moisture Content (%)
647.4	26 64-inch thick black SILTY CLAY LOAM -TOPSOIL- Stiff, black and brown CLAY LOAM, trace gravel -FILL-	17	B	7	10	5.41	16								
		18	B	10	36	3.20	17								
		19	B	5	8	3.03	20								
		20	B	8	15	2.75	13								
647.4	Boring terminated at 70.00 ft.														

GENERAL NOTES				WATER LEVEL DATA			
Begin Drilling	05-14-2010	Complete Drilling	05-14-2010	While Drilling	▽	44.50 ft	
Drilling Contractor	WTS	Drill Rig	D-50 ATV	At Completion of Drilling	▽	55.00 ft	
Driller	K&J	Logger	F. Bozga	Time After Drilling	NA		
Drilling Method	3.25 IDA HSA; Boring backfilled upon completion;			Depth to Water	▽	NA	
Diedrich Auto Hammer							

Wang Engineering
wangeng@wangeng.com
1145 Main Street
Lombard, IL 60148
Telephone: 630 953-9928
Fax: 630 953-9938

BORING LOG 53LB-09
WEI Job No.: 456-01-01
Client: ABNA of Illinois, Inc.
Project: I.L. Route 53 (Kohlwing Road), P.I.B. 153/21
Location: W 1/2 of Section 6, T40N R11E

Date: 05/12/2010
Elevation: 717.15 ft
North: 1937270.05 ft
East: 1066368.21 ft
Station: 245+25.88
Offset: 39.00 RT

Page 1 of 2

Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample Type	Sample No.	SPT Values (blows/in)	CU (tsf)	Moisture Content (%)	Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample Type	Sample No.	SPT Values (blows/in)	CU (tsf)	Moisture Content (%)
711.7	26 64-inch thick black SILTY CLAY LOAM -TOPSOIL- Stiff, black and brown CLAY LOAM, trace gravel -FILL-	11	B	11	6	1.75	31								
		12	B	12	6	1.25	22								
		13	B	4	4	1.75	19								
		14	B	4	4	2.75	18								
		15	B	2	4	1.84	19								
		16	B	2	4	1.59	17								
		17	B	2	6	2.50	14								
		18	B	2	6	3.12	17								
		19	B	2	4	2.05	24								
		20	B	4	4	2.38	22								
642.9	Very stiff, gray CLAY LOAM, trace gravel														
660.9	Very stiff, gray SILTY CLAY, trace to little gravel														
696.7	Very stiff, gray CLAY														

GENERAL NOTES				WATER LEVEL DATA			
Begin Drilling	05-12-2010	Complete Drilling	05-12-2010	While Drilling	▽	33.00 ft	
Drilling Contractor	WTS	Drill Rig	D-50 ATV	At Completion of Drilling	▽	59.00 ft	
Driller	K&J	Logger	F. Bozga	Time After Drilling	NA		
Drilling Method	3.25 IDA HSA; Boring backfilled upon completion;			Depth to Water	▽	NA	
Diedrich Auto Hammer							

Wang Engineering
wangeng@wangeng.com
1145 Main Street
Lombard, IL 60148
Telephone: 630 953-9928
Fax: 630 953-9938

BORING LOG 53LB-09
WEI Job No.: 456-01-01
Client: ABNA of Illinois, Inc.
Project: I.L. Route 53 (Kohlwing Road), P.I.B. 153/21
Location: W 1/2 of Section 6, T40N R11E

Date: 05/12/2010
Elevation: 717.15 ft
North: 1937270.05 ft
East: 1066368.21 ft
Station: 245+25.88
Offset: 39.00 RT

Page 2 of 2

Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample Type	Sample No.	SPT Values (blows/in)	CU (tsf)	Moisture Content (%)	Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample Type	Sample No.	SPT Values (blows/in)	CU (tsf)	Moisture Content (%)
		17	B	12	6	2.30	22								
		18	B	12	6	2.54	22								
		19	B	10	13	2.78	16								
		20	B	10	13	2.87	16								
		21	B	8	17	3.03	20								
		22	B	8	18	3.12	18								
		23	B	7	9	3.53	11								
642.9	Boring terminated at 75.00 ft.														

GENERAL NOTES				WATER LEVEL DATA			
Begin Drilling	05-12-2010	Complete Drilling	05-12-2010	While Drilling	▽	33.00 ft	
Drilling Contractor	WTS	Drill Rig	D-50 ATV	At Completion of Drilling	▽	59.00 ft	
Driller	K&J	Logger	F. Bozga	Time After Drilling	NA		
Drilling Method	3.25 IDA HSA; Boring backfilled upon completion;			Depth to Water	▽	NA	
Diedrich Auto Hammer							

NOTE: Additional geotechnical information is available upon request from IDOT.

SOIL BORINGS VI
STRUCTURE NO. 022-0012

SHEET NO. SA33 OF SA37	F.A.P RTE. 2578	SECTION 532B	COUNTY DUPAGE	TOTAL SHEETS 781	SHEET NO. 637
	CONTRACT NO. 60477				
12/3/2010		ILLINOIS FED. AID PROJECT			

PATRICK ENGINEERING
PATRICK ENGINEERING INC.
4970 VARSITY DRIVE
LISLE, IL 60532
patrickengineering.com