

LIGHTING LEGEND

Ⓐ	REMOVE EXISTING LIGHTING UNIT, NO SALVAGE
Ⓑ	REMOVAL OF POLE FOUNDATION
Ⓒ	RESERVED
Ⓓ	RESERVED
Ⓔ	REMOVAL OF LIGHTING UNIT, SALVAGE
⊗	LIGHT UNIT TO BE REMOVED, APPROXIMATE LOCATION
99	LIGHT UNIT WITH IDENTIFICATION NUMBER
— — — — —	EXISTING GUARDRAIL
— — — — —	EXISTING UNDERGROUND CABLE
— — — — —	EXISTING CABLE IN CONDUIT
— □ —	EXISTING ELECTRICAL SERVICE INSTALLATION
⊠	EXISTING LIGHTING CONTROLLER
⊡	EXISTING HANDHOLE, PORTLAND CEMENT CONCRETE
⊠	EXISTING JUNCTION BOX, STAINLESS STEEL, ATTACHED TO STRUCTURE
⊠	EXISTING LIGHT POLE, 45 FT. M.H., 6 FT. DAVIT ARM WITH 250 WATT H.P.S. LUMINAIRE AND DETECTION OR CCTV CAMERA TO REMAIN
Ⓐ	PROPOSED CONDUIT, PUSHED, 2-1/2" DIAMETER GALVANIZED STEEL
Ⓑ	PROPOSED CONDUIT, ATTACHED TO STRUCTURE, 1" DIAMETER GALVANIZED STEEL OR FLEXIBLE
Ⓒ	PROPOSED CONDUIT, EMBEDDED IN STRUCTURE, 2" DIAMETER PVC
Ⓓ	PROPOSED CONDUIT, IN TRENCH, 2-1/2" DIAMETER GALVANIZED STEEL
Ⓔ	PROPOSED ELECTRIC CABLE ASSEMBLY IN TRENCH, 600V (XLP-TYPE USE), 3-1/C NO. 6
Ⓕ	PROPOSED ELECTRIC CABLE IN CONDUIT, 600V (XLP-TYPE USE), 3-1/C NO. 10
Ⓖ	RESERVED
Ⓗ	PROPOSED ELECTRIC CABLE IN CONDUIT, 600V (XLP-TYPE USE) 2-1/C NO. 6 AND 1/C NO. 6 GROUND
Ⓜ	PROPOSED JUNCTION BOX, STAINLESS STEEL, ATTACHED TO STRUCTURE
Ⓜ	PROPOSED JUNCTION BOX, STAINLESS STEEL, EMBEDDED IN STRUCTURE
— □ —	PROPOSED ELECTRIC SERVICE INSTALLATION, 240/480V, 1 PHASE
⊡	PROPOSED HANDHOLE, PORTLAND CEMENT CONCRETE
⊠	PROPOSED LIGHTING CONTROLLER, 100 AMP, 240/480V, 1 PHASE
⊠	LIGHT POLE, ALUMINUM, 45 FT. M.H., 12 FT. MAST ARM, POLE BASE MOUNTED, LUMINAIRE, SODIUM VAPOR, HORIZONTAL MOUNT, 250 WATT AND 15" BOLT CIRCLE
⊠	LIGHT POLE, ALUMINUM, 45 FT. M.H., 12 FT. MAST ARM, TRANSFORMER BASE MOUNTED, LUMINAIRE, SODIUM VAPOR, HORIZONTAL MOUNT, 250 WATT AND 15" BOLT CIRCLE
⊠	LIGHT POLE, 45 FT. ALUMINUM M.H. WITH TWIN 6 FT. MAST ARMS. POLE BASE MOUNTED TO BRIDGE MEDIAN TWIN LUMINAIRES, EACH SODIUM VAPOR, 250 WATT, HORIZONTAL MOUNT TO MAST ARMS AND 15" BOLT CIRCLE
⊗	NAVIGATION LIGHT