



- SCHEDULE OF STORM SEWER IMPROVEMENTS** □
12. 12" CLEANOUT R = 637.15 I (N) = 634.15
 13. 39 L.F. - 12" HDPE DOUBLE WALL PERFORATED PIPE ADS (N12) @ 0.90% (INCIDENTAL TO BIOSWALE)
 14. 24" TYPE C CATCH BASIN WITH NEENAH R-1713 FRAME AND LID WITH TYPE G GRATE R = 636.60 I (N/S) = 633.80
 15. 104 L.F. - 12" HDPE DOUBLE WALL PERFORATED PIPE ADS (N12) @ 0.30% (INCIDENTAL TO BIOSWALE)
 16. 24" TYPE C CATCH BASIN WITH NEENAH R-1713 FRAME WITH TYPE G GRATE R = 636.60 I (N/S) = 633.50
 17. 140 L.F. - 12" HDPE DOUBLE WALL PERFORATED PIPE ADS (N12) @ 0.30% (INCIDENTAL TO BIOSWALE)
 18. 24" TYPE C CATCH BASIN WITH NEENAH R-1713 FRAME WITH TYPE G GRATE R = 636.60 I (N/S) = 633.10
 19. 70 L.F. - 12" HDPE DOUBLE WALL PERFORATED PIPE ADS (N12) @ 1.40% (INCIDENTAL TO BIOSWALE)
 20. 48" TYPE A CATCH BASIN WITH NEENAH R-4340-B GRATE R = 637.10 I (NW/S/E) = 632.60
 21. 110 L.F. - 12" RCP CLASS A, TYPE 3 @ 1.00%
 22. RECONSTRUCT EX. FRAME AND LID R = 637.35
SEE STRUCTURE FRAME AND GRATE ADJUSTMENT DETAIL ON SHEET 21
 23. MACHINE CORE EX. MAN HOLE I (SE) @ 628.50
SEE PIPE CONNECTION TO STRUCTURE DETAIL ON SHEET 21
 24. MACHINE CORE EX. MANHOLE I (SW) @ 629.00
 25. 24" TYPE C CATCH BASIN WITH NEENAH R-4340-B GRATE R = 635.34 I (N) = 633.00
 26. 228 L.F. - 12" HDPE DOUBLE WALL PERFORATED PIPE ADS (N12) @ 0.22%
 27. OMIT
 28. OMIT
 29. 24" TYPE C CATCH BASIN WITH NEENAH R-4340-B GRATE R = 636.00 I (N/S) = 632.50
 30. 144 L.F. - 12" HDPE DOUBLE WALL PERFORATED PIPE ADS (N12) @ 0.35%
 31. 48" TYPE A CATCH BASIN WITH NEENAH R-4340-B GRATE R = 366.00 I (NE/S) = 632.00
 32. 87 L.F. - 12" RCP CLASS A, TYPE 3 @ 3.50%
 33. RECONSTRUCT EX. FRAME AND GRATE R = 638.17
SEE STRUCTURE ADJUSTMENT DETAIL ON SHEET 20
-
- A1. 6" CLEANOUT R = 638.20 I (N) = 635.00
 - A2. 330 L.F. - UNDERDRAIN PIPE - 6" HDPE DOUBLE WALL PERFORATED PIPE ADS (N12) @ 0.60%
 - A3. 48" TYPE A CATCH BASIN WITH NEENAH R-1713 FRAME AND LID WITH TYPE G GRATE R = 637.30 I (S / NW) = 633.00
 - A4. 60 L.F. - UNDERDRAIN PIPE - 6" HDPE DOUBLE WALL PERFORATED PIPE ADS (N12) @ 0.61%
 - A5. 6" CLEANOUT R = 638.50 I (N) = 635.50
 - A6. 375 L.F. - UNDERDRAIN PIPE - 6" HDPE DOUBLE WALL PERFORATED PIPE ADS (N12) @ 0.50%
 - A7. 48" TYPE A CATCH BASIN WITH NEENAH R-1713 FRAME AND LID WITH TYPE G GRATE, R = 637.70 I (NW / SE) = 632.39, ALT 6 I (S) = 635.65
-
- SCHEDULE OF LIGHTING IMPROVEMENTS** ○ (SEE SHEET #19)
4. PROPOSED PARKING LOT LIGHT (TYPICAL) 6 TOTAL PARKING LOT LIGHTS STERNBERG MODEL 4-1940LED / 91PM / 4AR1R45T5 / VG - MOUNTED ON 20' POLE PUBLIC WORKS. PROVIDE HAND HOLE AT EACH PARKING LOT FIXTURE
 - 4A. PROPOSED PARKING LOT LIGHT (TYPICAL) 10 TOTAL PARKING LOT LIGHTS STERNBERG MODEL 1-1940LED / 91P1PM / 4A1R45T5 / VG- MOUNTED ON 20' POLE
 5. 1,800 L.F. 2/C #6 AND 1/C #8 GROUND IN 1 1/4" CONDUIT
 6. HAND HOLE FOR LIGHT POLES (TYPICAL) COORDINATE PLACEMENT WITH THE VILLAGE OF GLENVIEW PUBLIC WORKS
-
- SCHEDULE OF ELECTRICAL IMPROVEMENTS** △
1. HANDHOLE FOR FARE COLLECTION

CONNECT TO EX. LIGHT CONTROL BOX AT LEHIGH AVENUE.



PLANS PREPARED BY: 	SURVEY - DJG	DESIGNED - DJG	REVISED - 10/05/09 PER BLRS
	UTILITIES - JC	DRAWN - DJG	REVISED - 12/03/09 VOG
	CHECKED - DJG	CHECKED - LVA	REVISED -
	DATE - 04-23-09	DATE - 09-17-09	REVISED -

**VILLAGE OF GLENVIEW
PROJECT E 08-56**

**SITE UTILITY PLAN
COMPASS ROAD SOUTH PARKING LOT**

SCALE: 1" = 30' SHEET NO. 15 OF 24 SHEETS

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
NA	08-00169-00-PK	COOK	24	15
CONTRACT NO. 63360			ILLINOIS FED. AID PROJECT	