

SIDEROADS AND ENTRANCES																
STATION	SIDE	DESCRIPTION	TYPE	WIDTH FOOT	AREA SQ YD	BIT MATL'S (PR CT)	AGG (PR CT)	INC HMA SURF TON	HMA SURF REMOVAL (BUTT JT) SQ YD	HMA SURF REM 3/4" SO YD	HMA SURF REM 1/2" SO YD	HMA SURF REM 2/4" SO YD	AGG SURF CSE B TON	FURN EXC CU YD	SEED CL 2 ACRE	TEMP RAMP SO YD
120+72.00	RT	CE	BIT	20	33.3	2.50	0.07	2.80			33.3					
126+80.00	RT	ELM ST	BIT	48	279.2	20.94	0.56	23.45			279.2		2.12	0.010	26.69	
126+82.00	LT	CE	CONC	46	62.2											
131+35.00	LT	CE	AGG	25	38.9	9.72	0.12	3.27				4.98				
135+44.00	LT	FE	DIRT/AGG	28	42.2							5.41				
135+68.00	RT	CE	BIT	30	44.4	3.33	0.09	3.73			44.4					
137+10.00	LT	FE	DIRT/AGG	28	42.2							5.41				
137+43.00	RT	12TH ST	BIT	29	215.9	16.19	0.43	18.13			215.9		2.12	0.010	16.12	
137+89.00	LT	FE	BIT	38	53.3	4.00	0.11	4.48			53.3					
139+30.00	LT	FE	BIT	23	36.7	2.75	0.07	3.08			36.7					
143+10.00	RT	FE	DIRT/AGG	25	38.9							4.98				
143+78.00	RT	CE	BIT	35	50.0	3.75	0.10	4.20			50.0					
143+91.00	LT	PE	BIT	20	33.3	2.50	0.07	2.80			33.3					
160+12.00	LT	CE	CONC	44	60.0											
160+50.00	RT	FE	DIRT/AGG	45	61.1							7.83				
166+25.00	LT	CE	CONC	35	50.0											
169+43.00	LT	TR89 W	BIT	30	219.2	16.44	0.44	18.41			219.2		2.12	0.010	16.68	
169+43.00	RT	TR89 E	BIT	34	232.6	17.44	0.47	19.53			232.6		2.12	0.010	18.90	
185+76.00	RT	FE	AGG	44	60.0							7.69				
189+95.00	LT	FE	DIRT/AGG	28	42.2							5.41				
206+41.00	LT	FE	AGG	20	33.3							4.27				
207+22.00	RT	PE	BIT	26	40.0	3.00	0.08	3.36			40.0					
224+15.00	LT	FE	DIRT/AGG	23	36.7							4.70				
236+22.00	LT	FE	DIRT/AGG	28	42.2							5.41				
251+22.60	LT	TR79 W	BIT	84	490.6	36.80	0.98	41.21			490.6		3.21	0.016	46.70	
251+22.60	RT	TR79 E	BIT	64	424.0	31.80	0.85	35.61			424.0		3.21	0.016	35.58	
259+89.00	LT	TR16A	BIT	26	205.9	15.44	0.41	17.29			205.9		2.12	0.010	14.46	
268+80.00	LT	FE	DIRT/AGG	30	44.4							5.69				
268+60.00	RT	FE	AGG	30	44.4							5.69				
275+40.00	RT	FE	DIRT/AGG	28	42.2							5.41				
278+76.00	RT	PE	BIT	22	35.6	2.67	0.07	2.99			35.6					
282+43.00	RT	FE	DIRT/AGG	35	50.0							6.41				
283+42.00	LT	FE	DIRT/AGG	34	48.9							6.26				
285+88.00	RT	FE	DIRT/AGG	40	55.6							7.12				
292+85.00	LT	FE	AGG	20	33.3							4.27				
292+96.00	RT	FE	DIRT/AGG	30	44.4							5.69				
306+40.00	LT	GARBER RD W	BIT	30	124.4	9.33	0.25	10.45			124.4		0.92	0.005	16.68	
306+40.00	RT	GARBER RD E	BIT	28	115.5	8.66	0.23	9.70			115.5		0.87	0.004	15.57	
312+56.00	RT	FE	DIRT/AGG	35	50.0							6.41				
323+60.00	LT	FE	AGG	24	37.8							4.84				
332+26.00	LT	PE	BIT	20	33.3	2.50	0.07	2.80			33.3					
339+51.00	RT	FE	DIRT/AGG	30	44.4							5.69				
341+65.00	LT	FE	AGG	34	48.9							6.26				
343+89.00	LT	FE	AGG	32	46.7							5.98				
346+18.00	RT	FE	DIRT/AGG	30	44.4							5.69				
347+82.00	RT	PE	BIT	20	33.3	2.50	0.07	2.80			33.3					
359+50.00	LT	TR73 W	BIT	28	119.0	8.92	0.24	10.00			119.0		0.94	0.005	15.57	
359+50.00	RT	TR73 E	BIT	24	116.4	8.73	0.23	9.77			116.4		1.13	0.006	13.34	
378+49.00	LT	FE	AGG	32	46.7							5.98				
386+50.00	LT	FE	AGG	30	44.4							5.69				
400+01.00	RT	PE	BIT	16	28.9	2.17	0.06	2.43			28.9					
405+68.00	LT	FE	AGG	30	44.4							5.69				
413+07.00	RT	FE	AGG	35	50.0							6.41				
417+86.00	LT	FE	AGG	32	46.7							5.98				
429+55.00	RT	PE	BIT	20	33.3	2.50	0.07	2.80			33.3					
453+31.00	RT	FE	DIRT/AGG	35	50.0							6.41				
456+36.00	LT	FE	AGG	40	55.6							7.12				
464+21.00	LT	PE	BIT	18	31.1	2.33	0.06	2.61			31.1					
465+65.00	LT	TR67 W	BIT	30	219.2	16.44	0.44	18.41			219.2		2.12	0.010	16.68	
465+65.00	RT	TR67 E	BIT	28	212.6	15.94	0.43	17.85			212.6		2.12	0.010	15.57	
479+03.00	LT	PE	AGG	20	33.3							4.27				
488+21.00	LT	PE	BIT	17	30.0	2.25	0.06	2.52			30.0					
492+05.00	RT	FE	AGG	30	44.4							5.69				
495+50.00	LT	FE	AGG	30	44.4							5.69				
498+80.00	RT	FE	AGG	30	44.4							5.69				
509+27.00	RT	PE	BIT	15	27.8	2.08	0.06	2.33			27.8					
515+54.00	LT	PE	AGG	25	38.9							4.98				
518+90.00	LT	TR63 W	BIT	26	205.9	15.44	0.41	17.29			205.9		2.12	0.010	14.46	
518+90.00	RT	TR63 E	BIT	34	232.6	17.44	0.47	19.53			232.6		2.12	0.010	18.90	
530+23.00	RT	FE	AGG	18	31.1							3.99				
541+84.00	LT	PE	BIT	16	28.9	2.17	0.06	2.43			28.9					
547+51.00	LT	FE	AGG	24	37.8							4.84				
555+00.00	RT	FE	AGG	20	33.3							4.27				
557+14.00	LT	PE	BIT	20	33.3	2.50	0.07	2.80			33.3					
560+63.00	LT	FE	AGG	20	33.3							4.27				
561+29.00	RT	PE	BIT	18	31.1	2.33	0.06	2.61			31.1					
565+36.00	LT	PE	CONC	14	26.7											
565+43.50	RT	OHIO ST	BIT	30	219.2	16.44	0.44	18.41			219.2		2.12	0.010	16.68	

SIDEROADS AND ENTRANCES																
STATION	SIDE	DESCRIPTION	TYPE	WIDTH FOOT	AREA SQ YD	BIT MATL'S (PR CT)	AGG (PR CT)	INC HMA SURF TON	HMA SURF REMOVAL (BUTT JT) SQ YD	HMA SURF REM 3/4" SO YD	HMA SURF REM 1/2" SO YD	HMA SURF REM 2/4" SO YD	AGG SURF CSE B TON	FURN EXC CU YD	SEED CL 2 ACRE	TEMP RAMP SO YD
565+76.00	LT	PE	CONC	12	24.4											
566+93.00	RT	CE	CONC	24	37.8											
567+02.00	LT	PE	CONC	15	27.8											
567+30.00	LT	PE	CONC	14	26.7											
568+16.00	LT	CE	CONC	35	50.0											
570+01.00	LT	CE	CONC	40	55.6											
570+96.00	LT	CE	CONC	45	61.1											
571+98.80	LT	IL RTE 165 W	BIT	50	396.3											
571+98.80	RT	IL RTE 165 E	BIT	56	444.4	33.33	0.89	55.0				396.3		2.54	0.013	
573+09.00	RT	CE	CONC	44	60.0							444.4		2.37	0.012	31.14
574+92.00	RT	CE	CONC	40	55.6											
575+12.00	LT	CE	CONC	30	44.4											
576+87.00	LT	CE	BIT	30	44.4	3.33	0.09	3.73	15.11	29.33						
577+42.00	LT	FE	AGG	20	33.3										4.27	
577+49.00	RT	CE	BIT	30	44.4	3.33	0.09	3.73	15.11	29.33						
598+56.00	RT	FE	AGG	35	50.0										6.41	
598+57.00	LT	FE	AGG	28	42.2										5.41	
625+30.00	LT	TR59 W	BIT	26	205.9	15.44	0.41	17.29	57.78	148.11				2.12	0.010	14.46
625+30.00	RT	TR59 E	BIT	24	199.2	14.94	0.40	16.73	53.33	145.89				2.12	0.010	13.34
638+67.00	LT	FE	AGG	35	50.0										6.41	
652+02.00	LT	FE	AGG	24	37.8										4.84	
657+10.00	LT	FE	AGG	25	38.9										4.98	
678+71.00	LT	TR57A	BIT	28	174.4	13.08	0.35	14.65	62.22	112.18				1.68	0.008	15.57
678+71.00	RT	TR57	BIT	24	161.1	12.08	0.32	13.53	53.33	107.74				1.68	0.008	13.34
PROJECT TOTALS						426.19	11.30	486.5	256.9	572.6	4,05					