

DRAINAGE STRUCTURE SCHEDULE

| NO. | LOCATION | | TYPE | RIM ELEV | INVERT ELEVATION | | | |
|-----|-----------|----------|---------------------|----------|------------------|--------|------|--------|
| | STATION | OFFSET | | | (IN) | (IN) | (IN) | (OUT) |
| 400 | 508+80 | 36.0 LT | CB TC T24F&G | 923.38 | | | | 919.88 |
| 401 | 508+80 | 55.7 LT | MAN TA 4 DIA T1F CL | 923.40 | | 919.73 | | 918.82 |
| 402 | 509+77 | 37.2 LT | CB TA 4 DIA T24F&G | 922.85 | | 918.98 | | 918.98 |
| 403 | 509+77 | 64.5 LT | MAN TA 4 DIA T1F CL | 922.73 | 918.35 | 918.75 | | 918.35 |
| 404 | 509+92 | 42.0 LT | INLETS TA T24F&G | 922.80 | | | | 919.09 |
| 405 | 511+35 | 50.0 LT | CB TC T24F&G | 921.77 | | | | 918.29 |
| 406 | 511+35 | 71.4 LT | MAN TA 4 DIA T1F CL | 921.73 | 917.42 | 918.20 | | 917.42 |
| 407 | 512+35 | 50.0 LT | CB TC T24F&G | 921.24 | | | | 917.78 |
| 408 | 512+35 | 57.5 LT | MAN TA 4 DIA T1F CL | 921.50 | 916.93 | 917.76 | | 916.66 |
| 409 | 513+35 | 47.7 LT | CB TC T24F&G | 920.79 | | | | 917.33 |
| 410 | 513+35 | 55.2 LT | MAN TA 4 DIA T1F CL | 921.56 | 916.18 | 917.30 | | 916.18 |
| 411 | 514+45 | 42.0 LT | CB TC T24F&G | 920.37 | | | | 916.91 |
| 412 | 514+45 | 49.4 LT | MAN TA 4 DIA T1F CL | 921.18 | 915.65 | 916.89 | | 915.65 |
| 413 | 515+70 | 38.0 LT | CB TC T24F&G | 919.84 | | | | 916.38 |
| 414 | 515+70 | 45.5 LT | MAN TA 4 DIA T1F CL | 920.09 | 915.04 | 916.36 | | 914.77 |
| 415 | 516+90 | 38.0 LT | CB TC T24F&G | 919.23 | | | | 915.77 |
| 416 | 516+90 | 45.5 LT | MAN TA 4 DIA T1F CL | 919.48 | 914.19 | 915.75 | | 914.19 |
| 417 | 518+10 | 38.0 LT | CB TC T24F&G | 918.64 | | | | 915.18 |
| 418 | 518+10 | 45.5 LT | MAN TA 4 DIA T1F CL | 918.65 | 913.61 | 915.16 | | 913.61 |
| 419 | 519+60 | 39.0 LT | CB TA 4 DIA T24F&G | 917.43 | 914.07 | | | 914.07 |
| 420 | 519+60 | 47.5 LT | MAN TA 5 DIA T1F CL | 917.67 | 912.88 | 914.05 | | 912.34 |
| 421 | 519+60 | 10.0 RT | INLETS TA T24F&G | 918.65 | | | | 914.94 |
| 422 | 521+50 | 39.0 LT | CB TA 4 DIA T24F&G | 916.22 | 912.85 | | | 912.85 |
| 423 | 521+50 | 47.5 LT | MAN TA 5 DIA T1F CL | 917.43 | 911.44 | 912.83 | | 911.44 |
| 424 | 521+50 | 10.0 RT | INLETS TA T24F&G | 917.76 | | | | 914.05 |
| 425 | 523+25 | 39.0 LT | CB TA 4 DIA T24F&G | 915.33 | 911.96 | | | 911.96 |
| 426 | 523+25 | 47.5 LT | MAN TA 5 DIA T1F CL | 915.58 | 910.38 | 911.86 | | 910.38 |
| 427 | 523+25 | 10.0 RT | INLETS TA T24F&G | 916.87 | | | | 913.16 |
| 428 | 524+77 | 39.0 LT | CB TA 4 DIA T24F&G | 914.57 | 911.20 | | | 911.20 |
| 429 | 524+77 | 47.5 LT | MAN TA 5 DIA T1F CL | 914.82 | 909.62 | 911.10 | | 909.62 |
| 430 | 524+77 | 10.0 RT | INLETS TA T24F&G | 916.11 | | | | 912.40 |
| 431 | 525+37 | 39.0 LT | CB TA 4 DIA T24F&G | 914.46 | 911.09 | | | 911.09 |
| 432 | 525+37 | 47.5 LT | MAN TA 5 DIA T1F CL | 914.71 | 909.48 | 910.99 | | 909.48 |
| 433 | 525+37 | 10.0 RT | INLETS TA T24F&G | 916.00 | | | | 912.29 |
| 434 | 526+17 | 39.0 LT | CB TA 4 DIA T24F&G | 914.66 | 909.61 | | | 909.61 |
| 435 | 526+17 | 47.5 LT | MAN TA 5 DIA T1F CL | 914.91 | 909.19 | 909.59 | | 908.66 |
| 436 | 526+17 | 09.0 RT | INLETS TB T24F&G | 916.20 | 910.69 | | | 910.69 |
| 437 | 526+17 | 58.5 RT | INLETS TA T8G | 914.00 | | | | 910.92 |
| 438 | 527+50 | 39.0 LT | CB TA 4 DIA T24F&G | 915.87 | 910.82 | | | 910.82 |
| 439 | 527+50 | 47.5 LT | MAN TA 5 DIA T1F CL | 916.12 | 908.25 | 910.80 | | 908.25 |
| 440 | 527+50 | 09.0 RT | INLETS TB T24F&G | 917.41 | 912.35 | | | 912.35 |
| 441 | 527+50 | 55.8 RT | INLETS TA T8G | 916.05 | | | | 912.92 |
| 442 | 532+10 | 4.0 LT | CB TC T24F&G | 920.14 | | | | 916.43 |
| 443 | 529+40 | 45.7 LT | MAN TA 5 DIA T1F CL | 918.82 | 907.70 | | | 907.70 |
| 444 | 533+60 | 39.0 LT | CB TA 4 DIA T24F&G | 917.52 | 914.15 | | | 914.15 |
| 445 | 532+10 | 52.9 LT | MAN TA 5 DIA T1F CL | 919.31 | 906.93 | 915.31 | | 906.93 |
| 446 | 533+60 | 10.0 RT | INLETS TA T24F&G | 918.96 | | | | 915.25 |
| 447 | 534+70 | 39.0 LT | CB TA 4 DIA T24F&G | 915.90 | 912.52 | | | 912.52 |
| 448 | 533+60 | 47.5 LT | MAN TA 5 DIA T1F CL | 918.10 | 906.57 | 914.05 | | 906.57 |
| 449 | 534+70 | 10.0 RT | INLETS TA T24F&G | 916.97 | | | | 913.26 |
| 450 | 534+70 | 47.5 LT | MAN TA 5 DIA T1F CL | 916.61 | 912.42 | 906.26 | | 906.26 |
| 451 | 535+40 | 47.5 LT | MAN TA 6 DIA T1F CL | 915.49 | | | | 906.10 |
| 452 | 535+40 | 46.5 RT | MAN TA 7 DIA T1F CL | 915.76 | 905.31 | 905.31 | | 905.31 |
| 453 | 536+00 | 38.0 LT | INLETS TA T24F&G | 914.37 | | | | 910.66 |
| 454 | 536+00 | 39.0 RT | CB TA 4 DIA T24F&G | 914.37 | 909.33 | | | 909.33 |
| 455 | 536+00 | 47.5 RT | MAN TA 5 DIA T1F CL | 914.62 | 905.40 | 909.21 | | 905.40 |
| 456 | 537+29 | 38.0 LT | INLETS TA T24F&G | 913.23 | | | | 909.52 |
| 457 | 537+29 | 39.0 RT | CB TA 4 DIA T24F&G | 913.23 | 908.19 | | | 908.19 |
| 458 | 537+29 | 47.5 RT | MAN TA 5 DIA T1F CL | 913.48 | 905.88 | 908.07 | | 905.60 |
| 459 | 538+10 | 38.0 LT | INLETS TA T24F&G | 913.03 | | | | 909.32 |
| 460 | 538+10 | 39.0 RT | CB TA 4 DIA T24F&G | 913.03 | 907.99 | | | 907.99 |
| 461 | 538+10 | 47.0 RT | MAN TA 4 DIA T1F CL | 913.28 | 907.79 | 907.87 | | 906.14 |
| 462 | 538+50 | 38.0 LT | INLETS TA T24F&G | 913.07 | | | | 909.36 |
| 463 | 538+50 | 39.0 RT | CB TA 4 DIA T24F&G | 913.07 | 908.03 | | | 908.03 |
| 464 | 538+50 | 47.0 RT | MAN TA 4 DIA T1F CL | 913.32 | 908.24 | 907.99 | | 907.97 |
| 465 | 538+91 | 38.0 LT | INLETS TA T24F&G | 913.23 | | | | 909.52 |
| 466 | 538+91 | 39.0 RT | CB TA 4 DIA T24F&G | 913.23 | 909.18 | | | 909.18 |
| 467 | 538+91 | 47.0 RT | MAN TA 4 DIA T1F CL | 913.48 | 908.43 | 909.16 | | 908.43 |
| 468 | 540+20 | 38.0 LT | INLETS TA T24F&G | 913.87 | | | | 910.16 |
| 469 | 540+20 | 39.0 RT | CB TA 4 DIA T24F&G | 913.87 | 909.79 | | | 909.79 |
| 470 | 540+20 | 47.0 RT | MAN TA 4 DIA T1F CL | 914.12 | 909.33 | 909.77 | | 909.06 |
| 471 | 541+45 | 38.0 LT | INLETS TA T24F&G | 914.49 | | | | 910.78 |
| 472 | 541+45 | 39.0 RT | CB TA 4 DIA T24F&G | 914.49 | 910.41 | | | 910.41 |
| 473 | 541+45 | 47.0 RT | MAN TA 4 DIA T1F CL | 914.74 | | 910.39 | | 909.94 |
| 474 | 535+54.30 | 91.0 RT | PRC FLAR END SEC 30 | - | 905.13 | | | 905.10 |
| 475 | 536+88 | 390.5 RT | PRC FLAR END SEC 15 | - | 905.00 | | | 905.03 |
| 476 | 536+92.1 | 401.9 RT | MAN TA 4 DIA T8G | 907.50 | 904.95 | | | 904.93 |
| 477 | 537+05.6 | 439.6 RT | PRC FLAR END SEC 15 | - | 904.77 | | | 904.74 |

DRAINAGE SEWER SCHEDULE

| SEWER NO. | TYPE | SIZE (INCH) | LENGTH (FEET) | SLOPE (%) |
|-----------|------------------|-------------|---------------|-----------|
| 400 | STORM SEW CL A 2 | 12 | 16.7 | 0.90% |
| 401 | STORM SEW CL A 2 | 12 | 93.4 | 0.50% |
| 402 | STORM SEW CL A 2 | 12 | 22.4 | 1.03% |
| 403 | STORM SEW CL A 2 | 12 | 12.1 | 0.91% |
| 404 | STORM SEW CL A 2 | 12 | 154.2 | 0.60% |
| 405 | STORM SEW CL A 2 | 12 | 18.4 | 0.50% |
| 406 | STORM SEW CL A 2 | 12 | 97.0 | 0.50% |
| 407 | STORM SEW CL A 2 | 12 | 4.5 | 0.50% |
| 408 | STORM SEW CL A 2 | 15 | 96.0 | 0.50% |
| 409 | STORM SEW CL A 2 | 12 | 4.5 | 0.60% |
| 410 | STORM SEW CL A 2 | 15 | 106.1 | 0.50% |
| 411 | STORM SEW CL A 2 | 12 | 4.5 | 0.50% |
| 412 | STORM SEW CL A 2 | 15 | 121.1 | 0.50% |
| 413 | STORM SEW CL A 2 | 12 | 4.5 | 0.50% |
| 414 | STORM SEW CL A 2 | 18 | 116.0 | 0.50% |
| 415 | STORM SEW CL A 2 | 12 | 4.5 | 0.50% |
| 416 | STORM SEW CL A 2 | 18 | 116.0 | 0.50% |
| 417 | STORM SEW CL A 2 | 12 | 4.5 | 0.50% |
| 418 | STORM SEW CL A 2 | 18 | 145.1 | 0.50% |
| 419 | STORM SEW CL A 2 | 12 | 4.0 | 0.50% |
| 420 | STORM SEW CL A 2 | 12 | 46.0 | 1.90% |
| 421 | STORM SEW CL A 2 | 24 | 180.4 | 0.50% |
| 422 | STORM SEW CL A 2 | 12 | 4.0 | 0.60% |
| 423 | STORM SEW CL A 2 | 12 | 46.0 | 2.60% |
| 424 | STORM SEW CL A 2 | 24 | 144.5 | 0.64% |
| 424 | STORM SEW WM REQ | 24 | 21.3 | 0.64% |
| 425 | STORM SEW CL A 2 | 12 | 4.0 | 2.50% |
| 426 | STORM SEW CL A 2 | 12 | 46.0 | 2.60% |
| 427 | STORM SEW CL A 2 | 24 | 143.4 | 0.53% |
| 428 | STORM SEW CL A 2 | 12 | 4.0 | 2.50% |
| 429 | STORM SEW CL A 2 | 12 | 46.0 | 2.60% |
| 430 | STORM SEW CL A 2 | 24 | 53.6 | 0.26% |
| 431 | STORM SEW CL A 2 | 12 | 4.0 | 2.50% |
| 432 | STORM SEW CL A 2 | 12 | 46.0 | 2.60% |
| 433 | STORM SEW CL A 2 | 24 | 73.1 | 0.40% |
| 434 | STORM SEW CL A 2 | 12 | 4.0 | 0.50% |
| 435 | STORM SEW CL A 2 | 12 | 45.0 | 2.40% |
| 436 | STORM SEW CL A 2 | 12 | 46.5 | 0.50% |
| 437 | STORM SEW CL A 2 | 30 | 124.8 | 0.33% |
| 438 | STORM SEW CL A 2 | 12 | 4.0 | 0.50% |
| 439 | STORM SEW CL A 2 | 15 | 45.0 | 3.40% |
| 440 | STORM SEW CL A 2 | 12 | 43.8 | 1.30% |
| 441 | STORM SEW CL A 2 | 30 | 180.5 | 0.30% |
| 442 | STORM SEW CL A 2 | 30 | 258.0 | 0.30% |
| 443 | STORM SEW CL A 2 | 12 | 41.4 | 2.70% |
| 444 | STORM SEW CL A 2 | 30 | 141.4 | 0.25% |
| 445 | STORM SEW CL A 2 | 12 | 4.0 | 2.50% |
| 446 | STORM SEW CL A 2 | 12 | 46.0 | 2.40% |
| 447 | STORM SEW CL A 2 | 30 | 104.0 | 0.30% |
| 448 | STORM SEW CL A 2 | 12 | 4.0 | 2.50% |
| 449 | STORM SEW CL A 2 | 12 | 46.0 | 1.60% |
| 450 | STORM SEW CL A 2 | 30 | 64.5 | 0.25% |
| 451 | STORM SEW CL A 2 | 30 | 87.0 | 0.91% |
| 452 | STORM SEW CL A 2 | 30 | 37.1 | 0.49% |
| 453 | STORM SEW CL A 2 | 12 | 74.0 | 1.80% |
| 454 | STORM SEW CL A 2 | 12 | 4.0 | 3.00% |
| 455 | STORM SEW CL A 2 | 24 | 54.0 | 0.17% |
| 456 | STORM SEW CL A 2 | 12 | 74.0 | 1.80% |
| 457 | STORM SEW CL A 2 | 12 | 4.0 | 3.00% |
| 458 | STORM SEW CL A 2 | 24 | 124.0 | 0.16% |
| 459 | STORM SEW CL A 2 | 12 | 74.0 | 1.80% |
| 460 | STORM SEW CL A 2 | 12 | 4.0 | 3.00% |
| 461 | STORM SEW CL A 2 | 18 | 76.5 | 0.34% |
| 462 | STORM SEW CL A 2 | 12 | 74.0 | 1.80% |
| 463 | STORM SEW CL A 2 | 12 | 4.0 | 0.90% |
| 464 | STORM SEW CL A 2 | 18 | 36.0 | 0.50% |
| 465 | STORM SEW CL A 2 | 12 | 74.0 | 0.50% |
| 466 | STORM SEW CL A 2 | 12 | 4.0 | 0.50% |
| 467 | STORM SEW CL A 2 | 15 | 37.0 | 0.50% |
| 468 | STORM SEW CL A 2 | 12 | 74.0 | 0.50% |
| 469 | STORM SEW CL A 2 | 12 | 4.0 | 0.50% |
| 470 | STORM SEW CL A 2 | 15 | 125.0 | 0.50% |
| 471 | STORM SEW CL A 2 | 12 | 74.0 | 0.50% |
| 472 | STORM SEW CL A 2 | 12 | 4.0 | 0.50% |
| 473 | STORM SEW CL A 2 | 12 | 121.0 | 0.50% |
| 474 | STORM SEW CL A 2 | 15 | 4.0 | 0.50% |
| 475 | STORM SEW CL A 2 | 15 | 32.0 | 0.50% |