

SUMMARY OF QUANTITIES

| | | | | |
|--------------------------|---------|---------------------------|--------------|-----------|
| F.A.L. RT. | SECTION | COUNTY | TOTAL SHEETS | SHEET NO. |
| 70/55 | | MADISON | 19 | 2 |
| STA. | | TO STA. | | |
| FED. ROAD DIST. NO. | | ILLINOIS FED. AID PROJECT | | |
| • DIST 8 ITS 2007-4A, 4B | | | | |

| SUMMARY OF QUANTITIES | | | CONSTRUCTION TYPE CODE | |
|-----------------------|--|--------|------------------------|---------------|
| CODE NO | ITEM | UNIT | TOTAL QUANTITIES | URBAN Y032-1F |
| 20200100 | EARTH EXCAVATION | CU YD | 15.7 | 15.7 |
| 20400800 | FURNISHED EXCAVATION | CU YD | 144.5 | 144.5 |
| 25000210 | SEEDING, CLASS 2A | ACRE | 0.13 | 0.13 |
| 25100115 | MULCH, METHOD 2 | ACRE | 0.13 | 0.13 |
| 28000250 | TEMPORARY EROSION CONTROL SEEDING | POUND | 13 | 13 |
| 50800105 | REINFORCEMENT BARS | POUND | 156 | 156 |
| 67000400 | ENGINEER'S FIELD OFFICE, TYPE A | CAL MO | 8 | 8 |
| 67100100 | MOBILIZATION | L SUM | 1 | 1 |
| 70100700 | TRAFFIC CONTROL AND PROTECTION, STANDARD 701406 | L SUM | 1 | 1 |
| 72400730 | RELOCATE SIGN PANEL - TYPE 3 | SQ FT | 77.5 | 77.5 |
| 72700100 | STRUCTURAL STEEL SIGN SUPPORT - BREAKAWAY | POUND | 75 | 75 |
| 73400100 | CONCRETE FOUNDATIONS | CU YD | 1.4 | 1.4 |
| 73400200 | DRILLED SHAFT CONCRETE FOUNDATIONS | CU YD | 13.5 | 13.5 |
| 73502000 | RELOCATE GROUND-MOUNTED SIGN SUPPORT | EACH | 2 | 2 |
| 73700200 | REMOVE CONCRETE FOUNDATION - GROUND MOUNT | EACH | 2 | 2 |
| 80300100 | LOCATING UNDERGROUND CABLE | FOOT | 3400 | 3400 |
| 80500100 | SERVICE INSTALLATION, TYPE A | EACH | 2 | 2 |
| 81012800 | CONDUIT IN TRENCH, 3" DIA., PVC | FOOT | 3430 | 3430 |
| 81400700 | HANDHOLE, PORTLAND CEMENT CONCRETE | EACH | 5 | 5 |
| 81400720 | DOUBLE HANDHOLE, PORTLAND CEMENT CONCRETE | EACH | 2 | 2 |
| 81702140 | ELECTRIC CABLE IN CONDUIT, 600V (XLP-TYPE USE) 1/C NO. 4 | FOOT | 13734 | 13734 |
| 81900200 | TRENCH AND BACKFILL FOR ELECTRICAL WORK | FOOT | 3470 | 3470 |
| 87800210 | CONCRETE FOUNDATION, TYPE D (SPECIAL) | FOOT | 7 | 7 |
| X0325810 | WIRELESS ETHERNET RADIO | EACH | 2 | 2 |
| X0325814 | TRUSS MOUNTED LED DYNAMIC MESSAGE SIGN | EACH | 2 | 2 |
| X0325465 | OVERHEAD SIGN STRUCTURE - BUTTERFLY, TYPE III-F-A | FOOT | 76.5 | 76.5 |
| X0325470 | CONDUIT ATTACHED TO STRUCTURE, 3" DIA., ALUMINUM | FOOT | 100 | 100 |
| X7010600 | TRAFFIC CONTROL AND PROTECTION, STANDARD 701406, SPECIAL | L SUM | 1 | 1 |
| X7330105 | OVERHEAD SIGN STRUCTURE WALKWAY, TYPE A | FOOT | 13.5 | 13.5 |
| X8100065 | CONDUIT IN TRENCH, 4" DIA., PVC TYPE C | FOOT | 20 | 20 |
| Z0030150 | IMPACT ATTENUATORS (NON-REDIRECTIVE), TEST LEVEL 3 | EACH | 2 | 2 |

| SUMMARY OF QUANTITIES | | | | CONSTRUCTION TYPE CODE Y032-1F | | |
|-----------------------|------|------|------------------|--------------------------------|----------------------------|--|
| CODE NO | ITEM | UNIT | TOTAL QUANTITIES | 005522.OS05S STA. 1148+69 | 007016.7W.06S STA. 1032+00 | |
| | | | | | | |

PLOT DATE = 5/9/2007
 FILE NAME = c:\prowork\ad\467\electrical\1148+69.dgn
 PLOTTER = HP DesignJet 7 IN
 REFERENCE = MREF