

F. A. D. SHEET NO.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
2808	07-00084-00-RS	COOK	016	002
STA.	TO STA.			
FED. ROAD DIST. NO.	CLASS.	FED. AID PROJECT		

CONTRACT #83941

S.I.	CODE NO.	PAY ITEM	UNIT	QUAN	ROADWAY	
					CONSTRUCTION TYPE CODE	
					1000	
	25000400	NITROGEN FERTILIZER NUTRIENT	POUND	8	8	
	25000500	PHOSPHORUS FERTILIZER NUTRIENT	POUND	8	8	
	25000600	POTASSIUM FERTILIZER NUTRIENT	POUND	8	8	
	25200110	SODDING, SALT TOLERANT	SQ YD	400	400	
	40201000	AGGREGATE FOR TEMPORARY ACCESS	TON	100	100	
	40600100	BITUMINOUS MATERIALS (PRIME COAT)	GALLON	5048	5048	
	40600300	AGGREGATE (PRIME COAT)	TON	100	100	
	40600895	CONSTRUCTING TEST STRIP	EACH	1	1	
	40600982	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT	SQ YD	897	897	
	40603335	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N50	TON	4250	4250	
	42300300	PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT, 7 INCH	SQ YD	40	40	
	42400200	PORTLAND CEMENT CONCRETE SIDEWALK 5 INCH	SQ FT	1476	1476	
	42400800	DETECTABLE WARNINGS	SQ FT	320	320	
	44000196	HOT-MIX ASPHALT SURFACE REMOVAL, SPECIAL	SQ YD	10100	10100	
	44000200	DRIVEWAY PAVEMENT REMOVAL	SQ YD	40	40	
	44000600	SIDEWALK REMOVAL	SQ FT	1476	1476	
	44001700	COMBINATION CONCRETE CURB AND GUTTER REMOVAL AND REPLACEMENT	FOOT	575	575	
	44201737	CLASS D PATCHES, TYPE I, 8 INCH	SQ YD	80	80	
	44201741	CLASS D PATCHES, TYPE II, 8 INCH	SQ YD	300	300	
	44201745	CLASS D PATCHES, TYPE III, 8 INCH	SQ YD	375	375	
	44201747	CLASS D PATCHES, TYPE IV, 8 INCH	SQ YD	1300	1300	
	58100200	WATERPROOFING MEMBRANE SYSTEM	SQ YD	2000	2000	
	60250200	CATCH BASINS TO BE ADJUSTED	EACH	23	23	
	60250500	CATCH BASINS TO BE ADJUSTED WITH NEW TYPE 1 FRAME, CLOSED LID	EACH	3	3	
	60253100	CATCH BASINS TO BE RECONSTRUCTED WITH NEW TYPE 1 FRAME, CLOSED LID	EACH	2	2	
	60255500	MANHOLES TO BE ADJUSTED	EACH	69	69	
	60255800	MANHOLES TO BE ADJUSTED WITH NEW TYPE 1 FRAME, CLOSED LID	EACH	3	3	
	60258200	MANHOLES TO BE RECONSTRUCTED WITH NEW TYPE 1 FRAME, CLOSED LID	EACH	2	2	
	70102620	TRAFFIC CONTROL AND PROTECTION, STANDARD 701501	L SUM	1	1	
	70102625	TRAFFIC CONTROL AND PROTECTION, STANDARD 701606	L SUM	1	1	
	70102635	TRAFFIC CONTROL AND PROTECTION, STANDARD 701701	L SUM	1	1	
	70102640	TRAFFIC CONTROL AND PROTECTION, STANDARD 701801	L SUM	1	1	
	70300100	SHORT-TERM PAVEMENT MARKING	FOOT	5200	5200	
*	78000100	THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	475	475	
*	78000200	THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	27500	27500	
*	78000400	THERMOPLASTIC PAVEMENT MARKING - LINE 6"	FOOT	2000	2000	
*	78000650	THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	450	450	
*	78100100	RAISED REFLECTIVE PAVEMENT MARKER	EACH	575	575	
*	88600600	DETECTOR LOOP REPLACEMENT	FOOT	1067	1067	
	X0324096	HOT IN-PLACE RECYCLING	SQ YD	49620	49620	
	X0322052	ASPHALT REJUVENATING AGENT	GALLON	4963	4963	
	X4067107	POLYMERIZED LEVELING BINDER (MACHINE METHOD), IL-4.75, N50	TON	1042	1042	
	XX005843	INCIDENTAL BITUMINOUS SURFACING	SQ YD	150	150	
	XX005923	BRIDGE DECK WEARING SURFACE REMOVAL	SQ YD	2000	2000	
Δ	Z0076600	TRAINEES	hour	500	500	
X	X006948	HOT-MIX ASPHALT DRIVEWAY REMOVAL AND REPLACEMENT	SQ YD	20	20	
	67100100	MOBILIZATION	L SUM	1	1	

GENERAL NOTES:

- BEFORE STARTING ANY EXCAVATION, THE CONTRACTOR SHALL CALL "J.U.L.I.E." AT (800) 892-0123 AT (312) 744-7000 FOR FIELD LOCATIONS OF BURIED ELECTRIC, TELEPHONE AND GAS UTILITIES. (48 HOUR NOTIFICATION IS REQUIRED).
- UTILITIES INDICATED ON THE PLANS ARE PROVIDED FOR THE CONTRACTORS USE AND ARE BASED UPON INFORMATION AVAILABLE AT THE TIME OF THE ADVERTISEMENT FOR BIDS. THE OWNER AND ENGINEER DO NOT GUARANTEE THE ACCURACY OF UTILITIES INFORMATION.
- IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY ALL DIMENSIONS AND CONDITIONS EXISTING IN THE FIELD PRIOR TO CONSTRUCTION AND ORDERING OF MATERIALS.
- SCHEDULES INCLUDED IN THE PLANS HAVE BEEN PREPARED FROM FIELD NOTES. EXACT LOCATIONS FOR PATCHING SHALL BE DETERMINED IN THE FIELD BY THE ENGINEER.
- ANY REFERENCE TO STANDARDS THROUGHOUT THE PLANS OR SPECIAL PROVISIONS SHALL BE INTERPRETED TO BE THE LATEST STANDARDS OF THE ILLINOIS DEPARTMENT OF TRANSPORTATION.
- THE NOMINAL THICKNESS OF BITUMINOUS MIXTURE STATED IN THE SPECIFICATIONS IS THE NOMINAL THICKNESS. DEVIATIONS FROM THE NOMINAL THICKNESS WILL BE PERMITTED WHEN SUCH DEVIATIONS OCCUR DUE TO IRREGULARITIES IN THE EXISTING SURFACE OR BASE ON WHICH THE BITUMINOUS SURFACE IS PLACED.

Δ - Y080
* - INDICATES SPECIALTY ITEMS

REVISIONS	
NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION

**STATE STREET
STREET RESURFACING
SUMMARY OF QUANTITIES**

SCALE: VERT. NA
HORIZ. NA
DATE 04-16-07

DRAWN BY PS/RG
CHECKED BY PKB