

L-806 - WIND CONE LOCATION DATA				
	DESCRIPTION	NORTHING	EASTING	
L1	RUNWAY 18/36 STA. 170+78 260' RT OF CENTERLINE	1,197,113.41	2,007,339.38	
L5	RUNWAY 4/22 STA. 182+98 260' RT OF CENTERLINE	1,196,718.69	2,011,142.74	

THE LOCATION, SIZE AND TYPE OF MATERIAL OF EXISTING UNDERGROUND UTILITIES INDICATED ON THE PLANS IS NOT REPRESENTED AS BEING ACCURATE, SUFFICIENT OR COMPLETE. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE THE ACTUAL LOCATION OF ALL SUCH FACILITIES, INCLUDING SERVICE CONNECTIONS TO UNDERGROUND UTILITIES. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL NOTIFY THE UTILITY COMPANIES OF HIS OPERATIONAL PLANS AND SHALL OBTAIN FROM THE RESPECTIVE UTILITY COMPANIES DETAILED INFORMATION AND ASSISTANCE RELATIVE TO THE LOCATION OF THEIR FACILITIES AND THE WORKING SCHEDULE OF THE COMPANIES FOR REMOVAL OR ADJUSTMENT WHERE REQUIRED. IN THE EVENT AN UNEXPECTED UTILITY INTERFERENCE IS ENCOUNTERED DURING CONSTRUCTION, THE CONTRACTOR SHALL IMMEDIATELY NOTIFY THE UTILITY COMPANY OF JURISDICTION. THE ENGINEER SHALL ALSO BE IMMEDIATELY NOTIFIED. ANY SUCH MAINS AND SERVICES SHALL BE RESTORED TO SERVICE AT ONCE AND PAID FOR BY THE CONTRACTOR AT NO ADDITIONAL COST TO THE CONTRACT.

CALL J.U.L.I.E. FOR UTILITY INFORMATION AT 1-800-892-0123. CONTACT AIRPORT PERSONNEL FOR ASSISTANCE IN LOCATING AIRPORT CABLES. CONTACT FAA FOR ASSISTANCE IN LOCATING FAA CABLES



DUCT MARKER NOTE

AS PART OF THIS PROJECT THE CONTRACTOR WILL FURNISH AND INSTALL 10 - 2' X 2' CONCRETE DUCT MARKERS ON TAXIWAYS "A" AT THE LOCATIONS AS DETERMINED BY THE RESIDENT ENGINEER. WHAT IS PLACED ON THE DUCT MARKERS WILL BE DETERMINED BY THE RESIDENT ENGINEER. THESE DUCT MARKERS WILL BE CONSTRUCTED AND INSTALLED IN ACCORDANCE WITH THE DETAILS SHOWN ON SHEET NO. 13. THESE DUCT MARKERS WILL BE CONSIDERED AS AN INCIDENTAL ITEM TO THE CONTRACT AND NO ADDITIONAL COMPENSATION WILL BE ALLOWED.

SUMMARY OF PROPOSED QUANTITIES (THIS SHEET)				
ITEM NUMBER	DESCRIPTION	UNIT	QUANTITY	
AR107408	L-806 WIND CONE - 8' LIGHTED	EA.	2	
AR108258	2/C #8 5KV UG CABLE IN UD	L.F.	3945	
AR110014	4" DIRECTIONAL BORE	L.F.	70	
AR125565	SPLICE CAN	EA.	1	

WIND CONE NOTES
THE PROPOSED WIND CONES SHALL BE INSTALLED AS SHOWN ON THIS SHEET & THE "WIND CONE ELEVATION DETAIL" SHEET, AND IN ACCORDANCE WITH THE SPECIAL PROVISIONS.

- LEGEND**
- EXISTING PAVEMENT
 - PROPOSED DUCT
 - PROPOSED 2/C #8 5KV UG CABLE IN UD L-824 TYPE C
 - PROPOSED SUPPLEMENTAL LIGHTED WIND CONE
 - EXISTING ELECTRICAL CABLES



JUL 11, 2006 9:20 AM CAH
I:\AIRPORTS\QUINCY\824-06SWC\AIRPORT\SHEETS\R-121CON.DWG - LAYOUT NO. 2

DATE	REVISION	BY

QUINCY REGIONAL AIRPORT
BALDWIN FIELD
ADAMS COUNTY, ILLINOIS

IL PROJ.: UIN-3618 A.I.P. PROJ.: 3-17-0085-XX

Project No.	824-06SWC02 0240
Revision	R-121CON.DWG
Scale	1" = 200'
Date	05/19/06
LAYOUT	KNL 05/19/06
DRAWN	BAK 05/19/06
REVIEWED	CAH xx/xx/xx

HANSON
Hanson Professional Services, Inc.
1525 South Sixth Street
Springfield, Illinois 62703-2886
Offices Nationwide

INSTALL WIND CONES
PROPOSED ELECTRICAL
PLAN CONTINUED