


F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
332	31-1-2, 31B	SALINE	199	84
STA.	TO STA.			
FED. ROAD DIST. NO.	ILLINOIS FED. AID PROJECT			

NW U.S. 45-STATE ST./ILL. 142

STATIONING ALONG U.S. 45	OFFSET TO E.P. FEET	EDGE OF PAV'T. ELEV. FEET	STATIONING ALONG STATE ST./ ILL. 142	OFFSET TO E.P. FEET	DISTANCE ALONG RADIUS FEET	GEOMETRIC DESCRIPTION
LT. 386+30.58	31.00	378.11				PC
LT. 386+40.58	31.12	378.14			10	
LT. 386+50.57	31.48	378.17			10	
LT. 386+60.55	32.07	378.20			10	
LT. 386+70.52	32.90	378.23			10	
LT. 386+80.46	33.97	378.19			10	
LT. 386+90.37	35.28	378.15			10	
LT. 387+00.25	36.82	378.11			10	
LT. 387+10.10	38.60	378.08			10	
LT. 387+19.89	40.61	378.04			10	
LT. 387+29.64	42.85	377.99			10	
LT. 387+30.97	43.17	377.98	RT. 12+00.20	109.21	1.37	PCC
LT. 387+39.21	45.71	377.92	RT. 11+99.04	100.67	8.63	
LT. 387+48.32	49.82	377.81	RT. 11+96.48	91.01	10	
LT. 387+56.81	55.09	377.69	RT. 11+92.66	81.77	10	
LT. 387+64.51	61.45	377.59	RT. 11+87.65	73.13	10	
LT. 387+71.31	68.78	377.49	RT. 11+81.53	65.23	10	
LT. 387+77.07	76.95	377.39	RT. 11+74.42	58.21	10	
LT. 387+81.69	85.80	377.50	RT. 11+66.43	52.20	10	
LT. 387+85.10	95.20	377.62	RT. 11+57.72	47.31	10	
LT. 387+87.22	104.96	377.74	RT. 11+48.44	43.62	10	
LT. 387+87.82	110.21	377.80	RT. 11+43.35	42.17	5.28	PCC
		377.86	RT. 11+38.77	41.07	4.72	
		377.99	RT. 11+29.01	38.91	10	
		378.12	RT. 11+19.19	36.98	10	
		378.24	RT. 11+09.34	35.28	10	
		378.36	RT. 10+99.45	33.82	10	
		378.49	RT. 10+89.52	32.59	10	
		378.62	RT. 10+79.57	31.60	10	
		378.76	RT. 10+69.60	30.85	10	
		378.92	RT. 10+59.61	30.33	10	
		379.06	RT. 10+49.62	30.05	10	
		379.15	RT. 10+42.96	30.00	6.65	PT

NE U.S. 45-STATE ST./ILL. 142

STATIONING ALONG U.S. 45	OFFSET TO E.P. FEET	EDGE OF PAV'T. ELEV. FEET	STATIONING ALONG STATE ST./ ILL. 142	OFFSET TO E.P. FEET	DISTANCE ALONG RADIUS FEET	GEOMETRIC DESCRIPTION
LT. 389+96.61	31.00	378.88				PC
LT. 389+86.61	31.22	378.83			10	
LT. 389+76.63	31.87	378.76			10	
LT. 389+66.69	32.95	378.70			10	
LT. 389+56.81	34.47	378.62			10	
LT. 389+47.00	36.41	378.54			10	
LT. 389+37.28	38.78	378.45			10	
LT. 389+27.68	41.57	378.35			10	
LT. 389+19.61	44.27	378.26	LT. 12+29.94	77.08	8.51	PCC
LT. 389+18.21	44.78	378.24	LT. 12+29.21	75.78	1.49	
LT. 389+09.03	48.73	378.10	LT. 12+23.81	67.37	10	
LT. 389+00.29	53.58	377.97	LT. 12+17.60	59.53	10	
LT. 388+92.07	59.27	377.86	LT. 12+10.64	52.36	10	
LT. 388+84.47	65.76	377.95	LT. 12+03.00	45.92	10	
LT. 388+77.55	72.97	378.03	LT. 11+94.75	40.27	10	
LT. 388+71.39	80.84	378.09	LT. 11+85.98	35.47	10	
LT. 388+66.04	89.29	378.16	LT. 11+76.78	31.58	10	
LT. 388+65.59	90.08	378.17	LT. 11+75.92	31.27	0.91	PCC
		378.21	LT. 11+67.30	28.40	9.09	
		378.26	LT. 11+57.69	25.63	10	
		378.33	LT. 11+47.97	23.29	10	
		378.39	LT. 11+38.15	21.37	10	
		378.46	LT. 11+28.27	19.88	10	
		378.54	LT. 11+18.32	18.82	10	
		378.62	LT. 11+08.34	18.19	10	
		378.70	LT. 10+98.93	18.00	9.42	PT




SW U.S. 45-STATE ST./ILL. 142

STATIONING ALONG U.S. 45	OFFSET TO E.P. FEET	EDGE OF PAV'T. ELEV. FEET	STATIONING ALONG STATE ST./ ILL. 142	OFFSET TO E.P. FEET	DISTANCE ALONG RADIUS FEET	GEOMETRIC DESCRIPTION
RT. 387+01.03	31.00	378.24				PC
RT. 387+11.02	31.22	378.27			10	
RT. 387+21.00	31.87	378.24			10	
RT. 387+30.94	32.95	378.21			10	
RT. 387+40.83	34.47	378.18			10	
RT. 387+50.64	36.41	378.14			10	
RT. 387+60.35	38.78	378.09			10	
RT. 387+69.95	41.57	378.01			10	
RT. 387+78.02	44.27	377.96	RT. 12+94.16	77.08	8.51	PCC
RT. 387+79.42	44.78	377.95	RT. 12+94.89	75.78	1.49	
RT. 387+88.60	48.73	377.86	RT. 13+00.29	67.37	10	
RT. 387+97.35	53.58	377.73	RT. 13+06.50	59.53	10	
RT. 388+05.56	59.27	377.82	RT. 13+13.46	52.36	10	
RT. 388+13.17	65.76	377.91	RT. 13+21.10	45.92	10	
RT. 388+20.08	72.97	377.98	RT. 13+29.35	40.27	10	
RT. 388+26.25	80.84	378.04	RT. 13+38.12	35.47	10	
RT. 388+31.60	89.29	378.09	RT. 13+47.32	31.58	10	
RT. 388+32.04	90.08	378.09	RT. 13+48.18	31.27	0.91	PCC
		378.13	RT. 13+56.80	28.40	9.09	
		378.17	RT. 13+66.41	25.63	10	
		378.21	RT. 13+76.13	23.29	10	
		378.24	RT. 13+85.95	21.37	10	
		378.27	RT. 13+95.84	19.88	10	
		378.30	RT. 14+05.78	18.82	10	
		378.33	RT. 14+15.76	18.19	10	
		378.36	RT. 14+25.17	18.00	9.42	PT

SE U.S. 45-STATE ST./ILL. 142

STATIONING ALONG U.S. 45	OFFSET TO E.P. FEET	EDGE OF PAV'T. ELEV. FEET	STATIONING ALONG STATE ST./ ILL. 142	OFFSET TO E.P. FEET	DISTANCE ALONG RADIUS FEET	GEOMETRIC DESCRIPTION
RT. 390+26.38	31.00	379.04				PC
RT. 390+16.39	31.18	378.98			10	
RT. 390+06.40	31.71	378.92			10	
RT. 389+96.44	32.61	378.85			10	
RT. 389+86.52	33.85	378.77			10	
RT. 389+76.65	35.45	378.69			10	
RT. 389+75.48	35.67	378.68	LT. 13+17.93	119.13	1.19	PCC
RT. 389+66.90	37.65	378.59	LT. 13+18.48	110.34	8.81	
RT. 389+57.41	40.80	378.47	LT. 13+20.05	100.47	10	
RT. 389+48.29	44.88	378.32	LT. 13+22.58	90.80	10	
RT. 389+39.62	49.86	378.13	LT. 13+26.08	81.43	10	
RT. 389+31.49	55.67	377.96	LT. 13+30.48	72.46	10	
RT. 389+23.98	62.27	377.80	LT. 13+35.77	63.98	10	
RT. 389+17.17	69.59	377.64	LT. 13+41.87	56.06	10	
RT. 389+11.12	77.55	377.71	LT. 13+48.73	48.79	10	
RT. 389+05.89	86.07	377.81	LT. 13+56.29	42.25	10	
RT. 389+01.55	95.07	377.93	LT. 13+64.46	36.49	10	
RT. 388+98.12	104.46	378.03	LT. 13+73.16	31.57	10	
RT. 388+95.65	114.14	378.11	LT. 13+82.31	27.55	10	
RT. 388+94.16	124.03	378.18	LT. 13+91.82	24.46	10	
RT. 388+93.67	132.13	378.23	LT. 13+99.73	22.67	8.12	PCC
		378.24	LT. 14+01.59	22.33	1.88	
		378.28	LT. 14+11.46	20.75	10	
		378.31	LT. 14+21.38	19.53	10	
		378.34	LT. 14+31.35	18.67	10	
		378.37	LT. 14+41.33	18.15	10	
		378.40	LT. 14+50.64	18.00	9.31	PT



NOTE: FOR ISLAND STANDARDS SEE STATE STANDARD 606301.

PROJECT: PROJ. 0556 / ROADWAY CONTRACT: GEOMET  
 DATE: 05/05/04  
 DRAWN BY: JES  
 CHECKED BY: JES