



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

September 1, 2021

SUBJECT FAU Route 1321 (IL 19)
Project CMAQ-YIFW(123)
Section 2019-129-TS&N
Cook County
Contract No. 62K02
Item No. 6, September 17, 2021 Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised the Schedule of Prices
2. Revised the Table of Contents to the Special Provisions
3. Revised pages 3-7 & 12 of the Special Provisions
4. Added page 243 to the Special Provisions
5. Revised sheets 7, 18, 56, 57 & 59 of the Plans

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

A handwritten signature in black ink, appearing to read 'Jack A. Elston'.

Jack A. Elston, P.E.
Bureau Chief, Design and Environment

MTS

TABLE OF CONTENTS

LOCATION OF PROJECT	1
DESCRIPTION OF PROJECT	1
MAINTENANCE OF ROADWAYS	2
PUBLIC CONVENIENCE AND SAFETY (DIST 1)	2
STATUS OF UTILITIES (D-1).....	3
FAILURE TO COMPLETE PLANT CARE AND ESTABLISHMENT WORK ON TIME	8
PLANTING PERENNIAL PLANTS.....	9
SUPPLEMENTAL WATERING.....	12
WOODY PLANT CARE.....	14
MULCH PLACEMENT FOR EXISTING PLANTS.....	15
AGGREGATE SURFACE COURSE FOR TEMPORARY ACCESS	16
EMBANKMENT II	18
AGGREGATE SUBGRADE IMPROVEMENT (D-1).....	19
HOT-MIX ASPHALT BINDER AND SURFACE COURSE (D-1)	21
FRICTION AGGREGATE (D-1)	31
GROUND TIRE RUBBER (GTR) MODIFIED ASPHALT BINDER (D-1).....	34
HOT-MIX ASPHALT – MIXTURE DESIGN VERIFICATION AND PRODUCTION (MODIFIED FOR I-FIT) (D-1)	35
HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH.....	38
COARSE AGGREGATE FOR BACKFILL, TRENCH BACKFILL AND BEDDING (D-1).....	39
TEMPORARY PAVEMENT.....	39
TEMPORARY PAVEMENT (VARIABLE DEPTH)	40
CONCRETE MEDIAN, TYPE SB (SPECIAL)	40
CLEANING EXISTING DRAINAGE STRUCTURES	41
ADJUSTMENTS AND RECONSTRUCTIONS	41
DRAINAGE AND INLET PROTECTION UNDER TRAFFIC (DISTRICT 1)	42
REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (PROJECT SPECIFIC)	44
TRAFFIC CONTROL PLAN	48
TRAFFIC CONTROL AND PROTECTION (ARTERIALS)	49
TEMPORARY INFORMATION SIGNING.....	49
KEEPING ARTERIAL ROADWAYS OPEN TO TRAFFIC (LANE CLOSURES ONLY)	50
MAST ARM SIGN PANELS	51
TRAFFIC SIGNAL GENERAL REQUIREMENTS	52
RE-OPTIMIZE TRAFFIC SIGNAL SYSTEM.....	63

Revised 9/1/2021

SERVICE INSTALLATION (TRAFFIC SIGNALS) 66

GROUNDING OF TRAFFIC SIGNAL SYSTEMS 69

COILABLE NON-METALLIC CONDUIT 70

UNDERGROUND RACEWAYS..... 71

ROD AND CLEAN EXISTING CONDUIT 72

HANDHOLES..... 73

FIBER OPTIC TRACER CABLE 74

MAINTENANCE OF EXISTING TRAFFIC SIGNAL AND FLASHING BEACON INSTALLATION..... 75

TRAFFIC SIGNAL PAINTING..... 78

FULL-ACTUATED CONTROLLER AND CABINET 79

MASTER CONTROLLER..... 81

UNINTERRUPTABLE POWER SUPPLY, SPECIAL..... 83

FIBER OPTIC CABLE..... 87

ELECTRIC CABLE..... 88

EMERGENCY VEHICLE PRIORITY SYSTEM LINE SENSOR CABLE, NO. 20 3/C 88

TRAFFIC SIGNAL POST 89

MAST ARM ASSEMBLY AND POLE 91

CONCRETE FOUNDATIONS..... 91

LIGHT EMITTING DIODE (LED) SIGNAL HEAD AND OPTICALLY PROGRAMMED LED SIGNAL HEAD
 92

LIGHT EMITTING DIODE (LED) PEDESTRIAN SIGNAL HEAD 95

TRAFFIC SIGNAL BACKPLATE..... 98

DETECTOR LOOP 98

DETECTOR LOOP REPLACEMENT AND/OR INSTALLATION (ROADWAY GRINDING, RESURFACING,
 & PATCHING OPERATIONS) 101

EMERGENCY VEHICLE PRIORITY SYSTEM..... 104

PEDESTRIAN PUSH-BUTTON 105

TEMPORARY TRAFFIC SIGNAL INSTALLATION 107

TEMPORARY TRAFFIC SIGNAL TIMING 113

LED INTERNALLY ILLUMINATED STREET NAME SIGN 114

REMOVE EXISTING TRAFFIC SIGNAL EQUIPMENT..... 117

REBUILD EXISTING HANDHOLE..... 118

RELOCATE EXISTING PEDESTRIAN PUSH-BUTTON..... 119

GENERAL ELECTRICAL REQUIREMENTS..... 119

MAINTENANCE OF LIGHTING SYSTEMS..... 136

UNIT DUCT..... 140

WIRE AND CABLE 141

ROADWAY LUMINAIRE, LED 142

LIGHT POLE 155

MAST ARM, STREET LIGHTING, 15' 156

RELOCATE EXISTING LIGHTING UNIT 156

BITUMINOUS MATERIALS COST ADJUSTMENTS (BDE) 157

BLENDED FINELY DIVIDED MINERALS (BDE)..... 159

COMPENSABLE DELAY COSTS (BDE)..... 159

CONSTRUCTION AIR QUALITY – DIESEL RETROFIT (BDE)..... 163

DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION (BDE) 165

DISPOSAL FEES (BDE) 174

EMULSIFIED ASPHALTS (BDE) 176

ENGINEER’S FIELD OFFICE AND LABORATORY (BDE) 179

GEOTECHNICAL FABRIC FOR PIPE UNDERDRAINS AND FRENCH DRAINS (BDE)..... 182

HOT MIX ASPHALT – QUALITY CONTROL FOR PERFORMANCE (BDE)..... 184

MANHOLES, VALVE VAULTS, AND FLAT SLAB TOPS (BDE) 190

MOBILIZATION (BDE) 191

PORTLAND CEMENT CONCRETE – HAUL TIME (BDE)..... 192

PORTLAND CEMENT CONCRETE PAVEMENT PLACEMENT (BDE) 193

RECLAIMED ASPHALT PAVEMENT AND RECLAIMED ASPHALT SHINGLES (BDE) 193

REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (BDE) 203

SILT FENCE, INLET FILTERS, GROUND STABILIZATION AND RIPRAP FILTER FABRIC (BDE)..... 215

STEEL COST ADJUSTMENT (BDE)..... 220

SUBCONTRACTOR AND DBE PAYMENT REPORTING (BDE) 223

SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE) 223

SURFACE TESTING OF PAVEMENTS – IRI (BDE) 224

TEMPORARY PAVEMENT MARKING (BDE)..... 229

TRAFFIC CONTROL DEVICES - CONES (BDE)..... 232

TRAINING SPECIAL PROVISIONS (BDE) 233

IDOT TRAINING PROGRAM GRADUATE ON-THE-JOB TRAINING SPECIAL PROVISION..... 236

WARM MIX ASPHALT (BDE) 238

WEEKLY DBE TRUCKING REPORTS (BDE)..... 239

WORK ZONE TRAFFIC CONTROL DEVICES (BDE) 240

WORKING DAYS (BDE) 242

MENTOR-PROTÉGÉ PROGRAM 242

STORM SEWER ADJACENT TO OR CROSSING WATER MAIN (D1) 243

STATUS OF UTILITIES (D-1)

Effective: June 1, 2016

Revised: January 1, 2020

Utility companies and/or municipal owners located within the construction limits of this project have provided the following information regarding their facilities and the proposed improvements. The tables below contain a description of specific conflicts to be resolved and/or facilities which will require some action on the part of the Department's contractor to proceed with work. Each table entry includes an identification of the action necessary and, if applicable, the estimated duration required for the resolution.

UTILITIES TO BE ADJUSTED

Conflicts noted below have been identified by following the suggested staging plan included in the contract. The company has been notified of all conflicts and will be required to obtain the necessary permits to complete their work; in some instances, resolution will be a function of the construction staging. The responsible agency must relocate, or complete new installations as noted below; this work has been deemed necessary to be complete for the Department's contractor to then work in the stage under which the item has been listed.

Pre-Stage

STAGE / LOCATION	TYPE	DESCRIPTION	RESPONSIBLE AGENCY	DURATION OF TIME
Sta. 95+04 to Sta. 102+65, RT; Sta. 97+21, Across IL 19; Sta. 97+25 to Sta. 99+74, RT; Sta. 97+51, 40.1' RT; Sta. 59+19, 51.4' RT	Conduit and underground cable, fiber optic, handhole, pedestal box	Conflicts with widening, resurfacing, curb & gutter, sidewalk, and drainage; lighting and traffic signal work	AT&T	20 working days
Sta. 98+50, 53.7' LT; Sta. 100+28, 36.0' LT; Sta. 100+62, 59.3' LT; Sta. 57+21, 46.9' LT; Sta. 58+43, 49.9' RT; Sta. 59+27, 51.1' RT; Sta. 60+12, 50.3' RT	Poles, power feed removal, splice box lid, and manhole lid	Conflicts with sidewalk and light poles; splice box lid and manhole lid adjustment required for resurfacing	ComEd	35 working days

Revised 9/1/2021

At Sta. 62+51, 43.1' RT; At Sta. 63+95, 40.0' RT; At Sta. 64+14, 40.8' RT; At Sta. 64+17, 39.3' RT; At Sta. 64+43, 39.4' RT; Sta. 64+86 to Sta. 69+32, LT; Sta. 64+90, 44.0' LT; At Sta. 65+02, across Barrington Road; Sta. 69+50, 55.9' RT	Gas main and gas valve boxes	Conflicts with widening, resurfacing, driveway, curb & gutter, and sidewalk; lighting and traffic signal	Nicor Gas	20 working days
Sta. 98+50, 53.7' LT; Sta. 58+43, 49.9' RT; Sta. 59+27, 51.1' RT; Sta. 60+12, 50.3' RT	Aerial cables	Aerial transfer to new ComEd poles once ComEd has transferred and topped the poles	Comcast	10 working days
Sta. 57+21, 46.9' LT	Pole	Pole removal to avoid conflict with widening	Hanover Park	3 working days
Sta. 95+04 to Sta.102+65, RT; Sta. 96+48, 40.0' RT	Fiber optic conduit and handhole	Conflicts with widening and drainage work	Everstream	5 working days
Sta. 98+50, 53.7' LT; Sta. 58+43, 49.9' RT; Sta. 59+27, 51.1' RT; Sta. 60+12, 50.3' RT	Aerial lines	Aerial transfer to new ComEd poles once ComEd has transferred and topped the poles	Verizon/MCI	10 working days

Pre-Stage: 93 Days Total Installation

Stage 1A

STAGE / LOCATION	TYPE	DESCRIPTION	RESPONSIBLE AGENCY	DURATION OF TIME
Sta. 99+74, 44.3' RT	Manhole	Conflicts with widening, resurfacing, curb & gutter, sidewalk, and drainage	AT&T	10 working days, Contractor to contact AT&T a minimum of 10 days prior to being at this location

Stage 1A: 10 Days Total Installation

Stages 1B and 2

No conflicts to be resolved.

The following contact information is what was used during the preparation of the plans as provided by the Agency/Company responsible for resolution of the conflict.

Agency/Company Responsible to Resolve Conflict	Name of contact	Phone	E-mail address
AT&T	Chris Cass	(630) 573-5715	cc4361@att.com
ComEd	Cassie Evans	(773) 241-0741	cassie.evans@comed.com
Nicor Gas	Saki Forah	(630) 388-3319	sforah@southernco.com
Comcast	Nick Mihalka or Nate Williams	(224) 229-4513, (224) 229-4460	Nicholas_Mihalka@cable.comcast.com, NateJ_Williams@cable.comcast.com
Hanover Park	Dave Shah	(630) 823-5652	DShah@hpil.org
Everstream	Jefin Stephen	(312) 914-1705	jstephen@everstream.net
Verizon/MCI	Joe Chaney	(312) 617-2131	Joe.Chaney@verizon.com

UTILITIES TO BE WATCHED AND PROTECTED

The areas of concern noted below have been identified by following the suggested staging plan included for the contract. The information provided is not a comprehensive list of all remaining utilities, but those which during coordination were identified as ones which might require the Department's contractor to take into consideration when making the determination of the means and methods that would be required to construct the proposed improvement. In some instances, the contractor will be responsible to notify the owner in advance of the work to take place so necessary staffing on the owner's part can be secured.

STAGE / LOCATION	TYPE	DESCRIPTION	OWNER
Sta. 102+65 to Sta. 109+20, RT; Sta. 56+40 to Sta. 57+63, LT; Sta. 61+27 to Sta. 69+64, LT; Sta. 62+01 to Sta. 62+44, RT; Sta. 69+36, Across Barrington Rd.	Underground conduit and cable	Underground conduit and cable adjacent to or in vicinity of proposed work	AT&T
Sta. 96+00 to Sta. 101+59, LT; Sta. 55+98 to Sta. 65+17, RT; Sta. 65+16, Across Barrington Rd.	Underground cable	Underground cable adjacent to or in vicinity of proposed work	ComEd

Revised 9/1/2021

At Sta. 95+73, across IL 19; Sta. 95+04 to Sta. 99+28; At Sta. 99+23, 50.7' RT; At Sta. 99+44, across IL 19; At Sta. 99+72, 77.0' RT; Sta. 99+28 to Sta. 100+84, RT; Sta. 99+35 to Sta. 109+20, LT; At Sta. 58+53, 54.5' RT; Sta. 55+98 to Sta. 60+62, RT; Sta. 61+22 to Sta. 61+46, LT; Sta. 62+28 to Sta. 65+01, RT; Sta. 64+24, 39.1' RT; Sta. 64+35, 39.0' RT; At Sta. 69+52, across Barrington Road	Gas main and manholes	Gas main and manholes adjacent to or in vicinity of proposed work	Nicor Gas
Sta. 64+50 to Sta. 69+63, RT	Cable	Underground cable along east side of Barrington Road	Comcast
At Sta. 97+24; Sta. 96+00 to Sta. 99+17, LT; At Sta. 57+71; Sta. 62+44 to Sta. 66+80, LT; Sta. 65+00, 44.7' LT	Watermain	Watermain located along and across IL 19 and Barrington Road	Hanover Park
Sta. 101+67, 37.8' RT	Handhole	Handhole located on the south side of IL 19	Everstream
Sta. 57+40 to Sta. 69+64, RT	Watermain	NSMJAWA 30" high pressure watermain is located along east side of Barrington Road	NSMJAWA

The following contact information is what was used during the preparation of the plans as provided by the owner of the facility.

Agency/Company Responsible to Resolve Conflict	Name of contact	Phone	E-mail address
AT&T	Chris Cass	(630) 573-5715	cc4361@att.com
ComEd	Cassie Evans	(773) 241-0741	cassie.evans@comed.com
Nicor Gas	Saki Forah	(630) 388-3319	sforah@southernco.com
Comcast	Nick Mihalka or Nate Williams	(224) 229-4513, (224) 229-4460	Nicholas_Mihalka@cable.comcast.com, NateJ_Williams@cable.comcast.com
Hanover Park	Dave Shah	(630) 823-5652	DShah@hpil.org
Everstream	Jefin Stephen	(312) 914-1705	jstephen@everstream.net
NSMJAWA	Paul May	(773) 686-0077	pmay@nsmjawa.com

Revised 9/1/2021

Nicor Gas:

The contractor shall take extra care while constructing the widening at the southeast and southwest corners of IL 19 and Barrington Road due to the presence of existing gas mains that are shallow. If the need for undercut is determined in the field, the contractor shall coordinate with Nicor Gas to ensure adequate cover is provided between the proposed work and all gas facilities.

NSMJAWA:

For Proposed light pole H 1606, clearance to 4' must be maintained. Vacuum excavation shall be performed to confirm that the location is clear prior to excavating for the light pole foundation. In order to avoid cutting the roadway, the vacuum excavation may be performed in the parkway immediately behind the curb. The pothole should extend to a depth of 3' below the design depth of the light pole foundation excavation. The confirmation pothole may be offset a few feet longitudinally to avoid undermining the light pole foundation excavation.

Please contact JAWA staff to coordinate this work at (773) 686-0077.

The above represents the best information available to the Department and is included for the convenience of the bidder. The days required for conflict resolution should be considered in the bid as this information has also been factored into the timeline identified for the project when setting the completion date. The applicable portions of the Standard Specifications for Road and Bridge Construction shall apply.

Estimated duration of time provided above for the first conflicts identified will begin on the date of the executed contract regardless of the status of the utility relocations. The responsible agencies will be working toward resolving subsequent conflicts in conjunction with contractor activities in the number of days noted.

The estimated relocation duration must be part of the progress schedule submitted by the contractor. A utility kickoff meeting will be scheduled between the Department, the Department's contractor and the utility companies when necessary. The Department's contractor is responsible for contacting J.U.L.I.E. prior to all excavation work.

Revised 9/1/2021

Add the following Article 254.08 Period of Establishment:

During the period of establishment, weeds and grass growth shall be removed from within the mulched perennial beds. This weeding shall be performed a minimum of once per week or within 48 hours following notification by the Engineer during the 30 - day period of establishment. The Contractor will not be relieved in any way from the responsibility for unsatisfactory plants due to the extent of weeding.

The weeding may be performed in any manner approved by the Engineer provided the weed and grass growth, including their roots and stems, are removed from the area specified. Weed whacking is unacceptable. Mulch disturbed by the weeding operation shall be replaced to its original condition. All debris that results from this operation must be removed from the right-of-way and disposed of at the end of each day in accordance with Article 202.03.

Add the following to Article 254.09 Method of Measurement:

- a) Disposal of weeds, sod and debris (rock, stones, concrete, bottles, plastic bags, etc.) removed from the perennial planting bed as specified in Article 202.03.

Add the following to Article 254.10 Basis of Payment:

- a) Payment for Shredded Mulch shall be included in contract unit price of the perennial plant pay item.
- b) The unit price shall include the cost of all materials, equipment, labor, plant care, removal, disposal and incidentals required to complete the work as specified herein and to the satisfaction of the Engineer.

SUPPLEMENTAL WATERING

This work will include watering turf, trees, shrubs, vines, and perennials at the rates specified and as directed by the Engineer.

Revised 9/1/2021

STORM SEWER ADJACENT TO OR CROSSING WATER MAIN (D1)

Effective: February 1, 1996

Revised: January 1, 2007

This work consists of constructing storm sewer adjacent to or crossing a water main, at the locations shown on the plans. The material and installation requirements shall be according to the latest edition of the "Standard Specifications for Water and Sewer Main Construction in Illinois", and the applicable portions of Section 550 of the Standard Specifications; which may include concrete collars and encasing pipe with seals if required.

Pipe materials shall meet the requirements of Sections 40 and 41-2.01 of the "Standard Specifications for Water and Sewer Main Construction in Illinois", except PVC pipe will not be allowed. Ductile-Iron pipe shall meet the minimum requirements for Thickness Class 50.

Encasing of standard type storm sewer, according to the details for "Water and Sewer Separation Requirements (Vertical Separation)" in the "STANDARD DRAWINGS" Division of the "Standard Specifications for Water and Sewer Main Construction in Illinois", may be used for storm sewers crossing water mains.

Basis of Payment: This work will be paid according to Article 550.10 of the Standard Specifications, except the pay item shall be STORM SEWER (WATER MAIN REQUIREMENTS), of the diameter specified.

Added 9/1/2021