

STAGE CONSTRUCTION LINE

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. of West Abut	444+36.14	-21.00	712.78	712.78
☉ Brg. West Abut	444+37.64	-21.00	712.79	712.79
A	444+47.64	-21.00	712.90	712.96
B	444+57.64	-21.00	712.99	713.10
C	444+67.64	-21.00	713.08	713.22
D	444+77.64	-21.00	713.15	713.32
E	444+87.64	-21.00	713.22	713.39
F	444+97.64	-21.00	713.28	713.44
G	445+07.64	-21.00	713.33	713.46
H	445+17.64	-21.00	713.37	713.47
I	445+27.64	-21.00	713.41	713.46
J	445+37.64	-21.00	713.43	713.46
K	445+47.64	-21.00	713.45	713.45
☉ Pier	445+54.14	-21.00	713.45	713.45
L	445+64.14	-21.00	713.46	713.47
M	445+74.14	-21.00	713.45	713.48
N	445+84.14	-21.00	713.44	713.50
O	445+94.14	-21.00	713.41	713.52
P	446+04.14	-21.00	713.38	713.52
Q	446+14.14	-21.00	713.34	713.50
R	446+24.14	-21.00	713.29	713.46
S	446+34.14	-21.00	713.23	713.39
T	446+44.14	-21.00	713.16	713.30
U	446+54.14	-21.00	713.09	713.18
V	446+64.14	-21.00	713.00	713.04
☉ Brg. East Abut	446+70.64	-21.00	712.94	712.94
Bk. of East Abut	446+72.14	-21.00	712.93	712.93

GIRDER 10

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. of West Abut	444+36.14	-17.25	712.84	712.84
☉ Brg. West Abut	444+37.64	-17.25	712.85	712.85
A	444+47.64	-17.25	712.96	713.01
B	444+57.64	-17.25	713.05	713.16
C	444+67.64	-17.25	713.14	713.28
D	444+77.64	-17.25	713.21	713.38
E	444+87.64	-17.25	713.28	713.45
F	444+97.64	-17.25	713.34	713.50
G	445+07.64	-17.25	713.39	713.52
H	445+17.64	-17.25	713.43	713.53
I	445+27.64	-17.25	713.47	713.52
J	445+37.64	-17.25	713.49	713.52
K	445+47.64	-17.25	713.51	713.51
☉ Pier	445+54.14	-17.25	713.51	713.51
L	445+64.14	-17.25	713.52	713.53
M	445+74.14	-17.25	713.51	713.54
N	445+84.14	-17.25	713.49	713.56
O	445+94.14	-17.25	713.47	713.58
P	446+04.14	-17.25	713.44	713.58
Q	446+14.14	-17.25	713.40	713.56
R	446+24.14	-17.25	713.35	713.52
S	446+34.14	-17.25	713.29	713.45
T	446+44.14	-17.25	713.22	713.36
U	446+54.14	-17.25	713.15	713.24
V	446+64.14	-17.25	713.06	713.10
☉ Brg. East Abut	446+70.64	-17.25	713.00	713.00
Bk. of East Abut	446+72.14	-17.25	712.99	712.99

GIRDER 11

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. of West Abut	444+36.14	-10.42	712.94	712.94
☉ Brg. West Abut	444+37.64	-10.42	712.96	712.96
A	444+47.64	-10.42	713.06	713.12
B	444+57.64	-10.42	713.16	713.27
C	444+67.64	-10.42	713.24	713.39
D	444+77.64	-10.42	713.32	713.49
E	444+87.64	-10.42	713.39	713.56
F	444+97.64	-10.42	713.45	713.60
G	445+07.64	-10.42	713.50	713.63
H	445+17.64	-10.42	713.54	713.63
I	445+27.64	-10.42	713.57	713.63
J	445+37.64	-10.42	713.60	713.62
K	445+47.64	-10.42	713.61	713.62
☉ Pier	445+54.14	-10.42	713.62	713.62
L	445+64.14	-10.42	713.62	713.63
M	445+74.14	-10.42	713.62	713.65
N	445+84.14	-10.42	713.60	713.67
O	445+94.14	-10.42	713.58	713.68
P	446+04.14	-10.42	713.54	713.69
Q	446+14.14	-10.42	713.50	713.67
R	446+24.14	-10.42	713.45	713.63
S	446+34.14	-10.42	713.40	713.56
T	446+44.14	-10.42	713.33	713.46
U	446+54.14	-10.42	713.25	713.35
V	446+64.14	-10.42	713.17	713.21
☉ Brg. East Abut	446+70.64	-10.42	713.11	713.11
Bk. of East Abut	446+72.14	-10.42	713.10	713.10

GIRDER 12

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. of West Abut	444+36.14	-3.58	713.05	713.05
☉ Brg. West Abut	444+37.64	-3.58	713.07	713.07
A	444+47.64	-3.58	713.17	713.23
B	444+57.64	-3.58	713.26	713.37
C	444+67.64	-3.58	713.35	713.50
D	444+77.64	-3.58	713.43	713.59
E	444+87.64	-3.58	713.49	713.66
F	444+97.64	-3.58	713.55	713.71
G	445+07.64	-3.58	713.60	713.73
H	445+17.64	-3.58	713.65	713.74
I	445+27.64	-3.58	713.68	713.74
J	445+37.64	-3.58	713.70	713.73
K	445+47.64	-3.58	713.72	713.73
☉ Pier	445+54.14	-3.58	713.73	713.73
L	445+64.14	-3.58	713.73	713.74
M	445+74.14	-3.58	713.72	713.76
N	445+84.14	-3.58	713.71	713.78
O	445+94.14	-3.58	713.68	713.79
P	446+04.14	-3.58	713.65	713.79
Q	446+14.14	-3.58	713.61	713.77
R	446+24.14	-3.58	713.56	713.73
S	446+34.14	-3.58	713.50	713.66
T	446+44.14	-3.58	713.44	713.57
U	446+54.14	-3.58	713.36	713.45
V	446+64.14	-3.58	713.28	713.31
☉ Brg. East Abut	446+70.64	-3.58	713.22	713.22
Bk. of East Abut	446+72.14	-3.58	713.20	713.20

☉ IL 60

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. of West Abut	444+36.14	0.00	713.11	713.11
☉ Brg. West Abut	444+37.64	0.00	713.12	713.12
A	444+47.64	0.00	713.23	713.29
B	444+57.64	0.00	713.32	713.44
C	444+67.64	0.00	713.40	713.57
D	444+77.64	0.00	713.48	713.67
E	444+87.64	0.00	713.55	713.74
F	444+97.64	0.00	713.61	713.79
G	445+07.64	0.00	713.66	713.81
H	445+17.64	0.00	713.70	713.81
I	445+27.64	0.00	713.74	713.80
J	445+37.64	0.00	713.76	713.79
K	445+47.64	0.00	713.78	713.78
☉ Pier	445+54.14	0.00	713.78	713.78
L	445+64.14	0.00	713.78	713.80
M	445+74.14	0.00	713.78	713.82
N	445+84.14	0.00	713.76	713.84
O	445+94.14	0.00	713.74	713.86
P	446+04.14	0.00	713.71	713.87
Q	446+14.14	0.00	713.67	713.85
R	446+24.14	0.00	713.62	713.81
S	446+34.14	0.00	713.56	713.74
T	446+44.14	0.00	713.49	713.64
U	446+54.14	0.00	713.42	713.52
V	446+64.14	0.00	713.33	713.37
☉ Brg. East Abut	446+70.64	0.00	713.27	713.27
Bk. of East Abut	446+72.14	0.00	713.26	713.26

TYLIN INTERNATIONAL

REVISIONS	
NAME	DATE

SHEET S-9 OF S-53

ILLINOIS DEPARTMENT OF TRANSPORTATION
TOP OF SLAB ELEVATIONS - III
 ILLINOIS 60 OVER I-94
 F.A.P. RTE. 335 SECTION 119R-2
 LAKE COUNTY STA. 445+54.14
 S.N. 049-2012 ISTHA BRIDGE NO. 407
 DESIGNED BY: PL
 SCALE: DRAWN BY: PL
 DATE: MAY 8, 2007 CHECKED BY: SP

05/03/2007 04:30:05 PM