

September 12, 2012

SUBJECT: FAP Route 021 (US 20)

Section 2011-069-T DuPage County Contract No. 60P88

Item No. 12, September 21, 2012 Letting

Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

- 1. Replaced the Schedule of Prices
- Revised the Table of Contents to the Special Provisions
- 3. Added Pages 74-75 to the Special Provisions
- 4. Revised sheets 3, 4, 5 of the Plans

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

John D. Baranzelli, P. E.

Acting Engineer of Design and Environment

By: Ted B. Walschleger, P. E.

Ted Jaluchye A.E.

Engineer of Project Management

cc: John Fortmann,Region 1, District 1; Mike Renner; D.Carl Puzey; Estimates

ILLINOIS DEPARTMENT OF TRANSPORTATION SCHEDULE OF PRICES CONTRACT 60P88 **NUMBER -**

* REVISED: SEPTEMBER 6, 2012

C-91-626-11 State Job # -

DUPAGE--

Project Number

Route

County Name -Code -43 - - FAP 21

District -1 - -

Section Number -2011-069-T

ltem Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
Z003085	0 TEMP INFO SIGNING	SQ FT	51.400				
*REV 2010011	0 TREE REMOV 6-15	UNIT	6.000				
2010100	0 TEMPORARY FENCE	FOOT	43.000				
2010120	0 TREE ROOT PRUNING	EACH	3.000				
2080015	0 TRENCH BACKFILL	CU YD	66.000				
2110161	5 TOPSOIL F & P 4	SQ YD	204.000				
2500021	0 SEEDING CL 2A	ACRE	0.040				
2500040	0 NITROGEN FERT NUTR	POUND	4.000				
2500050	0 PHOSPHORUS FERT NUTR	POUND	4.000				
2500060	0 POTASSIUM FERT NUTR	POUND	4.000				
2800025	0 TEMP EROS CONTR SEED	POUND	4.000				
2800040	0 PERIMETER EROS BAR	FOOT	405.000				
2800051	0 INLET FILTERS	EACH	4.000				
2810010	7 STONE RIPRAP CL A4	SQ YD	15.000				
2820020	0 FILTER FABRIC	SQ YD	15.000				

ILLINOIS DEPARTMENT OF TRANSPORTATION SCHEDULE OF PRICES CONTRACT NUMBER - 60P88

State Job # - C-91-626-11

County Name - DUPAGE- -

Route FAP 21

Code - 43 - -

* REVISED: SEPTEMBER 6, 2012

District - 1 - -

Section Number - 2011-069-T

	em mber	Pay Item Description	Unit of Measure	Quantity	х	Unit Price	=	Total Price
	42001300	PROTECTIVE COAT	SQ YD	41.000				
	42400200	PC CONC SIDEWALK 5	SQ FT	310.000				
	44000600	SIDEWALK REM	SQ FT	310.000				
	50102400	CONC REM	CU YD	1.200				
	54213675	PRC FLAR END SEC 30	EACH	1.000				
	54247150	GRATING-C FL END S 30	EACH	1.000				
	550A0430	STORM SEW CL A 2 30	FOOT	226.000				
	55100500	STORM SEWER REM 12	FOOT	15.000				
	60221100	MAN TA 5 DIA T1F CL	EACH	1.000				
	60300350	MAN FRAMES ADJUST	EACH	1.000				
ADD	66900200	NON SPL WASTE DISPOSL	CU YD	15.000				
ADD	66900450	SPL WASTE PLNS/REPORT	L SUM	1.000				
ADD	66900530	SOIL DISPOSAL ANALY	EACH	1.000				
	67100100	MOBILIZATION	L SUM	1.000				
	70102625	TR CONT & PROT 701606	L SUM	1.000				

Page 3 9/13/2012

ILLINOIS DEPARTMENT OF TRANSPORTATION SCHEDULE OF PRICES CONTRACT 60P88 **NUMBER -**

* REVISED: SEPTEMBER 6, 2012

C-91-626-11 State Job # -

Project Number

Route

Code -43 - -

County Name -

FAP 21

District -

1 - -

DUPAGE--

Section Number -2011-069-T

ltem Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	II	Total Price
70102640	TR CONT & PROT 701801	L SUM	1.000				

TABLE OF CONTENTS

LOCATION OF IMPROVEMENT	1
DESCRIPTION OF IMPROVEMENT	1
MAINTENANCE OF ROADWAYS	1
TRAFFIC CONTROL PLAN	2
TEMPORARY INFORMATION SIGNING	2
AGREEMENT TO PLAN QUANTITY (BDE)	3
CONSTRUCTION AIR QUALITY – DIESEL RETROFIT (BDE)	2
CONSTRUCTION AIR QUALITY - DIESEL VEHICLE EMISSIONS CONTROL (BDE)	6
CONSTRUCTION AIR QUALITY - IDLING RESTRICTIONS (BDE)	7
DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION (BDE)	8
ERRATA FOR THE 2012 STANDARD SPECIFICATIONS (BDE)	
PAYMENTS TO SUBCONTRACTORS (BDE)	18
PAYROLLS AND PAYROLL RECORDS (BDE)	
PORTLAND CEMENT CONCRETE (BDE)	20
PORTLAND CEMENT CONCRETE SIDEWALK (BDE)	53
QUALITY CONTROL/QUALITY ASSURANCE OF CONCRETE MIXTURES (BDE)	54
SIDEWALK, CORNER OR CROSSWALK CLOSURE (BDE)	65
SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)	66
TEMPORARY EROSION AND SEDIMENT CONTROL (BDE)	66
TRACKING THE USE OF PESTICIDES (BDE)	67
TRAFFIC CONTROL DEFICIENCY DEDUCTION (BDE)	67
UTILITY COORDINATION AND CONFLICTS (BDE)	
WEEKLY DBE TRUCKING REPORTS (BDE)	
WORKING DAYS (BDE)	
REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES	
REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (BDE)	75

Revised 9/12/2012

REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES

This work shall be according to Section 669 of the Standard Specifications and the following:

Revise the second and third sentence of the first paragraph of Article 669.08 to read: "The affected area shall be monitored with a photo ionization detector (PID) utilizing a lamp of 10.6 eV or greater or an instrument with a flame ionization detector (FID). Any reading on the PID or FID in excess of background levels indicates the potential presence of contaminated material requiring it to be properly managed as either a non-special waste, non-hazardous special waste, or hazardous waste."

Revise the fourth and fifth sentence of the second paragraph of Article 669.08 to read: "When the analytical results indicate that detected levels are at or below the most stringent maximum allowable concentration (MAC) for chemical constituents in uncontaminated soil established pursuant to the proposed Subpart F of 35 Illinois Administrative Code (IAC) 1100.605, the soil excavated shall be included in the storm sewer or earth excavation, as appropriate, and backfill shall be in accordance to Article 205 and/or 208. When the analytical results indicate that detected levels are above the most stringent MAC for chemical constituents in uncontaminated soil established pursuant to the proposed Subpart F of 35 IAC 1100.605, the soil excavated shall be considered a waste and managed appropriately."

Qualifications. The term environmental firm shall mean an environmental firm with at least five (5) documented leaking underground storage tank (LUST) cleanups or that is pre-qualified in hazardous waste by the Department. Documentation includes but not limited to verifying remediation and special waste operations for sites contaminated with gasoline, diesel, or waste oil in accordance with all Federal, State, or local regulatory requirements and shall be provided to the Engineer for approval. The environmental firm selected shall not be a former or current consultant or have any ties with any of the properties contained within and/or adjacent to this construction project.

<u>General.</u> This Special Provision will likely require the Contractor to subcontract for the execution of certain activities.

All contaminated materials shall be managed as either "uncontaminated soil" or non-special waste. This work shall include monitoring and potential sampling, analytical testing, and management of a material contaminated by regulated substances. The Environmental Firm shall continuously monitor all soil excavation for worker protection and soil contamination. Phase I Preliminary Engineering information is available through the District's Environmental Studies Unit. Soil samples or analysis without the approval of the Engineer will be at no additional cost to the Department.

- A) The Contractor shall manage and dispose of all soils excavated within the following areas as classified below. The lateral distance is measured from centerline and the farthest distance is the offset distance or construction limit whichever is less.
 - 1. Station 12+00 to Station 13+00 0 to 100 feet LT (Horcher's Service, Inc., Site 2550-3, 415 North Milwaukee Avenue) non-special waste. Contaminants of concern sampling parameters: Lead and Manganese.

Revised 9/12/2012

REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (BDE)

Effective: January 1, 2012

Revise Article 669.01 of the Standard Specifications to read:

"669.01 Description. This work shall consist of the transportation and proper disposal of contaminated soil and water. This work shall also consist of the removal, transportation, and proper disposal of underground storage tanks (UST), their content and associated underground piping to the point where the piping is above the ground, including determining the content types and estimated quantities."

Revise the second paragraph of Article 669.16 of the Standard Specifications to read:

"The transportation and disposal of soil and other materials from an excavation determined to be contaminated will be paid for at the contract unit price per cubic yard (cubic meter) for NON-SPECIAL WASTE DISPOSAL, SPECIAL WASTE DISPOSAL, or HAZARDOUS WASTE DISPOSAL."

Revised 9/12/2012