

MAINLINE RESURFACING								
LOCATION	HMA SURFACE REMOVAL, 2 1/4"	TEMPORARY RAMP	BITUMINOUS MATERIALS (PRIME COAT)	AGGREGATE (PRIME COAT)	LEVELING BINDER (MM)	HMA SURFACE COURSE	HMA SHOULDERS	AGGREGATE WEDGE SHOULDER, TYPE B
	SQ YD	SQ YD	TON	TON	TON	TON	TON	TON
MM 0.00 - 0.43	7063.5	23.3	4.42	21.2	296.7	579.5		
MM 0.43 - 0.70	4118.4		2.58	13.8	159.7	319.3		
MM 0.70 - 1.36	9292.8		5.82	27.8	390.3	780.6		
MM 1.36 - 1.37	211.2		0.14	0.6	8.9	17.7		
MM 1.37 - 1.45	1314.1		0.82	4.0	55.2	110.4		
MM 1.45 - 3.92	34777.6		21.76	104.4	1460.7	2921.3		380.4
MM 3.92 - 4.86	13235.2		8.28	40.0	555.9	1111.8		
MM 4.86 - 6.45	22387.2		14.00	67.2	940.3	1880.5		163.2
MM 6.45 - 6.65	3520	25.0	2.20	10.6	118.3	236.5	88.7	20.5
SIDEROADS		1566.7				33.3		
WHITE HALL PARKING LANES	8395.2		5.26	24.2	330.5	705.2		
ROODHOUSE PARKING LANES	7474.2		4.68	22.4	314.0	627.8		
IL 106	632.1	21.7	0.20	0.9	26.5	53.1		14.1
Cut-Thru	262.6		0.08	0.4	11.0	14.7		7.7
SAFETY EDGE						472.4		
TOTALS	112684.1	1636.7	70.24	337.5	4668.0	9864.1	88.7	585.9

PAVEMENT PATCHING			
LOCATION	SIZE	TYPE II 13"	TYPE IV 13"
		SQ YD	SQ YD
MM 3.13	6' X 48'		32.0
MM 3.14	6' X 21'	14.0	
MM 4.74	12' X 10'	13.3	
MM 4.74	12' X 10'	13.3	
IL 106 (CULVERT)	26' X 4'	11.6	
EXTRA QUANTITY		7.8	
TOTALS		60.0	32.0

PAVEMENT MARKING SCHEDULE									
LOCATION	THERMOPLASTIC PAVEMENT MARKING							RAISED REFLECTIVE PAVEMENT MARKERS	RAISED REFLECTIVE PAVEMENT MARKERS REMOVAL
	SOLID WHITE 4"	SOLID YELLOW 4"		SKIP-DASH YELLOW 4"	SOLID WHITE CROSS WALKS 12"	SOLID WHITE STOP BARS 24"	LETTERS & SYMBOLS WHITE RR CROSSING	EACH	EACH
		NO-PASS NB	NO-PASS SB						
	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	SQ FT		
MM 0.00 - 0.05	528.0	264.0		70				3	3
MM 0.05 - 0.12	739.2	369.6	369.6					5	5
MM 0.12 - 0.17	528.0		264.0	70				3	3
MM 0.17 - 0.40	2428.8			300				15	15
MM 0.40 - 0.53	1372.8	686.4		170				9	9
MM 0.53 - 0.55	211.2			30				1	1
MM 0.55 - 0.68	1372.8		686.4	170				9	9
MM 0.68 - 1.43	7920.0			990	742	84		50	50
MM 1.43 - 1.45	211.2	105.6		30				1	1
MM 1.45 - 1.73	2956.8	1478.4	1478.4			48	61.2	19	19
MM 1.73 - 1.78	528.0		264.0	70		24	61.2	3	3
MM 1.78 - 4.75	31363.2			3920	160	40		196	196
MM 4.75 - 4.85	1056.0	528.0		130	80			7	7
MM 4.85 - 5.41	5913.6	2956.8	2956.8					37	37
MM 5.41 - 5.62	2217.6		1108.8	280				14	14
MM 5.62 - 6.65	10876.8			1360				68	68
IL 106	485	570.0				16		4	4
Cut-Thru	265	148.0				12			
SUB-TOTALS	70974.0	7106.8	7128.0	7590					
TOTALS		92798.8			982	224	122.4	444	444