

Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows/in)	Cu (tsf)	Moisture Content (%)	Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows/in)	Cu (tsf)	Moisture Content (%)
682.5	5-inch thick, black SILTY CLAY LOAM --TOPSOIL--												
	Stiff, brown SANDY CLAY LOAM, little gravel --FILL--	1	2	1.75	15								
679.5	Loose, brown, medium SAND	2	2	NP	21								
677.0	Loose, brown, SANDY LOAM, trace gravel	3	2	NP	14								
674.5	Loose to medium dense, brown, medium SAND	4	3	NP	10								
		5	3	NP	8								
		6	3	NP	21								
657.5	Boring terminated at 15.00 ft	15	6										

GENERAL NOTES				WATER LEVEL DATA			
Begin Drilling	07-06-2011	Complete Drilling	07-06-2011	While Drilling	☑	DRY	
Drilling Contractor	Wang Testing Service	Drill Rig	TMR B-57	At Completion of Drilling	☑	DRY	
Driller	K&R	Logger	F. Borzga	Checked by	A. Bohac	Time After Drilling	NA
Drilling Method	2.25" HSA			Depth to Water	☑	NA	
The stratification lines represent the approximate boundary between soil types; the actual transition may be gradual.							

Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows/in)	Cu (tsf)	Moisture Content (%)	Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows/in)	Cu (tsf)	Moisture Content (%)
686.83	5-inch thick, black SILTY CLAY LOAM --TOPSOIL--												
	Hard, brown and gray SILTY CLAY --FILL--	1	4	4.50	14								
684.0	Very stiff to hard, brown and gray SILTY CLAY, trace gravel	2	3	4.10	16								
		3	2	3.20	16								
		4	4	2.46	16								
		5	2	2.30	21								
		6	2	2.46	20								
672.0	Boring terminated at 15.00 ft	15	6										

GENERAL NOTES				WATER LEVEL DATA			
Begin Drilling	07-06-2011	Complete Drilling	07-06-2011	While Drilling	☑	DRY	
Drilling Contractor	Wang Testing Service	Drill Rig	TMR B-57	At Completion of Drilling	☑	DRY	
Driller	K&R	Logger	F. Borzga	Checked by	A. Bohac	Time After Drilling	NA
Drilling Method	2.25" HSA			Depth to Water	☑	NA	
The stratification lines represent the approximate boundary between soil types; the actual transition may be gradual.							

Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows/in)	Cu (tsf)	Moisture Content (%)	Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows/in)	Cu (tsf)	Moisture Content (%)
688.33	5-inch thick, black CLAY LOAM --TOPSOIL--												
	Very stiff, brown and gray SILTY CLAY, trace gravel	1	3	3.28	16								
		2	2	3.12	16								
		3	3	2.30	15								
		4	6	NR									
		5	3	3.85	18								
		6	3	3.36	19								
673.5	Boring terminated at 15.00 ft	15	6										

GENERAL NOTES				WATER LEVEL DATA			
Begin Drilling	07-06-2011	Complete Drilling	07-06-2011	While Drilling	☑	DRY	
Drilling Contractor	Wang Testing Service	Drill Rig	TMR B-57	At Completion of Drilling	☑	DI	
Driller	K&R	Logger	F. Borzga	Checked by	A. Bohac	Time After Drilling	NA
Drilling Method	2.25" HSA			Depth to Water	☑	NA	
The stratification lines represent the approximate boundary between soil types; the actual transition may be gradual.							