

DRAINAGE STRUCTURE SCHEDULE									
STRUCTURE NO.	STRUCTURE TYPE	STATION	OFFSET	RIM ELEV.	INVERT (N)	INVERT (S)	INVERT (W)	INVERT (E)	
15-3	MAN TA 7 DIA T1F CL	225+89.99	56.24	RT	890.92	885.85		876.93	876.93
15-4	MAN TA 7 DIA T8G	229+00.06	60.12	RT	889.28		877.09	877.09	
15-5	INLETS TA T24F&G	229+40.00	52.95	LT	888.65	886.18			
15-6	CB TA 4 DIA T24F&G	229+40.00	41.00	LT	890.97	886.04	886.04		
15-7	CB TA 4 DIA T24F&G	229+40.00	15.00	LT	891.49	885.94	885.94		
15-8	CB TA 4 DIA T24F&G	229+40.00	8.84	LT	891.53	885.92	885.92		
15-9	CB TA 4 DIA T24F&G	229+40.00	52.18	RT	890.69	885.65	885.65		
15-10	MAN TA 7 DIA T1F CL	229+39.98	62.71	RT	890.70		877.11	877.11	
15-11	INLETS TA T24F&G	230+93.00	51.50	LT	888.20	885.73			
15-12	CB TA 4 DIA T24F&G	230+93.00	41.00	LT	890.21	885.69	885.69		
15-13	CB TA 4 DIA T11V F&G	230+93.00	9.00	LT	890.99	885.56	885.56		886.25
15-14	CB TA 4 DIA T24F&G	230+93.00	53.00	RT	889.91	885.30	885.30		
15-15	MAN TA 7 DIA T1F CL	230+93.01	63.23	RT	889.96	885.26		877.18	877.18
15-16	CB TC T11V F&G	231+40.00	9.00	LT	890.61		886.44	877.28	
15-17	MAN TA 7 DIA T8G	231+53.61	63.00	RT	888.89		877.28	877.28	
15-18	RESTRICTOR MANHOLE #11	232+60.13	53.03	RT	889.86		877.45	877.45	
15-19	INLETS TA T24F&G	233+33.18	41.00	LT	889.21			885.03	
15-20	INLETS TA T24F&G	233+33.18	41.00	RT	889.21			885.03	
15-21	CB TA 4 DIA T24F&G	233+43.18	41.00	LT	889.21		885.00		
15-22	CB TA 4 DIA T11V F&G	233+43.18	9.00	RT	889.93	884.80	884.80		
15-23	CB TA 4 DIA T24F&G	233+43.18	41.00	RT	889.21	884.67	884.67	885.00	
15-24	MAN TA 7 DIA T1F CL	233+43.15	56.49	RT	889.67	884.62		877.49	877.49
15-25	MAN TA 7 DIA T1F CL	235+93.00	76.53	LT	884.47		877.86	877.86	
15-26	CB TA 4 DIA T24F&G	235+93.00	47.71	LT	890.25	877.77			
15-27	CB TA 4 DIA T24F&G	235+93.00	1.77	LT	891.08	877.70	877.70		
15-28	CB TA 4 DIA T24F&G	235+93.00	15.00	RT	890.90	877.67	877.67		
15-29	CB TA 4 DIA T24F&G	235+93.00	41.00	RT	890.38	877.63	877.63		
15-30	MAN TA 7 DIA T1F CL	235+93.00	56.85	RT	890.69	877.61		877.61	
15-31	RESTRICTOR MANHOLE #12	237+16.01	63.93	LT	888.38		878.20	880.69	
15-32	MAN TA 7 DIA T1F CL	237+25.00	64.00	LT	888.80		883.00	880.70	880.70
15-33	CB TA 4 DIA T24F&G	237+25.00	53.66	LT	890.91	883.03	883.03		
15-34	CB TA 4 DIA T24F&G	237+25.00	41.00	RT	891.17	883.43	883.43		
15-35	CB TC T8G	237+25.00	62.26	RT	887.89	883.51			
15-36	CB TC T8G	238+57.00	73.05	LT	888.35		884.18	880.77	880.77
15-37	MAN TA 7 DIA T1F CL	238+57.00	66.00	LT	890.11	884.16	887.38		
15-38	CB TA 4 DIA T24F&G	238+57.00	58.12	LT	891.66	887.41	887.41		
15-39	CB TA 4 DIA T24F&G	238+57.00	15.00	LT	892.48	887.58	887.58		
15-40	CB TA 4 DIA T24F&G	238+57.00	15.00	RT	892.51	887.69	887.69		
15-41	CB TC T24F&G	238+57.00	41.00	RT	891.96	887.79			
15-42	CB TC T8G	239+87.00	74.52	LT	888.92		884.75		
15-43	MAN TA 7 DIA T1F CL	239+87.00	66.00	LT	891.42	884.73	888.13	880.83	880.83
15-44	CB TA 4 DIA T24F&G	239+87.00	58.82	LT	892.42	888.16	888.16		
15-45	CB TC T24F&G	239+87.00	41.00	RT	892.74	888.57			
16-1	MAN TA 7 DIA T1F CL	241+78.00	67.00	LT	891.85		889.27	880.92	880.92
16-2	CB TC T24F&G	241+78.00	15.00	LT	893.65	889.48	889.48		
16-3	CB TA 4 DIA T24F&G	241+78.00	8.85	LT	893.69	889.52			
16-4	MAN TA 7 DIA T1F CL	242+81.00	70.00	LT	891.97		884.44	880.97	880.97
16-5	CB TA 4 DIA T24F&G	242+81.00	60.05	LT	892.00	884.47	884.47		
16-6	CB TA 4 DIA T11V F&G	242+81.00	9.00	LT	892.89	884.68	884.68		
16-7	CB TA 4 DIA T24F&G	242+81.00	41.00	RT	892.38	884.88	884.88		
16-8	CB TC T8G	242+81.00	58.50	RT	889.16	884.99			
16-9	MAN TA 7 DIA T8G	243+70.00	71.07	LT	890.48		881.01	881.01	
16-10	MAN TA 7 DIA T1F CL	244+42.00	76.00	LT	890.80		882.38	881.05	881.05
16-11	CB TA 5 DIA T24F&G	244+42.00	63.65	LT	890.35	882.39	882.39		
16-12	CB TA 5 DIA T24F&G	244+42.00	9.00	LT	891.32	882.43	882.43		
16-13	CB TA 5 DIA T24F&G	244+42.24	46.79	RT	890.68	882.47	882.47		
16-14	MAN TA 6 DIA T1F CL	244+41.99	58.13	RT	891.02	882.48		882.48	
16-15	MAN TA 7 DIA T1F CL	245+85.00	77.00	LT	890.08		885.06	881.12	881.12
16-16	CB TC T24F&G	245+85.00	66.85	LT	889.26	885.09			
16-17	MAN TA 4 DIA T1F CL	246+25.63	73.90	LT	889.79		885.46	885.46	
16-18	CB TA 4 DIA T24F&G	246+25.63	67.76	LT	889.19	885.47	885.47		
16-19	CB TC T11V F&G	246+25.63	9.00	LT	890.24	885.72			
16-20	CB TA 4 DIA T24F&G	246+25.63	54.85	RT	889.43		882.63	882.65	
16-21	INLETS TA T24F&G	246+35.36	67.98	LT	889.19		885.50		
16-22	INLETS TA T24F&G	246+35.30	55.27	RT	889.44		882.68		
16-23	MAN TA 4 DIA T1F CL	247+54.00	95.00	LT	889.90		885.02	885.06	884.66
16-24	CB TA 4 DIA T24F&G	247+58.00	86.81	LT	888.78	885.05			
17-1	CB TC T24F&G	9+03.18	72.00	LT	892.00	888.66			
17-2	CB TA 4 DIA T24F&G	9+14.00	8.00	LT	892.83	888.53	888.53		
17-3	CB TC T24F&G	9+14.00	8.01	RT	892.83	888.59			
17-4	MAN TA 4 DIA T1F CL	9+23.53	28.90	LT	892.65	888.45	888.45	888.45	
17-5	MAN TA 5 DIA T1F CL	9+30.45	40.85	LT	892.60	888.49		888.49	
17-6	RESTRICTOR MANHOLE #13	10+00.13	38.29	LT	894.78		888.70	890.70	
17-7	MAN TA 5 DIA T1F CL	10+08.00	38.00	LT	894.99		890.80	890.71	890.71
17-8	CB TC T24F&G	10+08.00	32.00	LT	894.98	890.81			
17-9	MAN TA 4 DIA T1F CL	10+71.00	38.00	LT	896.53		891.64	890.79	890.79
17-10	CB TC T8G	10+71.00	32.56	RT	896.10	891.93			
17-11	MAN TA 4 DIA T1F CL	11+42.00	38.00	LT	898.83		894.66	890.88	893.37
17-12	CB TA 4 DIA T24F&G	11+42.00	8.00	LT	899.22	894.93	894.93		
17-13	CB TC T24F&G	11+42.00	13.02	RT	899.19	895.01			
17-14	MAN TA 4 DIA T1F CL	12+58.00	38.00	LT	901.82		897.54	894.49	
17-15	CB TA 4 DIA T24F&G	12+58.00	32.00	LT	901.72	897.55	897.55		
17-16	CB TC T24F&G	12+58.00	6.68	RT	902.15	897.98			
17-17	CB TA 4 DIA T24F&G	17+35.00	32.00	LT	902.41		897.88	897.88	
17-18	CB TA 4 DIA T11V F&G	17+35.00	4.00	LT	902.89	897.99	897.99		
17-19	CB TC T24F&G	17+35.00	44.00	RT	902.35	898.18			
17-20	CB TA 4 DIA T8G	18+80.96	71.01	LT	898.30		892.07	894.66	892.07
17-21	CB TA 4 DIA T24F&G	18+90.23	48.72	LT	899.48	892.15	892.60		
17-22	CB TC T11V F&G	18+95.00	4.00	LT	900.11	892.93			
17-23	INLETS TB T24F&G	19+07.59	44.03	RT	899.57			893.07	
18-1	PRC FLAR END SEC 15	8+93.00	48.00	RT	876.17		878.02		
18-2	PRC FLAR END SEC 15	9+47.00	53.00	RT	877.13	876.26			
18-3	PRC FLAR END SEC 36	9+87.00	72.00	LT	870.00		867.00		
18-4	PRC FLAR END SEC 36	9+89.00	49.00	RT	877.24			874.24	
18-5	PRC FLAR END SEC 12	10+05.00	40.00	LT	879.75		877.52		
18-6	CB TA 4 DIA T24F&G	10+05.00	28.79	LT	881.74		877.56	877.56	
18-7	CB TA 4 DIA T24F&G	10+05.00	28.79	RT	881.76		877.56	877.56	
18-8	PRC FLAR END SEC 12	10+05.00	40.00	RT	880.54			877.52	
18-9	INLETS TA T24F&G	10+15.00	28.45	LT	881.77	877.59			
18-10	INLETS TA T24F&G	10+15.00	28.45	RT	881.77	877.59			

DRAINAGE STRUCTURE SCHEDULE									
STRUCTURE NO.	STRUCTURE TYPE	STATION	OFFSET	RIM ELEV.	INVERT (N)	INVERT (S)	INVERT (W)	INVERT (E)	
18-11	CB TC T24F&G	11+18.00	32.00	RT	882.47			878.30	878.28
18-12	PRC FLAR END SEC 12	11+18.00	40.00	RT	881.86				
18-13	PRC FLAR END SEC 12	11+39.00	43.00	LT	880.47			877.87	
18-14	CB TC T24F&G	11+39.00	31.63	LT	882.08				877.91
18-15	PRC FLAR END SEC 15	12+38.00	51.00	RT	881.75				
18-16	PRC FLAR END SEC 15	12+72.00	54.00	RT	883.95		880.91	880.20	
18-17	PRC FLAR END SEC 12	12+83.00	41.00	LT	882.15			878.63	
18-18	CB TA 4 DIA T24F&G	12+83.00	31.89	LT	882.83			878.66	878.66
18-19	CB TC T11V F&G	12+83.00	4.00	RT	884.20			880.03	
18-20	CB TC T24F&G	12+88.00	37.48	RT	885.42			881.25	
18-21	PRC FLAR END SEC 12	12+88.00	45.00	RT	885.45			881.23	
18-22	MAN TA 4 DIA T1F CL	14+27.00	44.00	LT	882.43		876.74	876.74	876.74
18-23	CB TA 4 DIA T24F&G	14+27.00	31.86	LT	883.86			876.78	876.78
18-24	CB TA 4 DIA T24F&G	14+27.00	44.00	RT	886.74			877.10	877.10
18-25	CB TA 4 DIA T8G	14+27.00	62.47	RT	883.99			877.16	877.16
18-26	CB TC T8G	14+90.00	59.22	RT	884.50		877.43		
19-1	MAN TA 4 DIA T1F CL	16+21.00	42.00	LT	884.88		876.24	880.16	876.24
19-2	CB TA 4 DIA T24F&G	16+21.00	31.89	LT	885.32		880.30	880.50	
19-3	CB TC T11V F&G	16+21.00	0.04	LT	886.18		881.00		
20-1	CB TC T24F&G	47+98.00	29.99	LT	886.02			881.15	
20-2	CB TA 4 DIA T24F&G	47+98.00	42.01	RT	885.39		880.85	880.85	
20-3	MAN TA 4 DIA T1F CL	47+98.00	67.00	RT	883.33		880.28	880.75	
20-4	CB TC T24F&G								