

PERMANENT EROSION CONTROL

| LOCATION | | | 25000210 | 25000310 | 25000314 | 25000324 | 25000400 | 25000500 | 25000600 | 25000750 | 25100125 | 25100630 | 25100635 | 25100900 | 25200110 | 25200200 | 28100107 | 28200200 | X2501810 | |
|---|--------|------|----------------------|---------------------|----------------------|----------------------|------------------------------------|--------------------------------------|-------------------------------------|---------------|--------------------|-------------------------------|---|------------------------------|---------------------------|--------------------------|---------------------------|---------------|-------------------------------|-------------|
| | | | SEEDING, CLASS 2A | SEEDING, CLASS 4 | SEEDING, CLASS 4B | SEEDING, CLASS 5B | NITROGEN FERTILIZER NUTRIENT | PHOSPHORUS FERTILIZER NUTRIENT | POTASSIUM FERTILIZER NUTRIENT | MOWING | MULCH, METHOD 3 | EROSION CONTROL BLANKET | HEAVY DUTY EROSION CONTROL BLANKET | TURF REINFORCEMENT MAT | SODDING, SALT TOLERANT | SUPPLEMENTAL WATERING | STONE RIPRAP, CLASS A4 | FILTER FABRIC | SEEDING, CLASS 5 (SPECIAL) | |
| STATION TO STATION | OFFSET | ACRE | ACRE | ACRE | ACRE | POUND | POUND | POUND | ACRE | ACRE | SQ YD | SQ YD | SQ YD | SQ YD | UNIT | SQ YD | SQ YD | SQ YD | | |
| PERRYVILLE ROAD | | | | | | | | | | | | | | | | | | | | |
| 248+10 | 253+50 | RT | 0.26 | | | | | 23.4 | 23.4 | 23.4 | 0.26 | 0.26 | | | | | 240.6 | 240.6 | | |
| 248+10 | 253+50 | LT | 0.24 | | | | | 21.6 | 21.6 | 21.6 | 0.24 | 0.24 | | | | | 393.0 | 393.0 | | |
| MITCHELL ROAD | | | | | | | | | | | | | | | | | | | | |
| 230+51.49 | 234+00 | RT | 0.34 | | | | | 30.6 | 30.6 | 30.6 | 0.34 | 0.29 | | 228.5 | | | | | | |
| 230+51.49 | 234+00 | LT | 0.27 | | | | | 24.3 | 24.3 | 24.3 | 0.27 | 0.20 | | 348.4 | | | 98.0 | 98.0 | | |
| 234+00 | 238+75 | RT | 0.44 | | | | | 39.6 | 39.6 | 39.6 | 0.44 | 0.29 | | 723.1 | | | | | | |
| 234+00 | 238+75 | LT | 0.31 | | | | | 27.9 | 27.9 | 27.9 | 0.31 | 0.19 | | 595.0 | | | | | | |
| CONTRACTORS DRIVE / KRASSE DRIVE | | | | | | | | | | | | | | | | | | | | |
| 6+35 | 9+00 | RT | | | | | | 2.7 | 2.7 | 2.7 | | | | | | 216.3 | 10.8 | | | |
| 6+35 | 9+00 | LT | | | | | | 2.1 | 2.1 | 2.1 | | | | | | 169.0 | 8.5 | | | |
| 9+00 | 12+45 | RT | | | | | | 6.5 | 6.5 | 6.5 | | | | | | 520.6 | 26.0 | | | |
| 9+00 | 12+45 | LT | | | | | | 2.0 | 2.0 | 2.0 | | | | | | 161.2 | 8.1 | | | |
| SUBTOTAL | | | 1.86 | 0 | 0.00 | 0.00 | | 180.6 | 180.6 | 180.6 | 1.86 | 1.47 | 0.0 | 1895.0 | 0 | 1067.1 | 53.4 | 731.6 | 731.6 | 0 |
| TOTAL | | | 18.56 | 4.81 | 2.35 | 2.35 | | 2876.2 | 2876.2 | 2876.2 | 18.56 | 20.22 | 13604.2 | 1895.0 | 11098.9 | 45283.8 | 2264.2 | 1673.7 | 1673.7 | 4.81 |
| USE | | | 18.75 | 5.00 | 2.50 | 2.50 | | 2877 | 2877 | 2877 | 18.75 | 20.25 | 13605 | 1895 | 11099 | 45284 | 2265 | 1674 | 1674 | 5.00 |