



MINIMUM BAR LAP
#4 Bar = 2'-7"

Note:
See sheets 23 & 24 of 50 for additional details.
Bars indicated thus 14 x 2-#4 etc. indicates 14 lines of bars with 2 lengths per line.

- * Till #9 b11(E) and #4 a10(E) bars as required to maintain clearance.
- ** Preformed Flexible Foam Expansion Joint Filler according to Article 1051.09 of the Standard Specifications; full depth of slab. Full length of parapet. Cost included with Concrete Superstructure. Typical each parapet.
- *** Place hook at alternate ends as shown. Till b12(E) bars as required to maintain clearance.

PLAN

DESIGNED - NICHOLAS R. BARNETT	EXAMINED - <i>James F. [Signature]</i>	DATE - OCTOBER 4, 2013	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	BRIDGE APPROACH SLAB DETAILS - WEST (WB) - EAST (EB) STRUCTURE NO. 101 - 0197 (EB) & 101 - 0198 (WB)		F.A.P. RTE. 301	SECTION 3BR & 3BR-1	COUNTY WINNEBAGO	TOTAL SHEETS 290	SHEET NO. 196		
CHECKED - FRANK W. SHARPE	PASSED - <i>[Signature]</i>	REVISED				SHEET NO. 21 OF 50 SHEETS			CONTRACT NO. 64D19			
DRAWN - MICHAEL B. MOSSMAN	ACTING ENGINEER OF BRIDGES AND STRUCTURES	REVISED				ILLINOIS FED. AID PROJECT						
CHECKED - NRB/FWS/GRA												