



MINIMUM BAR LAP
#4 Bar = 2'-7"

Note:
See sheets 23 & 24 of 50 for additional details.
Bars indicated thus 14 x 2-#4 etc. indicates 14 lines of bars with 2 lengths per line.

PRE-FINAL

- * Tilt #9 b11(E) and #4 a10(E) bars as required to maintain clearance.
- ** Closed cell joint filler according to Article 1051.09 of the Standard Specifications; full depth of slab, full length of parapet. Cost included with Concrete Superstructure. Typical each parapet.
- *** Place hook at alternate ends as shown. Tilt b12(E) bars as required to maintain clearance.

PLAN

DESIGNED - NICHOLAS R. BARNETT	EXAMINED - _____	DATE - _____	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	BRIDGE APPROACH SLAB DETAILS - WEST (WB) - EAST (EB) STRUCTURE NO. 101 - 0197 (EB) & 101 - 0198 (WB)	F.A.P. RTE. 301	SECTION 3BR & 3BR-1	COUNTY WINNEBAGO	TOTAL SHEETS	SHEET NO.	
CHECKED - FRANK W. SHARP	ACTING ENGINEER OF BRIDGE DESIGN	REVISOR			CONTRACT NO. 64D19					
DRAWN - MICHAEL B. MOSSMAN	PASSED - _____	REVISOR			SHEET NO. 21 OF 50 SHEETS					
CHECKED - NRB/FWS/GRA	ACTING ENGINEER OF BRIDGES AND STRUCTURES	REVISOR			ILLINOIS FED. AID PROJECT					