

Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows/ft)	Cu (tsf)	Moisture Content (%)	Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows/ft)	Cu (tsf)	Moisture Content (%)
757.54	5.4-inch thick ASPHALT --PAVEMENT--												
756.6	6-inch thick GRAVEL --BASE COARSE--												
	Stiff, black and brown CLAY LOAM with gravel		1	2 3 3	1.25	7			9	2 3 5	1.89	18	
	--FILL--												
753.7	Very loose to medium dense, brown SANDY GRAVEL		2	3 5 6	NP	9			25	2 2 3	1.31	19	
	--FILL--												
			3	4 3 2	NP	7				2 3 4	0.98	19	
			4	2 1 2	NP	6				2 3 5	1.39	18	
747.2	Soft, dark gray CLAY LOAM with little gravel		5	0 0 1	0.33	16				1 1 3	1.56	19	
744.7	Medium stiff, gray SILTY CLAY		6	1 3 4	0.82	15				1 3 4	1.56	19	
742.2	Stiff to very stiff, gray CLAY with trace gravel		7	5 7 8	2.54	16				3 3 5	1.15	18	
			8	2 3 4	1.39	19				1 3 3	NP	19	

GENERAL NOTES				WATER LEVEL DATA			
Begin Drilling	09-01-2010	Complete Drilling	09-01-2010	White Drilling	12.00 ft		
Drilling Contractor	K&S Drilling	Drill Rig	CME 75	At Completion of Drilling	Washed		
Driller	Ruben/Ed	Logger	A. Kurnia	Time After Drilling	NA		
Checked by	M. di Reyes	Drilling Method	3.25 IDA HSA: Boring backfilled upon completion	Depth to Water	NA		
The stratification lines represent the approximate boundary between soil types; the actual transition may be gradual.							

Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows/ft)	Cu (tsf)	Moisture Content (%)	Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows/ft)	Cu (tsf)	Moisture Content (%)
			9	2 3 5	1.89	18				19	3 4 5	NR	
			10	2 2 3	1.31	19				65	3 4 5	NP	16
			11	2 3 4	0.98	19							
			12	2 3 5	1.39	18							
			13	1 3 4	1.56	19							
			14	3 3 5	1.15	18							
			15	1 1 3	1.97	23							
			16	1 3 3	NP	19							
			17	1 3 3	NP	19							
			18	1 3 3	NP	19							
			19	1 3 3	NP	19							
			20	1 3 3	NP	19							
			21	3 4 6	NP	20							
			22	2 5 7	NP	18							
			23	3 4 10	NP	20							
			24	2 3 1	NP								
			25	5 8 13	NP	20							
			26	8 11 16	NP	20							

GENERAL NOTES				WATER LEVEL DATA			
Begin Drilling	09-01-2010	Complete Drilling	09-01-2010	White Drilling	12.00 ft		
Drilling Contractor	K&S Drilling	Drill Rig	CME 75	At Completion of Drilling	Washed		
Driller	Ruben/Ed	Logger	A. Kurnia	Time After Drilling	NA		
Checked by	M. di Reyes	Drilling Method	3.25 IDA HSA: Boring backfilled upon completion	Depth to Water	NA		
The stratification lines represent the approximate boundary between soil types; the actual transition may be gradual.							

Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows/ft)	Cu (tsf)	Moisture Content (%)	Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows/ft)	Cu (tsf)	Moisture Content (%)
			19	3 4 5	NP	16							
			20	3 4 6	NP	20							
			21	3 4 19	NP	8							
			22	2 5 7	NP	18							
			23	3 4 10	NP	20							
			24	2 3 1	NP								
			25	5 8 13	NP	20							
			26	8 11 16	NP	20							

GENERAL NOTES				WATER LEVEL DATA			
Begin Drilling	09-01-2010	Complete Drilling	09-01-2010	White Drilling	12.00 ft		
Drilling Contractor	K&S Drilling	Drill Rig	CME 75	At Completion of Drilling	Washed		
Driller	Ruben/Ed	Logger	A. Kurnia	Time After Drilling	NA		
Checked by	M. di Reyes	Drilling Method	3.25 IDA HSA: Boring backfilled upon completion	Depth to Water	NA		
The stratification lines represent the approximate boundary between soil types; the actual transition may be gradual.							