


11-9-12 LETTING ITEM 083

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

**PLANS FOR
PROPOSED FEDERAL
AID HIGHWAY**
**WOODLAND DRIVE OVER FLINT CREEK
BRIDGE REPLACEMENT**
SECTION NO. 09-00010-00-BR
PROJECT NO. BRM-9003(504)
JOB NO. C-91-123-10
VILLAGE OF LAKE BARRINGTON
LAKE COUNTY

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-00010-00-BR	LAKE	41	1
FED. ROAD DIST. NO. 1	ILLINOIS	CONTRACT NO. 63716		

SECTION NO. 09-00010-00-BR
CONTRACT NO. 63716




LOCATION OF SECTION INDICATED THUS: - [shaded box] -

FOR INDEX OF SHEETS, SEE SHEET NO. 2
FOR HIGHWAY STANDARDS, SEE SHEET NO. 2

DESIGN DESIGNATION = LOCAL ROAD
TRAFFIC = < 500 VPD
POSTED SPEED LIMIT = 25 MPH

PROJECT LOCATED IN THE
VILLAGE OF LAKE BARRINGTON




FULL SIZE PLANS HAVE BEEN PREPARED USING STANDARD
ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT
CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS
ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

J.U.L.I.E.
JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION
1-800-892-0123
OR 811



NAME: RICK YOUNG
EXP. 11/30/2013
DATE:
SHT NO. 1-13, 30-41



LOCATION MAP
N.T.S.

BEGIN IMPROVEMENT
STA 13+26.58 @ WOODLAND DR.
END IMPROVEMENT
STA 14+16.58 @ WOODLAND DR.

BRIDGE REPLACEMENT
STA. 13+71.58
EXISTING SN 049-6750
PROPOSED SN 049-6751

GROSS AND NET LENGTH = 90 FT. = 0.017 MILE



NAME: GERALD KOYLASS
EXP. 11/30/2012
DATE:
SHT NO. 14-29

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

APPROVED MAY 4, 2012
Car Martin
VILLAGE ENGINEER
ADMINISTRATOR

PASSED MAY 22, 2012
Colbert
DISTRICT 1 ENGINEER LOCAL ROADS AND STREETS

RELEASED FOR BID
BASED ON LIMITED
REVIEW MAY 24, 2012
Diane M. O'Keefe
DEPUTY DIRECTOR OF HIGHWAYS, REGION 1 ENGINEER

PRINTED BY THE AUTHORITY
OF THE STATE OF ILLINOIS

McDonough Associates Inc.
Engineers/Architects
180 North Station Avenue - Suite 1500
Chicago, Illinois 60601 Phone: (312) 946-9600

PROGRAM AND OFFICE ENGINEER: CHARLES F. RIDDLE, P.E. (847) 705-4406 SCHAUMBURG, IL

CONTRACT NO. 63716

INDEX OF SHEETS

SHEET NO.	DRAWING NO.	DESCRIPTION
1	CV-1	COVER SHEET
2	IS-1	INDEX OF SHEETS, HIGHWAY STANDARDS, GENERAL NOTES AND COMMITMENTS
3-7	SO-1 to SO-5	SUMMARY OF QUANTITIES
8	TYP-1	TYPICAL SECTIONS AND SCHEDULES
9	AT-1	ALIGNMENTS, TIES, AND BENCHMARKS
10	PP-1	EXISTING AND PROPOSED PLAN AND PROFILE
11	MOT-1	MAINTENANCE OF TRAFFIC GENERAL NOTES AND TYPICAL SECTIONS
12	MOT-2	MAINTENANCE OF TRAFFIC STAGE I AND STAGE II
13	EC-1	EROSION AND SEDIMENT CONTROL GENERAL NOTES, STRATEGY AND PLAN
13A	EC-1A	EROSION AND SEDIMENT CONTROL DETAILS
14		GENERAL PLAN AND ELEVATION
15		STAGED CONSTRUCTION AND DRAINAGE DETAILS
16		TEMPORARY CONCRETE BARRIER
17		SUPERSTRUCTURE
18		SUPERSTRUCTURE DETAILS
19		27"X36" PPC DECK BEAM
20		27"X36" PPC DECK BEAM DETAILS
21		27"X48" PPC DECK BEAM
22		27"X48" PPC DECK BEAM DETAILS
23-24		TIMBER RAILING
25		ABUTMENTS
26		BAR SPLICER ASSEMBLY DETAILS
27		METAL SHELL PILE DETAILS
28-29		SOIL BORING LOGS
30	BD-51	DISTRICT 1 DETAIL - BENCHING DETAIL FOR EMBANKMENT WIDENING
31-36	XS-PRE-1 to XS-PRE-6	WOODLAND DRIVE PRE-STAGE CROSS SECTIONS
37-41	XS-1 to XS-5	WOODLAND DRIVE CROSS SECTIONS

HIGHWAY STANDARDS

STANDARD NO.	TITLE
000001-06	STANDARD SYMBOLS, ABBREVIATIONS, AND PATTERNS
001001-02	AREAS OF REINFORCEMENT BARS
202001-01	EARTH MEDIAN DITCH CHECK
280001-06	TEMPORARY EROSION CONTROL SYSTEMS
420001-07	PAVEMENT JOINTS
515001-03	NAME PLATE FOR BRIDGES
601101-01	CONCRETE HEADWALL FOR PIPE DRAINS
635006-03	REFLECTOR AND TERMINAL MARKER PLACEMENT
635011-02	REFLECTOR MARKER AND MOUNTING DETAILS
701301-04	LANE CLOSURE, 2L, 2W, SHORT TIME OPERATIONS
701321-12	LANE CLOSURE, 2L, 2W BRIDGE REPAIR WITH BARRIER
701901-02	TRAFFIC CONTROL DEVICES
704001-07	TEMPORARY CONCRETE BARRIER
BLR 14-10	PORTLAND CEMENT CONCRETE PAVEMENT (NONREINFORCED)
BLR 23-4	TRAFFIC BARRIER TERMINAL TYPE 1
BLR 26-3	STEEL PLATE BEAM GUARDRAIL 29" (731mm) HEIGHT
BLR 27-1	TRAFFIC BARRIER TERMINAL 5A

GENERAL NOTES

- BEFORE STARTING ANY EXCAVATION, THE CONTRACTOR SHALL CALL J.U.L.I.E. AT (800) 892-0123 OR 811 FOR FIELD LOCATIONS OF BURIED ELECTRIC, TELEPHONE AND GAS UTILITIES. 48 HOUR NOTIFICATION IS REQUIRED.
- MEMBERS OF JULIE KNOWN TO BE WITHIN THE LIMITS OF THE IMPROVEMENT ARE: COMED, NICOR GAS, COMCAST AND AT&T.
- ANY REFERENCE TO A STANDARD IN THESE PLANS SHALL BE INTERPRETED TO MEAN THE EDITION AS INDICATED BY THE SUBNUMBER SHOWN IN THE LIST OF STANDARDS OR THE COPY INCLUDED IN THESE PLANS.
- THE CONTRACTOR SHALL COORDINATE CONSTRUCTION ACTIVITIES WITH UTILITY COMPANIES, VILLAGE OF LAKE BARRINGTON, AND LAKE COUNTY.
- DO NOT SCALE PLANS FOR CONSTRUCTION DIMENSIONS.
- IT SHALL BE THE CONTRACTORS RESPONSIBILITY TO VERIFY ALL DIMENSIONS AND CONDITIONS EXISTING IN THE FIELD PRIOR TO CONSTRUCTION AND ORDERING OF MATERIALS
- THE CONTRACTOR SHALL BE REQUIRED TO PROVIDE ACCESS TO ABUTTING PROPERTY AT ALL TIMES DURING THE CONSTRUCTION OF THIS PROJECT.
- THE LOCATIONS OF EXISTING DRAINAGE STRUCTURES, STORM SEWER, WATER MAIN, SANITARY SEWER, AND OTHER PUBLIC OR PRIVATE UTILITIES AS SHOWN ON THE PLANS IS APPROXIMATE, AND THEIR EXACT LOCATION IS TO BE DETERMINED IN THE FIELD BY THE CONTRACTOR. THIS WORK SHALL BE PER ARTICLES 105.07 AND 107.31 OF THE STANDARD SPECIFICATIONS. WHEN REQUIRED, LOCATING UTILITIES SHALL BE PAID FOR AT THE CONTRACT UNIT PRICE PER FOOT FOR EXPLORATION TRENCH, SPECIAL.
- ABANDONED UNDERGROUND UTILITIES THAT CONFLICT WITH CONSTRUCTION SHALL BE DISPOSED OF OUTSIDE THE LIMITS OF THE RIGHT OF WAY ACCORDING TO ARTICLE 202.03 OF THE STANDARD SPECIFICATIONS AND AS DIRECTED BY THE ENGINEER. THIS WORK WILL NOT BE PAID FOR SEPARATELY, BUT SHALL BE INCLUDED IN THE COST OF EARTH EXCAVATION.
- SAWING OF REMOVAL ITEMS AS NOTED ON THE PLANS, SPECIFIED IN THE STANDARD SPECIFICATIONS, OR AS REQUIRED BY THE ENGINEER SHALL BE INCLUDED IN THE COST OF THE ITEM BEING REMOVED.
- ONLY THOSE TREES DESIGNATED BY THE ENGINEER, LISTED IN THE TREE REMOVAL SCHEDULE, OR SHOWN IN THE PLANS SHALL BE REMOVED. THE CONTRACTOR SHALL PROTECT ALL REMAINING TREES FROM DAMAGE DUE TO HIS OPERATIONS.
- ALL DAMAGE TO EXISTING PAVEMENT MARKINGS OR RAISED REFLECTIVE PAVEMENT MARKERS OUTSIDE THE REMOVAL LIMITS SHOWN ON THE PLANS SHALL BE REPLACED AT NO ADDITIONAL COST TO THE DEPARTMENT.

COMMITMENTS

- (NONE)

FILE NAME = 10030-SHT-INDEX-GENNOTE.dgn	USER NAME = jehrhart	DESIGNED - MJT	REVISED 1 9/20/2012 J.C.E.	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	INDEX OF SHEETS, HIGHWAY STANDARDS, GENERAL NOTES AND COMMITMENTS	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
		DRAWN - MJT	REVISED -				09-00010-00-BR	LAKE	41	2
		CHECKED - E.J.G.	REVISED -				IS-1			
		DATE - 05/14/12	REVISED -		SCALE: NONE	SHEET NO. 1 OF 1 SHEETS	STA.	TO STA.		CONTRACT NO. 63716
ILLINOIS FED. AID PROJECT										

CODE NO.	ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE	
				HBP FUNDING	
				80% FED 20% LAKE BARRINGTON ROADWAY	80% FED 20% LAKE BARRINGTON BRIDGE SN 049-6751
				0011 URBAN	0011 URBAN
20100110	TREE REMOVAL (6 TO 15 UNITS DIAMETER)	UNIT	66	66	
20200100	EARTH EXCAVATION	CU YD	12	12	
20201200	REMOVAL AND DISPOSAL OF UNSUITABLE MATERIAL	CU YD	87	87	
20300100	CHANNEL EXCAVATION	CU YD	296		296
20400800	FURNISHED EXCAVATION	CU YD	148	148	
21101615	TOPSOIL FURNISH AND PLACE, 4"	SO YD	680	680	
25000312	SEEDING, CLASS 4A	ACRE	0.20	0.20	
25000400	NITROGEN FERTILIZER NUTRIENT	POUND	18	18	
25000500	PHOSPHORUS FERTILIZER NUTRIENT	POUND	18	18	
25000600	POTASSIUM FERTILIZER NUTRIENT	POUND	18	18	
25100115	MULCH, METHOD 2	ACRE	0.4	0.4	
25100630	EROSION CONTROL BLANKET	SO YD	670	670	
28000250	TEMPORARY EROSION CONTROL SEEDING	POUND	40	40	
28000305	TEMPORARY DITCH CHECKS	FOOT	56	56	

• DENOTES SPECIALTY ITEM

CODE NO.	ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE	
				HBP FUNDING	
				80% FED 20% LAKE BARRINGTON ROADWAY 0011 URBAN	80% FED 20% LAKE BARRINGTON BRIDGE SN 049-6751 0011 URBAN
28000400	PERIMETER EROSION BARRIER	FOOT	464	464	
28100107	STONE RIPRAP, CLASS A4	SQ YD	398		398
28200200	FILTER FABRIC	SQ YD	440		440
31101400	SUBBASE GRANULAR MATERIAL, TYPE B 6"	SQ YD	80	80	
42000201	PORTLAND CEMENT CONCRETE PAVEMENT 7" (JOINTED)	SQ YD	78	78	
42001300	PROTECTIVE COAT	SQ YD	78	78	
44000100	PAVEMENT REMOVAL	SQ YD	274	274	
48101498	AGGREGATE SHOULDERS, TYPE B 4"	SQ YD	198	198	
50101500	REMOVAL OF EXISTING SUPERSTRUCTURES	EACH	1		1
50102400	CONCRETE REMOVAL	CU YD	111		111
50200100	STRUCTURE EXCAVATION	CU YD	213		213
50300225	CONCRETE STRUCTURES	CU YD	30.3		30.3
50300260	BRIDGE DECK GROOVING	SQ YD	185		185
50300280	CONCRETE ENCASEMENT	CU YD	6.6		6.6

• DENOTES SPECIALTY ITEM

FILE NAME = 10030-SHT-50002.dgn

USER NAME = jah-hart
 PLOT SCALE = 1/1
 PLOT DATE = 05/14/12

DESIGNED -
 DRAWN -
 CHECKED -
 DATE - 05/14/12

REVISED -
 REVISED -
 REVISED -
 REVISED -

STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION

SUMMARY OF QUANTITIES

SCALE: N.T.S. SHEET NO. 2 OF 5 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-00010-00-BR	LAKE	41	4
	SQ-2			CONTRACT NO. 63716
ILLINOIS FED. AID PROJECT				

CODE NO.	ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE	
				HBP FUNDING	
				80% FED 20% LAKE BARRINGTON ROADWAY	80% FED 20% LAKE BARRINGTON BRIDGE SN 049-6751
				0011 URBAN	0011 URBAN
50300300	PROTECTIVE COAT	SQ YD	185		185
50400505	PRECAST PRESTRESSED CONCRETE DECK BEAMS (27" DEPTH)	SQ FT	1,658		1,658
50800205	REINFORCEMENT BARS, EPOXY COATED	POUND	7,310		7,310
50800515	BAR SPLICERS	EACH	109		109
51200956	FURNISHING METAL SHELL PILES 12" X 0.179"	FOOT	430		430
51202305	DRIVING PILES	FOOT	430		430
51203200	TEST PILE METAL SHELLS	EACH	2		2
51500100	NAME PLATES	EACH	1		1
59100100	GEOCOMPOSITE WALL DRAIN	SQ YD	36		36
• 63000001	STEEL PLATE BEAM GUARDRAIL, TYPE A, 6 FOOT POSTS	FOOT	50.0	50.0	
• 63100075	TRAFFIC BARRIER TERMINAL, TYPE 5A	EACH	2	2	
67100100	MOBILIZATION	L SUM	1	1	
• 70106500	TEMPORARY BRIDGE TRAFFIC SIGNALS	EACH	1	1	
70300220	TEMPORARY PAVEMENT MARKING - LINE 4"	FOOT	1,600	1,600	

• DENOTES SPECIALTY ITEM

FILE NAME = 10030-SHT-S0003.dgn	USER NAME = jehrhart	DESIGNED -	REVISED -
		DRAWN -	REVISED -
		CHECKED -	REVISED -
		DATE - 05/14/12	REVISED -

STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION

SUMMARY OF QUANTITIES

SCALE: N.T.S. SHEET NO. 3 OF 5 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-00010-00-BR	LAKE	41	5
	SQ-3	CONTRACT NO.	63716	
ILLINOIS FED. AID PROJECT				

CODE NO.	ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE	
				HBP FUNDING	
				80% FED 20% LAKE BARRINGTON ROADWAY	80% FED 20% LAKE BARRINGTON BRIDGE SN 049-6751
				0011 URBAN	0011 URBAN
70300280	TEMPORARY PAVEMENT MARKING - LINE 24"	FOOT	22	22	
70301000	WORK ZONE PAVEMENT MARKING REMOVAL	SQ FT	630	630	
70400100	TEMPORARY CONCRETE BARRIER	FOOT	326	326	
70400200	RELOCATE TEMPORARY CONCRETE BARRIER	FOOT	245	245	
* 78200410	GUARDRAIL MARKERS, TYPE A	EACH	8	8	
* 78200530	BARRIER WALL MARKERS, TYPE C	EACH	22	22	
* 78201000	TERMINAL MARKER - DIRECT APPLIED	EACH	2	2	
* A2002920	TREE, CELTIS OCCIDENTALIS (COMMON HACKBERRY), 2-1/2" CALIPER, BALLED AND BURLAPPED	EACH	2	2	
* A2004420	TREE, GINKGO BILOBA (GINKGO), 2-1/2" CALIPER, BALLED AND BURLAPPED	EACH	2	2	
* A2018720	TREE, ULMUS CARPINIFOLIA MORTON, (ACCOLADE ELM), 2-1/2" CALIPER, BALLED AND BURLAPPED	EACH	2	2	
* LR631020	TRAFFIC BARRIER TERMINAL, TYPE 1	EACH	2	2	
X2070304	POROUS GRANULAR EMBANKMENT, SPECIAL	CU YD	87		87
X2130010	EXPLORATION TRENCH, SPECIAL	FOOT	25	25	
X5030305	CONCRETE WEARING SURFACE, 5"	SQ YD	185		185

* DENOTES SPECIALTY ITEM

FILE NAME = 10030-SHT-50004.dgn

USER NAME = jehrhart
PLOT SCALE = 1:1
PLOT DATE = 05/14/12

DESIGNED -
DRAWN -
CHECKED -
DATE - 05/14/12


REVISED -
REVISED -
REVISED -
REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SUMMARY OF QUANTITIES


SCALE: N.T.S. SHEET NO. 4 OF 5 SHEETS STA. TO STA.

F.A.P. R.T.E.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-00010-00-BR	LAKE	41	6
	SQ-4	CONTRACT NO.	63716	
ILLINOIS FED. AID PROJECT				



EXISTING WOODLAND DRIVE

STA. 13+26.58 TO STA. 13+52.5±
STA. 13+90.4± TO STA. 14+16.58




PROPOSED WOODLAND DRIVE

STA. 13+26.58 TO STA. 13+42.99

BRIDGE OMMISION

STA. 13+42.99 TO STA. 14+00.17



PROPOSED WOODLAND DRIVE

STA. 14+00.17 TO STA. 14+16.58

LEGEND - PROPOSED

- ① PORTLAND CEMENT CONCRETE PAVEMENT 7" (JOINTED)
- ② SUBBASE GRANULAR MATERIAL, TYPE B 6"
- ③ LONGITUDINAL CONSTRUCTION JOINT NO. 6 TIE BARS AT 30" CTRS.
- ④ TOPSOIL FURNISH AND PLACE, 4" AND SEEDING, CLASS 2A
- ⑤ AGGREGATE STABILIZATION (PAID FOR AS AGGREGATE SHOULDERS, TYPE B 4")

① FOR GUARDRAIL AND SHOULDER WIDENING LIMITS, SEE PLAN SHEETS.

TREE REMOVAL (6 TO 15 UNITS DIAMETER)				
DWG*	STATION	OFFSET	RT/LT	DIAMETER
PP-1	13+79.3	18.6	LT	10
	13+85.4	19.9	LT	8
	13+93.1	23.2	LT	12
	13+94.7	17.4	RT	12
	13+96.1	23.6	LT	12
	14+62.4	25.1	LT	12
TOTAL =				66

EARTHWORK SUMMARY

ROADWAY	EARTH EXCAVATION	TOPSOIL / UNSUITABLE EXCAVATION	EXCAVATION TO BE USED IN EMBANKMENT ADJUSTED FOR SHRINKAGE*	EMBANKMENT	EARTHWORK BALANCE WASTE (+) OR SHORTAGE (-)
	CU. YD.	CU. YD.	CU. YD.	CU. YD.	CU. YD.
TEMPORARY PAVEMENT WOODLAND	0	50	0	110	-110
PROPOSED WOODLAND	12	37	12	50	-38
TOTAL	12	87	12	160	-148

EARTHWORK SUMMARY

DESCRIPTION	QUANTITY	UNIT
EARTH EXCAVATION	12	CU YD
FURNISHED EXCAVATION	148	CU YD
REMOVAL AND DISPOSAL OF UNSUITABLE MATERIAL	87	CU YD

NOTES:

1. EXISTING TOPSOIL WILL BE REMOVED AND HAULED OFFSITE AND PAID FOR AS "REMOVAL AND DISPOSAL OF UNSUITABLE MATERIAL."

2. FOR QUANTITY CALCULATIONS THE AVERAGE EXISTING TOPSOIL THICKNESS IS ASSUMED TO BE 4".


* ASSUME 15% FOR SHRINKAGE

HOT-MIX ASPHALT MIXTURE REQUIREMENTS

MIXTURE TYPE	AIR VOIDS
TEMPORARY PAVEMENT (4 1/4")	4% @ 50 Gyr.
- HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N50 (IL 9.5 mm), 2"	
- HOT-MIX ASPHALT BINDER COURSE, IL-19.0 mm, 2 1/4"	

NOTES:

- 1. THE UNIT WEIGHT USED TO CALCULATE ALL HMA SURFACE MIXTURE QUANTITIES IS 112 LBS/SO YD/IN.
- 2. THE "AC TYPE" FOR POLYMERIZED HMA MIXES SHALL BE "SBS/SBR PG 76-22" AND FOR NON-POLYMERIZED HMA THE "AC TYPE" SHALL BE "PG 64-22" UNLESS MODIFIED BY DISTRICT ONE SPECIAL PROVISIONS.
- 3. FOR "PERCENT OF RAP" SEE DISTRICT ONE SPECIAL PROVISIONS.



VERTICAL DATUM NOTE:
ELEVATION IS BASED ON THE NATIONAL GEODETIC VERTICAL DATUM OF 1929, AND HAS BEEN ADJUSTED BY +0.21 FEET TO CONVERT TO NORTH AMERICAN VERTICAL DATUM OF 1988.

McDonough Associates Inc.
 Engineers / Architects
 780 North Station Ave., Chicago, Illinois 60601

FILE NAME =	USER NAME = jehrbert
10030-SHT-ATB01.dgn	

DESIGNED - MJT	REVISIONS
DRAWN - MJT	REVISIONS
CHECKED - E.JG	REVISIONS
DATE - 05/14/12	REVISIONS

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

ALIGNMENT, TIES, AND BENCHMARKS


SCALE: 1"=30' SHEET NO. 1 OF 1 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-00010-00-BR	LAKE	41	9
AT-1		CONTRACT NO. 63716		
ILLINOIS FED. AID PROJECT				

PLAN
 SURVEYED BY: _____ DATE: _____
 PLOTTED BY: _____
 CHECKED BY: _____
 NOTE BOOK NO. _____
 CAD FILE NAME: _____


PROFILE
 SURVEYED BY: _____ DATE: _____
 PLOTTED BY: _____
 CHECKED BY: _____
 NOTE BOOK NO. _____
 STRUCTURE NOTATION: _____

McDonough Associates Inc.
 Engineers/Architects
 180 North Stearns Ave. Chicago, Illinois 60601




EXISTING LEGEND
 PAVEMENT REMOVAL, 4.5' (+) THICK
 15" TREE REMOVAL WITH UNIT DIA.

EXISTING CONDITIONS AND REMOVALS



TBT TYPE 5A NOTE:
 TRANSITION TBT TYPE 5A TO MEET GLULAM TIMBER RAILING AS DETAILED IN THE STRUCTURAL DRAWINGS, AND PROVIDE ADDITIONAL END SHOE PER BLR STANDARD 26-3. ALL COSTS ASSOCIATED WITH COMPLYING WITH THESE REQUIREMENTS SHALL BE INCLUDED IN THE COST OF THE TBT TYPE 5A.

PROPOSED IMPROVEMENTS



11+50	757.35	12+00	757.33	12+50	757.02	13+00	757.73	13+50	757.79 757.83	14+00	757.68 757.67	14+50	757.16	15+00	755.97	15+50	755.24	16+00	756.11
-------	--------	-------	--------	-------	--------	-------	--------	-------	------------------	-------	------------------	-------	--------	-------	--------	-------	--------	-------	--------

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

**EXISTING AND PROPOSED
 PLAN AND PROFILE**

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-0010-00-BR	LAKE	41	10
PP-1		CONTRACT NO. 63716		
ILLINOIS FED. AID PROJECT				

SCALE: 1" = 20' SHEET NO. 1 OF 1 SHEETS STA. TO STA.

FILE NAME = 10030-SHT-PLAN01.dgn	USER NAME = jehart	DESIGNED -	REVISED -
PLOT SCALE = 1:20	CHECKED -	DRAWN -	REVISED -
PLOT DATE = 05/14/12	DATE = 05/14/12	REVISIONS -	REVISED -

STAGES OF CONSTRUCTION
GENERAL NOTES

1. THE ENGINEER SHALL BE INFORMED 72 HOURS IN ADVANCE OF ANY CHANGE TO THE STAGING PLANS, OR ANY CHANGE IN STAGE.
2. THE CONTRACTOR WILL BE REQUIRED TO MAINTAIN ACCESS TO ALL DRIVEWAYS WITHIN THE PROJECT LIMITS, UNLESS OTHERWISE SHOWN.
3. THE CONTRACTOR SHALL PLACE MESSAGE SIGNS WITH THE APPROPRIATE INFORMATION TO INFORM MOTORISTS OF UPCOMING CONSTRUCTION ACTIVITIES. THE MESSAGE SIGNS SHALL BE IN PLACE TWO WEEKS PRIOR TO START OF CONSTRUCTION ACTIVITIES. ALL COSTS ASSOCIATED WITH THE SIGNS SHALL BE CONSIDERED PART OF THE LUMP SUM PRICE FOR TRAFFIC CONTROL AND PROTECTION (SPECIAL).

SEQUENCE OF CONSTRUCTION: PRE-STAGE

TRAFFIC CONTROL SHALL BE IN ACCORDANCE WITH IDOT STANDARD 701301-04.

CONSTRUCT TEMPORARY PAVEMENT AS SHOWN IN THE STAGE I PLANS.

INSTALL TEMPORARY TRAFFIC SIGNAL.

PLACE TRAFFIC CONTROL DEVICES AND TEMPORARY PAVEMENT MARKINGS AS SHOWN IN THE STAGE I PLANS.

SEQUENCE OF CONSTRUCTION: STAGE I

TRAFFIC CONTROL SHALL BE AS SHOWN IN THE STAGE I PLANS.

CONSTRUCT SOUTH HALF (±) OF BRIDGE STRUCTURE AND EASTBOUND PAVEMENT LANES. INSTALL GUARDRAIL FOR EASTBOUND APPROACH TO BRIDGE STRUCTURE.

INSTALL TEMPORARY PAVEMENT AS SHOWN IN THE STAGE II PLANS.

SEQUENCE OF CONSTRUCTION: STAGE II

PLACE TRAFFIC CONTROL DEVICES AND TEMPORARY PAVEMENT MARKINGS AS SHOWN IN THE STAGE II PLANS.

TRAFFIC CONTROL SHALL BE AS SHOWN IN THE STAGE II PLANS.

CONSTRUCT NORTH HALF (±) OF BRIDGE STRUCTURE AND WESTBOUND PAVEMENT LANES. INSTALL GUARDRAIL FOR WESTBOUND APPROACH TO BRIDGE STRUCTURE.

SEQUENCE OF CONSTRUCTION: POST-STAGE II


TRAFFIC CONTROL SHALL BE IN ACCORDANCE WITH IDOT STANDARD 701301-04.

REMOVE TEMPORARY PAVEMENT AND RESTORE AREA AS APPROPRIATE.


LEGEND

- ① TEMPORARY CONCRETE BARRIER (1)
- ② TEMPORARY PAVEMENT MARKING - LINE 4"
- ③ TEMPORARY PAVEMENT, 4 1/4"
 - (a) 2" HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N50 (IL 9.5 mm)
 - (b) 2 1/4" HOT-MIX ASPHALT BINDER COURSE (IL-19.0 mm)


(1) DRUMS WITH STEADY BURNING BI-DIRECTIONAL LIGHT AND VERTICAL PANELS WILL ALSO BE REQUIRED TO PROVIDE DELINEATION THROUGH THE WORK ZONE. SEE STAGE I AND STAGE II PLAN FOR LOCATIONS.



STAGE I - WOODLAND DRIVE



VERTICAL PANELS
(POST MOUNTED, ONE EACH SIDE)




STAGE II - WOODLAND DRIVE

TEMPORARY BRIDGE TRAFFIC SIGNALS

A TEMPORARY TRAFFIC SIGNAL SHALL BE REQUIRED DUE TO STAGE CONSTRUCTION OF THE BRIDGE. TRAFFIC SIGNALS SHALL BE OPERATIONAL ONLY WHEN ALL TRAFFIC CONTROLS ARE IN PLACE. THE TEMPORARY TRAFFIC SIGNAL SHALL BE INSTALLED IN ACCORDANCE WITH SECTION 701.18(B)(2), EXCEPT WHERE MODIFIED BY THE SPECIAL PROVISIONS. ALSO, VEHICLE DETECTION SHALL BE VIA MICROWAVE VEHICLE SENSORS OR A VIDEO VEHICLE DETECTION SYSTEM.

TRAFFIC SIGNAL SEQUENCE						
PHASE	A			B		
INTERVAL	1	2	3	4	5	6
EASTBOUND	G	Y	R	R	R	R
WESTBOUND	R	R	R	G	Y	R




TEMPORARY CABLE PLAN

FILE NAME = 10030-SHT-MOT01.dgn	USER NAME = jehrhart	DESIGNED -	REVISED -
PLOT SCALE = 1/10	CHECKED -	DRAWN -	REVISED -
PLOT DATE = 05/14/12	DATE - 05/14/12	REVISIONS -	REVISIONS -


F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-00010-00-BR	LAKE	41	11
MOT-1			CONTRACT NO. 63716	
ILLINOIS FED. AID PROJECT				

- WORK ZONE
- TEMPORARY PAVEMENT, 4"
- TRAFFIC DIRECTION
- TEMPORARY CONCRETE BARRIER
- IMPACT ATTENUATOR
- TEMPORARY TRAFFIC ADVISORY SIGN
- TEMPORARY TRAFFIC SIGNAL
- DRUM WITH STEADY BURNING BI-DIRECTIONAL LIGHT
- TYPE III BARRICADE
- DOUBLE VERTICAL PANEL (SEE DETAIL)
- VEHICLE DETECTION AREA (MICROWAVE OR VIDEO)



- NOTES:**
- ALL TEMPORARY PAVEMENT MARKINGS SHALL BE TEMPORARY TAPE. TEMPORARY PAVEMENT MARKINGS SHALL EXTEND FROM STOP BAR TO STOP BAR.
 - TYPE III BARRICADE TO BE PLACED WHEN NO WORK IS BEING PERFORMED.
 - INSTALL BARRIER WALL MARKERS AT 25' CENTERS. SEE STANDARDS 704001 AND 635011.
 - WHEN SHOWN, INSTALL VERTICAL PANELS AT 25' CENTERS.
 - FLARE RATES ON TEMPORARY CONCRETE BARRIER WALL SHALL BE AT 8:1.

- WORK ZONE
- TEMPORARY PAVEMENT, 4"
- TRAFFIC DIRECTION
- TEMPORARY CONCRETE BARRIER
- IMPACT ATTENUATOR
- TEMPORARY TRAFFIC ADVISORY SIGN
- TEMPORARY TRAFFIC SIGNAL
- DRUM WITH STEADY BURNING BI-DIRECTIONAL LIGHT
- TYPE III BARRICADE
- DOUBLE VERTICAL PANEL (SEE DETAIL)
- VEHICLE DETECTION AREA (MICROWAVE OR VIDEO)



McDonough Associates Inc.
 Engineers / Architects
 180 North Station Ave. Chicago, Illinois 60601

FILE NAME = 10030-SHT-MOT02.dgn

USER NAME = jehrhart
 DESIGNED -
 DRAWN -
 CHECKED -
 PLOT DATE = 05/14/12

REVISIED -
 REVISIED -
 REVISIED -
 REVISIED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

MAINTENANCE OF TRAFFIC
STAGE I AND STAGE II

SCALE: 1" = 30' SHEET NO. 2 OF 2 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-00010-00-BR	LAKE	41	12
MOT-2			CONTRACT NO. 63716	
<small>ILLINOIS FED. AID PROJECT</small>				

**LAKE COUNTY STORMWATER MANAGEMENT COMMISSION
SEDIMENTATION AND EROSION CONTROL NOTES**

- A. SOIL DISTURBANCE SHALL BE CONDUCTED IN SUCH A MANNER AS TO MINIMIZE EROSION. SOIL STABILIZATION MEASURES SHALL CONSIDER THE TIME OF YEAR, SITE CONDITIONS AND THE USE OF TEMPORARY OR PERMANENT MEASURES.
- B. SOIL EROSION AND SEDIMENT CONTROL FEATURES SHALL BE CONSTRUCTED PRIOR TO THE COMMENCEMENT OF HYDROLOGIC DISTURBANCE OF UPLAND AREAS.
- C. DISTURBED AREAS SHALL BE STABILIZED WITH TEMPORARY OR PERMANENT MEASURES WITHIN 14 CALENDAR DAYS OF THE END OF ACTIVE HYDROLOGIC DISTURBANCE, OR REDISTURBANCE.
- D. AREAS OR EMBANKMENTS HAVING SLOPES GREATER THAN OR EQUAL TO 3H:1V, AND APPROVED BY THE ENFORCEMENT OFFICER, SHALL BE STABILIZED WITH SOD, MAT OR BLANKET IN COMBINATION WITH SEEDING.
- E. EROSION CONTROL BLANKET SHALL BE REQUIRED ON ALL INTERIOR DETENTION BASIN SIDE SLOPES BETWEEN NORMAL WATER LEVEL AND HIGH WATER LEVEL.
- F. ALL STORM SEWERS THAT ARE OR WILL BE FUNCTIONING DURING CONSTRUCTION SHALL BE PROTECTED, BY AN APPROPRIATE SEDIMENT CONTROL MEASURE.
- G. ALL TEMPORARY EROSION AND SEDIMENT CONTROL MEASURES SHALL BE REMOVED WITHIN 30 DAYS AFTER FINAL SITE STABILIZATION IS ACHIEVED OR AFTER THE TEMPORARY MEASURES ARE NO LONGER NEEDED.
- H. ALL TEMPORARY AND PERMANENT EROSION CONTROL MEASURES MUST BE MAINTAINED AND REPAIRED AS NEEDED. THE PROPERTY OWNER SHALL BE ULTIMATELY RESPONSIBLE FOR MAINTENANCE AND REPAIR.
- I. A STABILIZED MAT OF AGGREGATE UNDERLAIN WITH FILTER CLOTH (OR OTHER APPROPRIATE MEASURE) SHALL BE LOCATED AT ANY POINT WHERE TRAFFIC WILL BE ENTERING OR LEAVING A CONSTRUCTION SITE TO OR FROM A PUBLIC RIGHT-OF-WAY, STREET, ALLEY OR PARKING AREA. ANY SEDIMENT OR SOIL REACHING AN IMPROVED PUBLIC RIGHT-OF-WAY, STREET, ALLEY OR PARKING AREA SHALL BE REMOVED BY SCRAPING OR STREET CLEANING AS ACCUMULATIONS WARRANT AND TRANSPORTED TO A CONTROLLED SEDIMENT DISPOSAL AREA.
- J. SOIL STOCKPILES SHALL NOT BE LOCATED IN A FLOOD PRONE AREA OR A DESIGNATED BUFFER PROTECTING WATERS OF THE UNITED STATES OR ISOLATED WATERS OF LAKE COUNTY.
- K. IF DEWATERING SERVICES ARE USED, ADJOINING PROPERTIES AND DISCHARGE LOCATIONS SHALL BE PROTECTED FROM EROSION. DISCHARGES SHALL BE ROUTED THROUGH AN EFFECTIVE SEDIMENT CONTROL MEASURE (e.g. SEDIMENT TRAP, SEDIMENT BASIN, OR OTHER APPROPRIATE MEASURE.)
- L. THE EROSION CONTROL MEASURES INDICATED ON THE PLANS ARE THE MINIMUM REQUIREMENTS. ADDITIONAL MEASURES MAY BE REQUIRED, AS DIRECTED BY THE ENGINEER OR GOVERNING AGENCY.

ADDITIONAL EROSION AND SEDIMENT CONTROL GENERAL NOTES

- 1. THE PURPOSE OF THE EROSION AND SEDIMENT CONTROL MEASURES INCLUDED FOR THIS PROJECT IS TO LIMIT THE SEDIMENT POLLUTION IMPACT OF ANY STORM WATER DISCHARGES THAT ORIGINATE ON THIS SITE OR OFF-SITE FLOWS THAT FLOW OVER THE DISTURBED AREAS ON DOWNSTREAM AREAS.
- 2. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO ENSURE THAT SEDIMENT TRANSPORT OFF THE SITE IS REDUCED BY A COMBINATION OF MINIMIZATION OF EROSION AT THE SOURCE AND INSTALLATION OF SPECIFIC MEASURES TO CONTROL OR REDUCE THE TRANSPORT OF SEDIMENT.
- 3. TO THE MAXIMUM EXTENT POSSIBLE, ALL FLOWS ORIGINATING OFF THE CONSTRUCTION SITE WILL BE DIVERTED AROUND DISTURBED AREAS OR WILL BE CONVEYED THROUGH THE SITE IN A MANNER THAT UNTREATED ON-SITE RUNOFF DOES NOT MIX WITH THE OFF-SITE RUNOFF.
- 4. ALL RUNOFF ORIGINATING ON DISTURBED AREAS ASSOCIATED WITH THIS PROJECT WILL PASS THROUGH ONE OR MORE MEASURES THAT WILL MINIMIZE THE OFF-SITE SEDIMENT IMPACTS OF THE CONSTRUCTION ACTIVITY.
- 5. THE CONTRACTOR SHALL DESIGNATE ONE OF HIS EMPLOYEES AS RESPONSIBLE FOR IMPLEMENTATION OF THE EROSION AND SEDIMENT CONTROL PLAN ON ALL DISTURBED AREAS. THIS PERSON IS TO BE KNOWLEDGEABLE ABOUT INSTALLATION AND MAINTENANCE OF THE REQUIRED MEASURES AND IS TO HAVE TAKEN AN APPROVED EROSION AND SEDIMENT CONTROL COURSE. THIS EMPLOYEE IS TO HAVE THE AUTHORITY TO CARRY OUT THE IMPLEMENTATION OF ANY INSTRUCTIONS CONCERNING THE EROSION AND SEDIMENT CONTROL PLAN GIVEN BY THE ENGINEER. ALL MEASURES WILL BE INSPECTED BY THIS INDIVIDUAL AND THE ENGINEER ON A REGULAR BASIS (AT LEAST ONCE EVERY 7 DAYS) AND AFTER RAINFALL EVENTS GREATER THAN 0.5 INCH, OR SNOW FALL EQUIVALENT.
- 6. SILT FENCE AND DITCH CHECKS SHALL HAVE SEDIMENT REMOVED WHEN IT REACHES 50% THE HEIGHT OF THE CONTROL DEVICE. THESE SPOILS WILL BE REMOVED TO AN APPROVED SITE.
- 7. IN AREAS WHERE A PERMANENT VEGETATIVE COVER IS PRACTICABLE AND INCLUDED IN THE CONTRACT DOCUMENTS, A SPECIAL EFFORT SHOULD BE MADE TO ESTABLISH A COVER AS SOON AS A DISTURBED AREA IS BROUGHT TO FINAL GRADE.






- 8. EXCAVATION TO BE USED FOR EMBANKMENTS SHALL NOT BE STOCKPILED UNLESS PERIMETER CONTROLS ARE UTILIZED. WHEN THIS MATERIAL IS STOCKPILED FOR THE CONVENIENCE OF THE CONTRACTOR THE COST OF THE CONTROLS ARE BORNE BY THE CONTRACTOR, IF THE MATERIAL IS STOCKPILED AT THE DIRECTION OF THE ENGINEER THE DEPARTMENT WILL ASSUME THE COSTS OF THE CONTROLS.
- 9. THE CONTRACTOR IS ADVISED THAT SOME IN-STREAM WORK IS REQUIRED TO PLACE THE RIP RAP SLOPEWALL. SEDIMENT LADEN DEWATERING DISCHARGE MUST BE DIRECTED TO AN APPROVED SEDIMENT TRAPPING MEASURE PRIOR TO RELEASE FROM THE SITE. THE CONTRACTOR WILL BE REQUIRED TO PROVIDE AN IN-STREAM WORK PLAN PRIOR TO STARTING CONSTRUCTION. ALL COSTS ASSOCIATED WITH PROVIDING THIS PLAN AND CONFORMING TO ITS REQUIREMENTS SHALL BE CONSIDERED INCIDENTAL TO THE PROJECT.


EROSION AND SEDIMENT CONTROL STRATEGY

DISTURBED AREA: 0.30 ACRES
RECEIVING WATERS: FLINT CREEK

- A. INSTALL PERIMETER EROSION BARRIER & FLOATING SILT CURTAIN.
- B. CLEAR AND GRUB, REMOVE EXISTING TREES AND VEGETATION AS REQUIRED.
- C. INSTALL TEMPORARY DITCH CHECKS.
- D. STABILIZE DISTURBED AREAS IN A TIMELY MANNER, PER THE REQUIREMENTS IN THE NOTES. WHEN POSSIBLE, UTILIZE PERMANENT MEASURES. TEMPORARY EROSION CONTROL SEEDING AND MULCH, METHOD 2 SHALL BE USED IF PERMANENT MEASURES CAN NOT BE INSTALLED.
- E. INSPECT AND MAINTAIN ALL EROSION AND SEDIMENT CONTROL MEASURES FOR THE DURATION OF CONSTRUCTION.
- F. WHEN FINAL STABILIZATION IS ESTABLISHED, REMOVE ALL TEMPORARY MEASURES.

EROSION CONTROL LEGEND

-  TEMPORARY DITCH CHECK
-  PERIMETER EROSION BARRIER
-  FLOATING SILT CURTAIN
-  SEEDING, CLASS 4A AND EROSION CONTROL BLANKET (EXCELSIOR BLANKET OR KNITTED STRAW BLANKET)
-  STONE RIPRAP (SEE STRUCTURAL)



NOTE:
PERIMETER EROSION BARRIER HAS BEEN OFFSET FOR CLARITY. EROSION CONTROL MEASURES SHALL BE INSTALLED WITHIN THE EXISTING RIGHT-OF-WAY.

1 ENTIRE SHEET REVISED

McDonough Associates Inc.
Engineers / Architects
180 North Stebbins Ave. Chicago, Illinois 60601

FILE NAME = 10030-SH1-EROS01.dgn	USER NAME = jahrhart	DESIGNED -	REVISED 1 9/20/2012 J.C.E.
		DRAWN -	REVISED -
		CHECKED -	REVISED -
		DATE - 05/14/12	REVISED -


**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**EROSION AND SEDIMENT CONTROL
GENERAL NOTES, STRATEGY AND PLAN**


SCALE: 1"=20' SHEET NO. 1 OF 1 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-0010-00-BR	LAKE	41	13
	EC-1		CONTRACT NO. 63716	
ILLINOIS FED. AID PROJECT				

FLOATING SILT CURTAIN - TYPICAL LAYOUT



TYPICAL COMPONENTS / ANCHORAGE SYSTEM



TYPICAL PLAN VIEW

- NOTES:
1. MAXIMUM FLOW FOR WATERBODY SHALL BE LESS THAN 5FPS.
 2. ISOLATED WORK AREA SHALL NOT EXCEED MORE THAN 1/3 STREAM WIDTH.
 3. SILT CURTAIN SHALL BE PLACED PARALLEL TO STREAM FLOW.

REFERENCE Project	_____
Designed	_____ Date _____
Checked	_____ Date _____
Approved	_____ Date _____




STANDARD DWG. NO.	IUM-617A
SHEET	1 OF 1
DATE	1-06-2012

REFERENCE Project	_____
Designed	_____ Date _____
Checked	_____ Date _____
Approved	_____ Date _____




STANDARD DWG. NO.	IUM-617B
SHEET	1 OF 1
DATE	1-6-2012



FLOATING SILT CURTAIN - PANEL CONNECTORS



SEWN SEAM



GROMMETED HOLES WITH ROPE LACING



Anchor Slot


Single Joint

Parallel Overlaps

DETAIL 1

DETAIL 2

DETAIL 3



STAPLE DETAIL

PUSH PIN DETAIL

- NOTES:
1. STAPLES SHALL BE PLACED IN A DIAMOND PATTERN AT 2 PER S.Y. FOR STICED BLANKETS. NON-STICED SHALL USE 4 STAPLES PER S.Y. OF MATERIAL. THIS EQUATES TO 200 STAPLES WITH STICED BLANKET AND 400 STAPLES WITH NON-STICED BLANKET PER 100 S.Y. OF MATERIAL.
 2. STAPLE OR PUSH PIN LENGTHS SHALL BE SELECTED BASED ON SOIL TYPE AND CONDITIONS. (MINIMUM STAPLE LENGTH IS 6")
 3. EROSION CONTROL MATERIAL SHALL BE PLACED IN CONTACT WITH THE SOIL OVER A PREPARED SEEDBED.
 4. ALL ANCHOR SLOTS SHALL BE STAPLED AT APPROXIMATELY 12" INTERVALS.

File No.	IUM-530
Drawing No.	
Sheet 1 of 1	

EROSION CONTROL BLANKET INSTALLATION DETAILS

Designed	B. JOHNSON	Date	11/08
Checked			
Approved			

1 ADDED SHEET

FILE NAME =	USER NAME = jchriert	DESIGNED -	REVISED 1	9/20/2012	J.C.E.
18030-SHT-ER0501A.dgn		DRAWN -	REVISED -		
		CHECKED -	REVISED -		
		DATE -	REVISED -		
				05/14/12	

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

EROSION AND SEDIMENT CONTROL DETAILS

SCALE: 1"=20' SHEET NO. 1 OF 1 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-00010-00-BR	LAKE	41	13A
	EC-1A			
				CONTRACT NO. 63716
ILLINOIS FED. AID PROJECT				

Bench Mark: #100 PK Nail in pavement at west end of intersection of Flint Dr. and Woodland Dr. Elev. 758.73
(Northing: 2015278.00, Easting: 1028901.42)

Existing Structure: S.N. 049-6750 built in 1968. Structure is a single span bridge consisting of nonstandard precast prestressed concrete box beams supported by closed abutments of unknown footing type. 36'-0" bk. to bk. abutments. 32'-4" out to out deck. Structure to be removed and replaced using stage construction. Existing footing to remain.

No salvage

WATERWAY INFORMATION

Drainage Area = 23.2 sq mi Low Grade Elev. 755.24 @ Sta. 15+50

Flood	Freq. Yr.	Q C.F.S.	Opening Sq. Ft.		Nat. H.W.E.	Head - Ft.		Headwater El.	
			Exist.	Prop.		Exist.	Prop.	Exist.	Prop.
Design	10	558	125	157	751.66	0.04	0.04	751.70	751.70
	30	779	151	193	752.43	0.07	0.07	752.50	752.50
	50	872	160	206	752.68	0.08	0.08	752.76	752.76
Base/Max Calc	100	1023	173	225	753.06	0.10	0.10	753.16	753.16

DESIGN SCOUR ELEVATION TABLE

Design Scour Elevation (ft.)	W. Abut.	E. Abut.
	749.15	749.01

TOTAL BILL OF MATERIAL

ITEM	UNIT	SUPER	SUB	TOTAL
Channel Excavation	Cu Yd		296	296
Stone Riprap, Class A4	Sq Yd		398	398
Filter Fabric	Sq Yd		440	440
Removal Of Existing Superstructures	Each	1		1
Concrete Removal	Cu Yd		111	111
Structure Excavation	Cu Yd		213	213
Concrete Structures	Cu Yd		30.3	30.3
Bridge Deck Grooving	Sq Yd	185		185
Concrete Encasement	Cu Yd		6.6	6.6
Protective Coat	Sq Yd	185		185
Precast Prestressed Concrete Deck Beams (27" Depth)	Sq Ft	1,658		1,658
Reinforcement Bars, Epoxy Coated	Pound	2,740	4,570	7,310
Bar Splicers	Each	81	28	109
Furnishing Metal Shell Piles 12" X 0.179"	Foot		430	430
Driving Piles	Foot		430	430
Test Pile Metal Shells	Each		2	2
Name Plates	Each	1		1
Geocomposite Wall Drain	Sq Yd		36	36.0
Porous Granular Embankment, Special	Cu Yd		87	87
Concrete Wearing Surface, 5"	Sq Yd	185		185
Temporary Sheet Piling	Sq Ft		700	700
Pipe Underdrains For Structures 4"	Foot		76	76
Timber Railing	Foot	117		117

INDEX OF SHEETS

1. General Plan and Elevation
2. Staged Construction and Drainage Details
3. Temporary Concrete Barrier
4. Superstructure
5. Superstructure Details
6. 27"x36" PPC Deck Beam
7. 27"x36" PPC Deck Beam Details
8. 27"x48" PPC Deck Beam
9. 27"x48" PPC Deck Beam Details
10. Timber Railing
11. Timber Railing
12. Abutments
13. Bar Splicer Assembly Details
14. Metal Shell Pile Details
15. Soil Boring Logs
16. Soil Boring Logs

DESIGN SPECIFICATIONS

2010 AASHTO LRFD Bridge Design Specifications with 2010 Interims

LOADING HL-93

Allow 50#/sq. Ft. for future wearing surface.

DESIGN STRESSES

FIELD UNITS

$f'_c = 3,500$ psi
 $f_y = 60,000$ psi (Reinforcement)
PRECAST PRESTRESSED UNITS
 $f'_c = 6,000$ psi
 $f'_{ci} = 5,000$ psi
 $f'_{pu} = 270,000$ psi (1/2" ϕ low relax. strands)
 $f_{pbt} = 201,960$ psi (1/2" ϕ low relax. strands)

SEISMIC DATA

Seismic Performance Zone (SPZ) = 1
 Design Spectral Acceleration at 1.0 sec. (S_{D1}) = 0.080g
 Design Spectral Acceleration at 0.2 sec. (S_{D5}) = 0.139g
 Soil Site Class = D






FLINT CREEK
 BUILT 2011 BY
 VILLAGE OF LAKE BARRINGTON
 SEC. 09-00010-00-BR
 STATION 13+71.58
 STR. NO. 049-6751 LOADING HL-93

NAME PLATE


See Std. 515001

GENERAL NOTES


Reinforcement bars shall conform to the requirements of ASTM A 706 Gr 60. See Special Provisions.
 Reinforcement bars designated (E) shall be epoxy coated.
 Layout of slope protection system may be varied to suit ground conditions in the field as directed by the Engineer.
 The Contractor is advised that the existing southern fascia beam is in deteriorated condition with reduced load carrying capacity and care should be taken with construction equipment and removal procedures.
 The cost of any dewatering necessary for placement of filter fabric and riprap shall be included in the cost of Channel Excavation.




I certify that to the best of knowledge, information and belief, this bridge design is structurally adequate for the design loading shown on the plans. The design is an economical one for the style of structure and complies with requirements of the current AASHTO Standard Specifications for Highway Bridges.




GENERAL PLAN AND ELEVATION
WOODLAND DRIVE OVER FLINT CREEK
 SEC. 09-00010-00-BR
 LAKE COUNTY
 STATION 13+71.58
 STRUCTURE NO. 049-6751



STAGE I REMOVAL



**STAGE I CONSTRUCTION
STAGE II REMOVAL**



STAGE II CONSTRUCTION

STAGE CONSTRUCTION

Notes:

If the Contractor chooses to alter the temporary cantilevered sheet piling design requirements shown on the plans, a design submittal including plan details and calculations will be required for review and acceptance by the Engineer.


The Contractor shall connect the first sheet to the existing abutment wall to ensure stability of sheets driven to the top of the existing footing. This connection shall be reviewed and accepted by the Engineer and included in the cost for Temporary Sheet Piling.

All dimensions relative to the existing abutment are assumptions and need to be field verified. There are no existing plans for the structure.


* Included in the cost of Pipe Underdrains for Structures 4.

Note:

All drainage system components shall extend 2'-0" from the end of each wingwall except an outlet pipe shall extend until intersecting with the side slopes. The pipes shall drain into concrete headwalls. (See Article 601.05 of the Standard Specifications and Highway Standard 601101)




SECTION THRU ABUTMENT



TEMPORARY SHEET PILING

When "A" is 3'-6" or less, the temporary concrete barrier shall be anchored to the new slab according to Detail I or Detail II. No anchorage is required when "A" is greater than 3'-6".



SECTIONS THRU SLAB OR DECK BEAM

NOTES


Detail I - With Bar Splicer or Couplers:
Connect one (1) 1" x 7" x "W" steel \bar{P} to the top layer of couplers with 2- $\frac{5}{8}$ " ϕ bolts screwed to coupler at approximate \bar{C} of each barrier panel.

Detail II - With Extended Reinforcement Bars:
Connect one (1) 1" x 7" x "W" steel \bar{P} to the concrete slab or concrete wearing surface with 2- $\frac{5}{8}$ " ϕ Expansion Anchors or cast in place inserts spaced between the top layer of reinforcement at approximate \bar{C} of each barrier panel.


Cost of anchorage is included with Temporary Concrete Barrier. The 1" x 7" x "W" plate shall not be removed until stage II construction forms and all reinforcement bars are in place and the concrete is ready to be placed.

*** Dimension shown is minimum required embedment into concrete. If hot-mix asphalt wearing surface is present, minimum embedment shall be in addition to wearing surface depth.

**** If existing deck beam is to remain in place after stage construction, embedment shall only be into wearing surface and not into existing deck beam concrete.




DETAIL I



DETAIL II

** Wood blocks may be omitted when required to provide minimum stage traffic lane width. When the wood blocks are omitted, the concrete barrier shall be in direct contact with the steel retainer plate.

"W" = Top bars spacing + 4"



STEEL RETAINER \bar{P} 1" x 7" x "W"

* Required only with Detail II

R-27

7-1-10

McDonough Associates Inc.
Engineers / Architects
180 North Milwaukee Ave., Chicago, Illinois 60601

USER NAME = jehrhert
PLOT SCALE = 1/8"=1'-0"
PLOT DATE = 05/14/12

DESIGNED - AMV
CHECKED - JCE
DRAWN - AMV
CHECKED - JCE


REVISED -
REVISED -
REVISED -
REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION


TEMPORARY CONCRETE BARRIER FOR STAGE CONSTRUCTION
STRUCTURE NO. 049-9751

SHEET NO. 3 OF 16 SHEETS

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-0010-00-BR	LAKE	41	16
ILLINOIS FED. AID PROJECT			CONTRACT NO. 63716	



PLAN



CROSS SECTION
(Looking East)


MINIMUM BAR LAP
#4 bar = 2'-7"

SECTION A-A

Notes:
All concrete wearing surfaces shall be placed prior to pouring the roadway pavement.
See sheets 7 & 9 for fabric bearing pad details.

Notes:
See sheet 5 of 16 for Superstructure Details and Bill of Material.
Bars indicated thus 20 x 2-#4 etc. indicates 20 lines of bars with 2 lengths per line.

FILE NAME = 0496751-004-Super.dgn McDonough Associates Inc. Engineers & Architects 180 North Station Ave., Chicago, Illinois 60601	USER NAME = Jahrhart PLOT SCALE = 1/8"=1'-0" PLOT DATE = 05/14/12	DESIGNED - AMV CHECKED - JCE DRAWN - AMV CHECKED - JCE	REVISED - REVISED - REVISED - REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SUPERSTRUCTURE STRUCTURE NO. 049-6751 SHEET NO. 4 OF 16 SHEETS	F.A. - RTE.	SECTION 09-00010-00-BR	COUNTY LAKE	TOTAL SHEETS 41	SHEET NO. 17		
	CONTRACT NO. 63716						ILLINOIS FED. AID PROJECT					




PLAN


(Typ. wearing surface reinforcement)

Notes:


Formwork necessary for the wearing surface may be secured utilizing the bottom rail anchorage inserts and/or additional inserts cast into the beam.



SECTION THRU FASCIA BEAM




SECTION A-A




BAR D(E)

* Place 2-#4 D(E) bars in beam at each post location as shown. D(E) bar included in cost of beam.



BARS a(E) and a1(E)




ANTICIPATED CONCRETE WEARING SURFACE PROFILE
(For information only)

MINIMUM BAR LAP
#4 bar = 2'-0"


SUPERSTRUCTURE BILL OF MATERIAL

Bar	No.	Size	Length	Shape
a(E)	81	#4	13'-2"	C
a1(E)	81	#4	16'-2"	C
b(E)	58	#4	29'-9"	—
Reinforcement Bars, Epoxy Coated			Pound	2,740
Concrete Wearing Surface, 5"			Sq. Yd.	185


Bars indicated thus 29 x 2-#4 etc. indicates 29 line of bars with 2 lengths per line.



PLAN



SECTION




CLAMPING PLATE


SHEAR KEY CLAMPING DETAILS AT STAGE CONST. JT.

Cost included with Precast Prestressed Concrete Deck Beams.
See Stage Construction Details for traffic lanes.


** Cast semicircular recesses in the sides of each beam adjacent to the stage construction line. These recesses should align to form a hole at the appropriate locations for the clamping device bolts.




SECTION A-A




SECTION B-B
(Showing dimensions)



VIEW C-C



PLAN VIEW



SECTION B-B
(Showing reinforcement and permissible strand locations)
Note: Place the number of strands specified in each row symmetrically about the centerline of beam in the permissible strand locations shown.

BAR LIST
ONE BEAM ONLY
(For information only)

Bar	No.	Size	Length	Shape
A(E)	50	#4	2'-7"	—
B(E)	4	#5	56'-10"	—
B1(E)	3	#4	56'-10"	—
S(E)	78	#4	6'-5"	U
S1(E)	10	#4	5'-11"	U
S2(E)	68	#4	6'-2"	U
U(E)	8	#5	4'-6"	C
U1(E)	4	#4	5'-0"	U

Note: See sheet 7 of for additional details and Bill of Material.

MINIMUM BAR LAP

- #4 bar = 2'-0"
- #5 bar = 2'-6"

Note: Spacing of S(E) and S2(E) bars may be adjusted up to 4" in the immediate area of the transverse tie diaphragms to miss the block outs for the transverse ties.

PD-2736-0

7-1-10

McDonough Associates Inc.
Engineers & Architects
169 North Station Ave., Chicago, Illinois 60601

USER NAME = jehrhart
PLOT SCALE = 1/8"=1'-0"
PLOT DATE = 05/14/12


DESIGNED - JCE
CHECKED - GEK
DRAWN - JCE
CHECKED - GEK

REVISED -
REVISED -
REVISED -
REVISED -


STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

27" x 36" PPC DECK BEAM
STRUCTURE NO. 049-6751
SHEET NO. 6 OF 16 SHEETS

F.A.-RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-00010-00-BR	LAKE	41	19
				CONTRACT NO. 63716
ILLINOIS FED. AID PROJECT				



FABRIC BEARING PAD
(Interior)




FABRIC BEARING PAD
(Exterior)


FIXED

Notes:


- All bearing pads shall be 1" thick.
- Omit holes when using expansion bearings.
- Expansion bearing pad shall be bonded to the substructure.




SECTION A-A




TYPICAL TRANSVERSE TIE ASSEMBLY




BAR S(E)




BAR S1(E)




BAR S2(E)




BAR U(E)



BAR U1(E)



PLAN VIEW



LIFTING LOOP DETAIL

NOTES

- Prestressing steel shall be uncoated high strength, low relaxation 7-wire strand, Grade 270. The nominal diameter shall be 1/2" and the nominal cross-sectional area shall be 0.153 sq. in.
- The 1" diameter rods in the transverse tie assembly shall be tightened to a snug fit and the threads set. Pockets on exterior faces of bridge shall be filled with grout after transverse tie assembly is in place.
- Reinforcement bars shall conform to ASTM A 706, Grade 60. (See Special Provisions).
- Two 1/8" fabric adjusting shims of the dimensions of the exterior bearing pad shall be provided for each bearing pad location.
- A minimum 2 1/2" diameter lifting pin shall be used to engage the lifting loops during handling.
- Corrosion Inhibitor, per Article 1020.05(b)(12) and 1021.06 of the Standard Specifications, shall be used in the concrete for precast prestressed concrete deck beams.
- Compressive strength of prestressed concrete, f'c, shall be 6000 psi.
- Compressive strength of prestressed concrete at release, f'ci, shall be 5000 psi.

BILL OF MATERIAL

Precast Prestressed Conc. Deck Bms. (27" depth)	Sq. Ft.	1,201
-------------------------------------------------	---------	-------

PD-2736-OD

7-1-10

McDonough Associates Inc.
Engineers / Architects
180 North Station Ave. Chicago, Illinois 60691

USER NAME = jehrhert	DESIGNED - JCE	REVISIONS
PLOT SCALE = 1/8"=1'-0"	CHECKED - GEK	REVISIONS
PLOT DATE = 05/14/12	DRAWN - JCE	REVISIONS
	CHECKED - GEK	REVISIONS





STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

27" x 36" PPC DECK BEAM DETAILS
STRUCTURE NO. 049-6751

SHEET NO. 7 OF 16 SHEETS


F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-00010-00-BR	LAKE	41	20
			CONTRACT NO. 63716	

ILLINOIS FED. AID PROJECT



Symmetrical about C

SECTION B-B
(Showing dimensions)



SECTION B-B

(Showing reinforcement and permissible strand locations)
Note: Place the number of strands specified in each row symmetrically about the centerline of beam in the permissible strand locations shown.

BAR LIST
ONE BEAM ONLY
(For information only)

Bar	No.	Size	Length	Shape
A(E)	50	#4	3'-7"	—
B(E)	5	#5	56'-10"	—
B1(E)	4	#4	56'-10"	—
S(E)	78	#4	7'-5"	┌
S1(E)	10	#4	6'-11"	┌
S2(E)	68	#4	7'-2"	┌
U(E)	12	#5	4'-6"	┌
U1(E)	4	#4	6'-0"	┌

Note: See sheet 9 of for additional details and Bill of Material.

Note: Spacing of S(E) and S2(E) bars may be adjusted up to 4" in the immediate area of the transverse tie diaphragms to miss the block outs for the transverse ties.

MINIMUM BAR LAP

#4 bar = 2'-0"
#5 bar = 2'-6"

PD-2748-0

7-1-10

McDonough Associates Inc.
Engineers / Architects
100 North State Street, Chicago, Illinois 60601

USER NAME = jehhart
DESIGNED - JCE
CHECKED - GEK
DRAWN - JCE
CHECKED - CEK
PLOT SCALE = 1/8"=1'-0"
PLOT DATE = 05/14/12


DESIGNED - JCE
CHECKED - GEK
DRAWN - JCE
CHECKED - CEK
REVISOR -
REVISOR -
REVISOR -
REVISOR -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION


27" x 48" PPC DECK BEAM
STRUCTURE NO. 049-6751

SHEET NO. 8 OF 16 SHEETS

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-00010-00-BR	LAKE	41	21
ILLINOIS FED. AID PROJECT			CONTRACT NO. 63716	



FABRIC BEARING PAD
(Interior)




FABRIC BEARING PAD
(Exterior)


FIXED

Notes:


All bearing pads shall be 1" thick.
Omit holes when using expansion bearings.
Expansion bearing pad shall be bonded to the substructure.




SECTION A-A




TYPICAL TRANSVERSE TIE ASSEMBLY




BAR S(E)




BAR S1(E)




BAR S2(E)



BAR U(E)




BAR U1(E)



PLAN VIEW

Note: Connect beams in pairs with the transverse tie configuration shown.



LIFTING LOOP DETAIL

NOTES

Prestressing steel shall be uncoated high strength, low relaxation 7-wire strand, Grade 270. The nominal diameter shall be 1/2" and the nominal cross-sectional area shall be 0.153 sq. in. The 1" rods in the transverse tie assembly shall be tightened to a snug fit and the threads set. Pockets on exterior faces of bridge shall be filled with grout after transverse tie assembly is in place. Reinforcement bars shall conform to ASTM A 706, Grade 60. (See Special Provisions). Two 1/2" fabric adjusting shims of the dimensions of the exterior bearing pad shall be provided for each bearing pad location. A minimum 2 1/2" diameter lifting pin shall be used to engage the lifting loops during handling. Corrosion Inhibitor, per Article 1020.05(b)(12) and 1021.06 of the Standard Specifications, shall be used in the concrete for precast prestressed concrete deck beams. Compressive strength of prestressed concrete, f'c, shall be 6000 psi. Compressive strength of prestressed concrete at release, f'ci, shall be 5000 psi.

BILL OF MATERIAL

Precast Prestressed Conc. Deck Bms. (27" depth)	Sq. Ft.	458
-------------------------------------------------	---------	-----

PD-2748-OD 7-1-10

McDonough Associates Inc.
Engineers / Architects
159 North Dearborn Ave. Chicago, Illinois 60601

USER NAME = jeh/hart
PLOT SCALE = 1:0.0833333
PLOT DATE = 05/14/12

DESIGNED - JCE
CHECKED - GEK
DRAWN - JCE
CHECKED - GEK


REVISED -
REVISED -
REVISED -
REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION


27" x 48" PPC DECK BEAM DETAILS
STRUCTURE NO. 049-6751

SHEET NO. 9 OF 16 SHEETS


F.A. - RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-0010-00-BR	LAKE	41	22
CONTRACT NO. 63716			ILLINOIS FED. AID PROJECT	




TYPICAL WOOD RAIL MOUNTED ON CONCRETE DECK




TYPICAL WOOD RAIL ELEVATION (FRONT VIEW)




TYPICAL WOOD RAIL ELEVATION (BACK VIEW)




PLAN OF WOOD RAILING




ELEVATION DETAIL D CURB SPLICE DETAIL



CURB PLATE DETAIL



ELEVATION A-A





ELEVATION B-B

BILL OF MATERIAL



Timber Railing	Foot	117
----------------	------	-----

Notes:


Curb and post connections to the 5" concrete overlay and PPC Deck Beams shall be made with embedded studs, bolted inserts or thru-bolts. The mechanical connectors shall have a minimum ultimate shear capacity of 16 kips.




TRANSITION CONNECTION DETAILS




TRANSITION GLULAM RAIL BORING DETAIL





TRANSITION PLATE



TRANSITION BLOCK





PLAN VIEW



RAIL SPLICE DETAILS

Notes:
For Details E, G, H and I, See BD-RT3E.


* Cast top of wingwall flush with exterior beam face after beams have been erected.



SECTION A-A

BILL OF MATERIAL FOR EAST AND WEST ABUTMENTS

Bar No.	Size	Length	Shape
h(E)	#6	11'-8"	—
h1(E)	#5	14'-2"	—
p(E)	#5	14'-8"	—
s(E)	#5	10'-11"	□
u(E)	#6	7'-5"	⌋
v(E)	#5	8'-8"	—
v1(E)	#5	5'-0"	⌋
v2(E)	#5	4'-1"	—
Structure Excavation	Cu. Yd.	213	
Concrete Structures	Cu. Yd.	30.3	
Reinforcement Bars, Epoxy Coated	Pound	4,570	
Furnishing Metal Shell Piles 12" X 0.179"	Foot	430	
Driving Piles	Foot	430	
Test Pile Metal Shells	Each	2	
Concrete Encasement	Cu. Yd.	6.6	
Bar Splicers	Each	28	




PLAN

WEST ABUTMENT PILE DATA

Type: Metal Shell 12" ϕ w/.179" Walls
 Nominal Required Bearing: 218k
 Factored Resistance Available: 120k
 Est. Length: 39 ft
 No. Production Piles: 5
 No. Test Piles: 1

EAST ABUTMENT PILE DATA


Type: Metal Shell 12" ϕ w/.179" Walls
 Nominal Required Bearing: 218k
 Factored Resistance Available: 120k
 Est. Length: 47
 No. Production Piles: 5
 No. Test Piles: 1



FIELD CUTTING DIAGRAM

Order v(E) bars full length. Cut as shown and use remainder of bars in opposite face.

Notes:
 For details of piles and Concrete Encasement, see sheet 14 of 16.
 Cast backwall after beams and concrete wearing surface, if applicable, have been erected.
 For details of bar splicers see Sheet 13.



STANDARD BAR SPLICER ASSEMBLY


Minimum Lap Lengths					
Bar size to be spliced	Table 1	Table 2	Table 3	Table 4	Table 5
3, 4	1'-5"	1'-11"	2'-1"	2'-4"	2'-3"
5	1'-9"	2'-5"	2'-7"	2'-11"	2'-10"
6	2'-1"	2'-11"	3'-1"	3'-6"	3'-4"
7	2'-9"	3'-10"	4'-2"	4'-8"	4'-6"
8	3'-8"	5'-1"	5'-5"	6'-2"	5'-10"
9	4'-7"	6'-5"	6'-10"	7'-9"	7'-5"

- Table 1: Black bar, 0.8 Class C
- Table 2: Black bar, Top bar lap, 0.8 Class C
- Table 3: Epoxy bar, 0.8 Class C
- Table 4: Epoxy bar, Top bar lap, 0.8 Class C
- Table 5: Epoxy bar, Top bar lap, Class B

Threaded splicer bar length = min. lap length + 1/2" + thread length


* Epoxy not required on Bar Splicer Assembly components used in conjunction with black bars.

Location	Bar size	No. assemblies required	Table for minimum lap length
Deck	#4	81	3
E. Abut.	#5	14	4
W. Abut.	#5	14	4




INSTALLATION AND SETTING METHODS

- "A" : Set bar splicer assembly by means of a template bolt.
- "B" : Set bar splicer assembly by nailing to wood forms or cementing to steel forms.
- (E) : Indicates epoxy coating.




STANDARD MECHANICAL SPLICER

Location	Bar size	No. assemblies required



BAR SPLICER ASSEMBLY FOR #5 BAR ON INTEGRAL OR SEMI-INTEGRAL ABUTMENTS

No. required =



BAR SPLICER ASSEMBLY FOR #5 BAR ON STUB ABUTMENTS

No. required =

NOTES

- Splicer bars shall be deformed with threaded ends and have a minimum 60 ksi yield strength.
- All reinforcement shall be lapped and tied to the splicer bars.
- Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars. See Section 508 of the Standard Specifications.
- See special provision for Mechanical Splicers.
- See approved list of bar splicer assemblies and mechanical splicers for alternatives.

BSD-1

7-1-10

FILE NAME = 0495751-013-Bar Splicer.dgn
 McDonough Associates Inc.
 Engineers / Architects
 480 North State Street, Chicago, Illinois 60601

USER NAME = jehhart
 PLOT SCALE = 1/8"=1'-0"
 PLOT DATE = 05/14/12

DESIGNED - AMV
 CHECKED - JCE
 DRAWN - AMV
 CHECKED - JCE


REVISED -
 REVISED -
 REVISED -
 REVISED -

STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION

BAR SPLICER ASSEMBLY DETAILS
 STRUCTURE NO. 049-6751


SHEET NO. 13 OF 16 SHEETS

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-00010-00-BR	LAKE	41	26
			CONTRACT NO. 63716	
ILLINOIS FED. AID PROJECT				



METAL SHELL PILE TABLE


Designation and outside diameter	Wall thickness t	Weight per Foot (Lbs./ft.)	Inside volume (yd. ³ /ft.)
PP12	0.179"	22.60	0.0274
PP12	0.250"	31.37	0.0267
PP14	0.250"	36.71	0.0368
PP14	0.312"	45.61	0.0361




DETAIL A

Notes:
 The 1/8" x 1/2" min. fill bar may be constructed of 2 bars with a 1/8" max. gap between them.
 Pile segments shall be driven to solid contact with splicer before welding.

WELDED COMMERCIAL SPLICE




ELEVATION




SECTION A-A

Note:
 Forms for encasement may be omitted when soil conditions permit.

CONCRETE ENCASUREMENT




END PLATE ATTACHMENT



Note A:
 When called for on the plans, the Contractor shall furnish metal shell pile shoes consisting of a single piece conical pile point as shown. The pile shoes shall be cast in one piece steel according to either ASTM A 148 Grade 90-60 or AASHTO M 103 Grade 65-35 and shall provide full bearing over the full circumference of the metal shell pile. The pile shoe shall have tapered leads to assure proper alignment and fitting and shall be secured to the pile with a circumferential weld.


METAL SHELL PILE SHOE ATTACHMENT

(See Note A)




COMPLETE PENETRATION WELD SPLICE

* Field fabricated backing ring may be made from pile shell by removing segment to allow reducing circumference and vertically rejoin with partial joint penetration weld.



ELEVATION



SECTION B-B

METAL SHELL REINFORCEMENT


Note:
 The metal shell piles shall be according to ASTM A 252 Grade 3.

Wang Engineers/Architects
 wangeng@wangeng.com
 1145 N Main Street
 Lombard, IL 60148
 Telephone: 630 953-9928
 Fax: 630 953-9938

BORING LOG HA-01
 WEI Job No.: 201-42-01
 Client: McDonough Associates, Inc.
 Project: Woodland Drive Bridge over Flint Creek
 Location: Lake Barrington, Lake County

Datum: NGVD
 Elevation: 747.01 ft
 North: 2015315.77 ft
 East: 1029259.77 ft
 Station: 13+44.46
 Offset: 29.5 LT

Page 1 of 1



GENERAL NOTES
 Begin Drilling: 09-07-2010
 Complete Drilling: 09-07-2010
 Drilling Contractor: WTS
 Drill Rig: Hand Auger
 Driller: K&J
 Logger: K. Mohammed
 Checked by: M. di Reyes
 Drilling Method: Jack hammer driven geoprobe and hand operated piston sampler, continuous sampling


WATER LEVEL DATA
 While Drilling: 0.00 ft
 At Completion of Drilling: 0.00 ft
 Time After Drilling: NA
 Depth to Water: NA

Wang Engineers/Architects
 wangeng@wangeng.com
 1145 N Main Street
 Lombard, IL 60148
 Telephone: 630 953-9928
 Fax: 630 953-9938

BORING LOG SB-01
 WEI Job No.: 201-42-01
 Client: McDonough Associates, Inc.
 Project: Woodland Drive Bridge over Flint Creek
 Location: Lake Barrington, Lake County

Datum: NGVD
 Elevation: 757.83 ft
 North: 2015315.19 ft
 East: 1029244.61 ft
 Station: 13+44.03
 Offset: 8.71 RT

Page 1 of 2



GENERAL NOTES
 Begin Drilling: 09-02-2010
 Complete Drilling: 09-02-2010
 Drilling Contractor: K&S Drilling
 Drill Rig: CME 75
 Driller: Ruben/Ed
 Logger: C. Marin
 Checked by: M. di Reyes
 Drilling Method: 3.25 IDA HSA; Boring backfilled upon completion


WATER LEVEL DATA
 While Drilling: 54.50 ft
 At Completion of Drilling: 20.00 ft
 Time After Drilling: NA
 Depth to Water: NA

Wang Engineers/Architects
 wangeng@wangeng.com
 1145 N Main Street
 Lombard, IL 60148
 Telephone: 630 953-9928
 Fax: 630 953-9938

BORING LOG SB-01
 WEI Job No.: 201-42-01
 Client: McDonough Associates, Inc.
 Project: Woodland Drive Bridge over Flint Creek
 Location: Lake Barrington, Lake County

Datum: NGVD
 Elevation: 757.83 ft
 North: 2015315.19 ft
 East: 1029244.61 ft
 Station: 13+44.03
 Offset: 8.71 RT

Page 2 of 2



GENERAL NOTES
 Begin Drilling: 09-02-2010
 Complete Drilling: 09-02-2010
 Drilling Contractor: K&S Drilling
 Drill Rig: CME 75
 Driller: Ruben/Ed
 Logger: C. Marin
 Checked by: M. di Reyes
 Drilling Method: 3.25 IDA HSA; Boring backfilled upon completion

WATER LEVEL DATA
 While Drilling: 54.50 ft
 At Completion of Drilling: 20.00 ft
 Time After Drilling: NA
 Depth to Water: NA

Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows/ft)	Cu (tsf)	Moisture Content (%)	Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows/ft)	Cu (tsf)	Moisture Content (%)
757.54	5.4-inch thick ASPHALT --PAVEMENT--												
756.6	6-inch thick GRAVEL --BASE COARSE--												
	Stiff, black and brown CLAY LOAM with gravel		1	2 3 3	1.25	7			9	2 3 5	1.89	18	
	--FILL--												
753.7	Very loose to medium dense, brown SANDY GRAVEL		2	3 5 6	NP	9			25	2 2 3	1.31	19	
	--FILL--												
			3	4 3 2	NP	7				2 3 4	0.98	19	
			4	2 1 2	NP	6				2 3 5	1.39	18	
747.2	Soft, dark gray CLAY LOAM with little gravel		5	0 0 1	0.33	16			30	1 1 3	1.56	19	
744.7	Medium stiff, gray SILTY CLAY		6	1 3 4	0.82	15				1 3 4	1.56	19	
742.2	Stiff to very stiff, gray CLAY with trace gravel		7	5 7 8	2.54	16			35	1 3 4	1.56	19	
			8	2 3 4	1.39	19				1 3 5	1.15	18	


GENERAL NOTES				WATER LEVEL DATA			
Begin Drilling	09-01-2010	Complete Drilling	09-01-2010	Water Drilling	12.00 ft	At Completion of Drilling	Washed
Drilling Contractor	K&S Drilling	Drill Rig	CME 75	Time After Drilling	NA	Depth to Water	NA
Driller	Ruben/Ed	Logger	A. Kurnia	The stratification lines represent the approximate boundary between soil types; the actual transition may be gradual.			
Drilling Method	3.25 IDA HSA; Boring backfilled upon completion						

Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows/ft)	Cu (tsf)	Moisture Content (%)	Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows/ft)	Cu (tsf)	Moisture Content (%)
			9	2 3 5	1.89	18				19	3 4 5	NR	
			10	2 2 3	1.31	19			65	23	3 4 10	NP	20
			11	2 3 4	0.98	19				24	2 3 1	NP	
			12	2 3 5	1.39	18				20	3 4 6	NP	20
			13	1 3 4	1.56	19				21	3 4 19	NP	8
			14	1 3 5	1.15	18				22	2 5 7	NP	18
			15	3 4 5	NR					26	8 11 16	NP	20

GENERAL NOTES				WATER LEVEL DATA			
Begin Drilling	09-01-2010	Complete Drilling	09-01-2010	Water Drilling	12.00 ft	At Completion of Drilling	Washed
Drilling Contractor	K&S Drilling	Drill Rig	CME 75	Time After Drilling	NA	Depth to Water	NA
Driller	Ruben/Ed	Logger	A. Kurnia	The stratification lines represent the approximate boundary between soil types; the actual transition may be gradual.			
Drilling Method	3.25 IDA HSA; Boring backfilled upon completion						

Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows/ft)	Cu (tsf)	Moisture Content (%)	Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows/ft)	Cu (tsf)	Moisture Content (%)
			19	3 4 5	NP	16				23	3 4 10	NP	20
			20	3 4 6	NP	20				24	2 3 1	NP	
			21	3 4 19	NP	8				25	5 8 13	NP	20
			22	2 5 7	NP	18				26	8 11 16	NP	20

GENERAL NOTES				WATER LEVEL DATA			
Begin Drilling	09-01-2010	Complete Drilling	09-01-2010	Water Drilling	12.00 ft	At Completion of Drilling	Washed
Drilling Contractor	K&S Drilling	Drill Rig	CME 75	Time After Drilling	NA	Depth to Water	NA
Driller	Ruben/Ed	Logger	A. Kurnia	The stratification lines represent the approximate boundary between soil types; the actual transition may be gradual.			
Drilling Method	3.25 IDA HSA; Boring backfilled upon completion						



TYPICAL BENCHING DETAIL
FOR EMBANKMENT

NOTES:

- ① CONSTRUCT SUCCEEDING BENCH CUTS AND EMBANKMENT PLACEMENT AND COMPACTION FROM BOTTOM TO TOP IN STAIRSTEP FASHION.
- ② EXISTING FORESLOPE PREPARED IN ACCORDANCE WITH ARTICLE 205.03 OF THE STANDARD SPECIFICATIONS.
- ③ BENCH CUT EXISTING SLOPE TYPICAL FOR EACH STEP.
- ④ TRIM TO FINAL SLOPE.
- ⑤ EQUAL 8-INCH (200) LIFTS OF EMBANKMENT COMPACTED IN ACCORDANCE WITH ARTICLE 205.05 OF THE STANDARD SPECIFICATIONS.
- ⑥ EXCAVATION OF BENCH CUTS WITHIN EXISTING EMBANKMENT WILL BE PAID FOR AT THE CONTRACT UNIT PRICE PER CUBIC METER OR CUBIC YARD FOR "EARTH EXCAVATION". THIS PRICE WILL INCLUDE ALL LABOR AND MATERIAL, NO ADDITIONAL COMPENSATION WILL BE ALLOWED.
- ⑦ SLOPES SHALL BE BENCHED ACCORDING TO THIS DETAIL WHEN THE SLOPE IS STEEPER THAN 4:1 AND THE HEIGHT IS GREATER THAN 5' (1.5 m).


ALL DIMENSIONS ARE IN INCHES (MILLIMETERS)
UNLESS OTHERWISE SHOWN.

FILE NAME = W:\diststd\22x34\bd61.dgn	USER NAME = gaglianob	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	BENCHING DETAIL FOR EMBANKMENT WIDENING			F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
	PLOT SCALE = 50.0000 "/ IN.	DRAWN - CADD	REVISED -		SCALE: NONE	SHEET NO. 1 OF 1 SHEETS	STA.	TO STA.	09-00010-00-BR	LAKE	41	30	
	PLOT DATE = 1/4/2008	CHECKED - S.E.B.	REVISED -						BD-51				CONTRACT NO. 63716
		DATE - 06-16-04	REVISED -						FED. ROAD DIST. NO. 1	ILLINOIS	FED. AID PROJECT		

DATE	
BY	
SURVEYED	
PLOTTED	
TEMPLATE	
NOTE BOOK	
AREAS CHECKED	

DATE	
BY	
SURVEYED	
PLOTTED	
TEMPLATE	
NOTE BOOK	
AREAS CHECKED	

McDonough Associates Inc.
 Engineers/Architects
 181 North Boston Ave. Chicago, Illinois 60611



FILE NAME #	10030-SHT-XSSH10.dgn
USER NAME	jahrhart
DESIGNED	JCL
DRAWN	JCL
CHECKED	EJC
DATE	05/14/12

DESIGNED	JCL	REVISED	-
DRAWN	JCL	REVISED	-
CHECKED	EJC	REVISED	-
DATE	05/14/12	REVISED	-

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

WOODLAND DRIVE PRE-STAGE CROSS SECTIONS


SCALE: 1"=10' HORIZ. 1"=5' V. SHEET NO. 1 OF 11 SHEETS STA. 12+30.00 TO STA. 12+70.00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-0010-00-BR	LAKE	41	31
	XS-PRE-01	CONTRACT NO. 63716		
	ILLINOIS FED. AID PROJECT			

DATE	
BY	
SURVEYED	
PLOTTED	
TEMP. DATE	
NOTE BOOK	
AREAS CHECKED	
NO.	

DATE	
BY	
SURVEYED	
PLOTTED	
TEMP. DATE	
NOTE BOOK	
AREAS CHECKED	
NO.	

McDonough Associates Inc.
 Engineers/Architects
 100 North Blakely Ave. Chicago, Illinois 60607



FILE NAME =	10030-SHT-XSSH10.dgn
USER NAME =	jehhart
DESIGNED -	JCL
DRAWN -	JCL
CHECKED -	EJG
DATE -	05/14/12

DESIGNED -	JCL	REVISED -	
DRAWN -	JCL	REVISED -	
CHECKED -	EJG	REVISED -	
DATE -	05/14/12	REVISED -	

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

WOODLAND DRIVE PRE-STAGE CROSS SECTIONS


SCALE: 1"=10'H; 1"=5' V SHEET NO. 2 OF 11 SHEETS STA. 12+90.00 TO STA. 13+30.00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-00010-00-BR	LAKE	41	32
XS-PRE-02			CONTRACT NO. 63716	
ILLINOIS FED. AID PROJECT				

BY	DATE

BY	DATE


McDonough Associates Inc.
Engineers/Architects
201 North State Street, Chicago, Illinois 60601



FILE NAME = 10030-SHT-XSSH10.dgn	USER NAME = jehnhart	DESIGNED - JCL	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	WOODLAND DRIVE PRE-STAGE CROSS SECTIONS	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
		DRAWN - JCL	REVISED -				09-00010-00-BR	LAKE	41	33
		CHECKED - E.J.G.	REVISED -			SCALE: 1"=10'H; 1"=5' V		SHEET NO. 3 OF 11 SHEETS		STA. 13+50.00 TO STA. 13+95.00
		PLOT DATE = 05/14/12	DATE = 05/14/12							CONTRACT NO. 63716

DATE	
BY	
SURVEYED	
PLOTTED	
NOTE BOOK	
AREAS CHECKED	
NO.	

DATE	
BY	
SURVEYED	
PLOTTED	
NOTE BOOK	
AREAS CHECKED	
NO.	




McDonough Associates Inc.
 Engineers/Architects
 198 North Station Ave. Chicago, Illinois 60601

FILE NAME = 10030-SHT-XSSHT10.dgn	USER NAME = jahhart	DESIGNED - JCL	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	WOODLAND DRIVE PRE-STAGE CROSS SECTIONS SCALE: 1"=10'+41"=5'-0" SHEET NO. 4 OF 11 SHEETS STA. 14+15.00 TO STA. 14+35.00	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	PLOT SCALE = 1:10	DRAWN - JCL	REVISED -			09-00010-00-BR	LAKE	41	34	
	PLOT DATE = 05/14/12	CHECKED - EJG	REVISED -			XS-PRE-04		CONTRACT NO. 63716		
		DATE - 05/14/12	REVISED -			ILLINOIS FED. AID PROJECT				

DATE	
BY	
SURVEYED	
PLOTTED	
TEMPLATE	
NOTE BOOK	
AREAS CHECKED	

DATE	
BY	
SURVEYED	
PLOTTED	
TEMPLATE	
NOTE BOOK	
AREAS CHECKED	

McDonough Associates Inc.
 Engineers/Architects
 180 North Bickham Ave. Chicago, Illinois 60611



FILE NAME = 10030-SHT-XSSH116.dgn
 USER NAME = jeh-hart
 PLOT SCALE = 1:10
 PLOT DATE = 05/14/12

DESIGNED - JCL	REVISED -
DRAWN - JCL	REVISED -
CHECKED - EJG	REVISED -
DATE - 05/14/12	REVISED -


**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

WOODLAND DRIVE PRE-STAGE CROSS SECTIONS
 SCALE: 1"=10'H(1"=5'V) SHEET NO. 5 OF 11 SHEETS STA. 14+55.00 TO STA. 14+95.00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-0010-00-BR	LAKE	41	35
	XS-PRE-05	CONTRACT NO. 63716		
		ILLINOIS FED. AID PROJECT		

DATE	
BY	
FINN SURVEY	
SURVEY	
NOTE BOOK	
NO.	
PLOTTED	
TEMPLATE	
AREAS CHECKED	

DATE	
BY	
ORIGINAL SURVEY	
SURVEY	
NOTE BOOK	
NO.	
PLOTTED	
TEMPLATE	
AREAS CHECKED	



McDonough Associates Inc.
Engineers/Architects
110 North Babbson Ave., Chicago, Illinois 60601

FILE NAME =	10030-SHT-XS5HT10.dgn
USER NAME =	jehhart
DESIGNED -	JCL
DRAWN -	JCL
CHECKED -	EJG
DATE -	05/14/12
PLLOT SCALE =	1/1"=10'
PLLOT DATE =	05/14/12

DESIGNED -	JCL	REVISED -	
DRAWN -	JCL	REVISED -	
CHECKED -	EJG	REVISED -	
DATE -	05/14/12	REVISED -	

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

WOODLAND DRIVE PRE-STAGE CROSS SECTIONS


SCALE: 1"=10'H; 1"=5'V SHEET NO. 6 OF 11 SHEETS STA. 15+15.00 TO STA. 15+35.00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-0010-00-BR	LAKE	41	36
	XS-PRE-06			
		CONTRACT NO.	63716	
ILLINOIS FED. AID PROJECT				

BY DATE
 SURVEYED
 FINISHED
 CHECKED
 NO.

BY DATE
 SURVEYED
 ORIGINAL
 CHECKED
 NO.

McDonough Associates Inc.
 Engineers/Architects
 180 North LaSalle Ave. Chicago, Illinois 60601



FILE NAME = 10230-SHT-XSSHT01.dgn
 USER NAME = jehrbart

DESIGNED	- JCL	REVISED	-
DRAWN	- JCL	REVISED	-
CHECKED	- EJM	REVISED	-
DATE	- 05/14/12	REVISED	-

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**


WOODLAND DRIVE CROSS SECTIONS
 SCALE: 1"=10'H; 1"=5'V SHEET NO. 7 OF 11 SHEETS STA. 12+30.00 TO STA. 12+70.00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-0010-00-BR	LAKE	41	37
XS-01			CONTRACT NO. 63716	
ILLINOIS FED. AID PROJECT				

FINAL SURVEY	DATE
SURVEYED	
PLOTTED	
TEMPLATE	
NOTE BOOK	
AREAS CHECKED	
NO.	

ORIGINAL SURVEY	DATE
SURVEYED	
PLOTTED	
TEMPLATE	
NOTE BOOK	
AREAS CHECKED	
NO.	

McDonough Associates Inc.
 Engineers / Architects
 100 North Ridgeway Ave. Chicago, Illinois 60611




FILE NAME = 10030-SHT-XSGHT01.dgn	USER NAME = jehhart	DESIGNED - JCL	REVISIED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	WOODLAND DRIVE CROSS SECTIONS	SCALE: 1"=10'H 1/2"=5'V SHEET NO. 8 OF 11 SHEETS STA. 12+90.00 TO STA. 13+30.00	SECTION 09-0010-00-BR COUNTY LAKE TOTAL SHEETS 41 SHEET NO. 38	CONTRACT NO. 63716	ILLINOIS FED. AID PROJECT
PLOT SCALE = 1:100	CHECKED - EJC	REVISIED -							
PLOT DATE = 05/14/12	DATE - 05/14/12	REVISIED -							

BY	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE

BY	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE
DATE	DATE

McDonough Associates Inc.
 Engineers/Architects
 190 North Station Ave. Chicago, Illinois 60601



FILE NAME	10038-SHT-XSSHT01.dgn
USER NAME	jehwert

DESIGNED	JCL	REVISED	-
DRAWN	JCL	REVISED	-
CHECKED	EJG	REVISED	-
DATE	05/14/12	REVISED	-

STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION


WOODLAND DRIVE CROSS SECTIONS	
SCALE: 1"=10' HORIZ. 1"=5' VERT.	SHEET NO. 9 OF 11 SHEETS
STA. 13+50.00	TO STA. 14+15.00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	09-0010-00-BR	LAKE	41	39
	XS-03			
			CONTRACT NO. 63716	
ILLINOIS FED. AID PROJECT				

FINAL SURVEY	SURVEYED	BY	DATE
NOTE BOOK	PLOTTED		
NO.	TEMPLATE		
	AREAS		
	CHECKED		

ORIGINAL SURVEY	SURVEYED	BY	DATE
NOTE BOOK	PLOTTED		
NO.	TEMPLATE		
	AREAS		
	CHECKED		

McDonough Associates Inc.
 Engineers/Architects
 180 North Halsted Ave. Chicago, Illinois 60601




FILE NAME = 100230-SHT-XSSH10.dgn	USER NAME = jehrhert	DESIGNED - JCL	REVISIED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	WOODLAND DRIVE CROSS SECTIONS SCALE: 1"=10'H=1"=5'V SHEET NO. 10 OF 11 SHEETS STA. 14+35.00 TO STA. 14+75.00	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	PLOT SCALE = 1/8"=1'	DRAWN - JCL	REVISIED -			09-00010-00-BR	LAKE	41	40	
	PLOT DATE = 05/14/12	CHECKED - EUG	REVISIED -			XS-04	CONTRACT NO. 63716	ILLINOIS FED. AID PROJECT		
		DATE - 05/14/12	REVISIED -							

BY	DATE
SURVEYED	
PLOTTED	
TEMPLATE	
AREAS	
CHECKED	
NO.	

BY	DATE
SURVEYED	
PLOTTED	
TEMPLATE	
AREAS	
CHECKED	
NO.	

McDonough Associates Inc.
 Engineers/Architects
 180 North Bristow Ave. Chicago, Illinois 60611



FILE NAME = 10030-SHT-X55HT01.dgn	USER NAME = jshhart	DESIGNED - JCL	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	WOODLAND DRIVE CROSS SECTIONS SCALE: 1"=10' H, 1"=5' V SHEET NO. 11 OF 11 SHEETS STA. 14+95.00 TO STA. 15+35.00	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
		DRAWN - JCL	REVISED -			09-00010-00-BR	LAKE	41	41	
		CHECKED - E.J.G.	REVISED -			XS-05	CONTRACT NO. 63716			
		PLOT DATE = 05/14/12	DATE - 05/14/12			ILLINOIS FED. AID PROJECT				