STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

RTE SECTION COUNTY SHEETS NO. VAR. DA WEED SPRAYING 2019 TORI VARIOUS 21 1 LEADING 68F61

INDEX OF SHEETS:

- 1 COVER SHEET
- 2 GENERAL NOTES
- 3 SUMMARY OF QUANTITIES
- 4-13 LOCATION MAPS
- 14-20 SCHEDULE OF QUANTITIES
- 21 HERBICIDE DOSAGE CHART

PROPOSED HIGHWAY PLANS

VARIOUS ROUTE SECTION D4 WEED SPRAYING 2019 (OR)

TYPE of IMPROVEMENT: WEED SPRAYING VARIOUS COUNTIES


C-94-099-18

STANDARDS

701001-02 701301-04 701006-05 701311-03 701011-04 701426-09 701101-05 701901-07

701106-02

N A P



AREA TO BE SPRAYED: 3365.5 ACRES



FULL SIZE PLANS HAVE BEEN PREPARED USING STANDARD ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.


J.U.L.I.E.
JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION
1-800-892-0123
OR \$11

PROJECT ENGINEER: MIKE LEWIS (309) 671-3454
PROJECT MANAGER: ELIAS ELDERZI (309) 671-3459

SUSAN DAVIS: (309) 671-4485


0

CONTRACT NO. 68E61 CATALOG NO. 035653-00D



IMPROVEMENT IS DISTRICT WIDE

LOCATION OF SECTION INDICATED THUS: - -



PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

SCHEDULE OF COMPLETION DATES

START DATE	COUNTY	COMPLETION DATE	COMPLETE DATE/SIGN OFF
APRIL 15, 2019	TAZEWELL CO./ WOODFORD CO.	APRIL 24	
APRIL 25, 2019	PEORIA CO.	MAY 3	
MAY 6, 2019	KNOX CO.	MAY 13	
MAY 14, 2019	TIE UP LOOSE ENDS/ MISSED SPOTS	MAY 15	

NOTE: DAILY INSPECTIONS BY ENGINEER IN ALL LOCATIONS

NO SPRAY AREAS

- I-155 MM 22-29 NB & SB with Exceptions Listed in Plans
- I-155 MM 25 Tremont Interchange *Rattlesnake plant
- I–74 MM 85 WB∕EB Perennial Bed and Under High Tension Power Lines
- I-74 MM 62 WB (See Map)
- I-74 MM 58 WB Perennial Bed
- I-74 MM 91-93 Downtown Peoria Planting
- I-74 MM 92.5 WB EXIT 92
- I-74 MM 92 EB

Notes:

- 1. Areas not accessible by spraying will be hand-sprayed with spray gun reaching at least 125 feet.
- 2. Spray rigs shall be equipped with high-flotation tires to access soft infields.
- 3. Non-working equipment shall be repaired immediately with no additional time allotted to the contractor for repairs.
- 4. Spray operators shall keep a copy of contract spray locations in the rig at all times.
- 5. Wind speed must be < 15 mph in order to perform work.
- 6. Temperature must be \gt 45 in order to perform work.

FOR INFORMATION IN CASE OF A CHEMICAL EMERGENCY CALL:

DOW AGRO AT 1-800-263-1196

USER NAME = everscl	DESIGNED -	REVISED -				F.A.	SECTION	COUNTY	TOTAL SI	TEET			
	DRAWN -	REVISED -	STATE OF ILLINOIS				ERAL NOTES		VAR	D4 WEED SPRAYING 2019 (OR)	VARIOUS	21	2
PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION								CONTRACT	T NO. 68E	51
PLOT DATE = 8/31/2018	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS STA.	TO STA.		ILLINOIS FED. AL	D PROJECT		$\overline{}$

011-49408-7900-0100

CONSTRUCTION CODE


011-49408-7900-0118

				100 % STATE	100 % STATE
CODE	ITEM	UNIT	TOTAL	VARIOUS COUNTIES 07A0	VARIOUS COUNTIES 07A0
NO.			QUANTITY	0031	0031
67100100	MOBILIZATION	L SUM	1	0.5	0.5
K0029618	WEED CONTROL, BROADLEAF IN TURF	GALLON	157	78	79


	PLOT DATE = 8/31/2018	DATE	REVISED +	
	PLOT SCALE = 100.0000 / in.	CHECKED	REVISED -	
		DRAWN	REVISED -	
ĺ	USER NAME = everscl	DESIGNED ==	REVISED -	

SCALE:

					F.A. RTE.	SECTION		COUNTY	TOTAL SHEETS	SHEET NO.	
	SUMMARY	OF QU	ANIIIIES		VAR.	D4 WEED SPRAYING 2019	(OR)	VARIOUS	21	3	
								CONTRACT	NO. 68	3E61	
SHEET	OF	SHEETS	STA.	TO STA.		ILLINOIS	FED. AI	D PROJECT			



SPRAY EDGE OF BRUSH



LEGEND

SS = Spot Spraying

BR = Brush

BS = Blanket Spraying

SS* = May Require Hand Spray/Back

Pack

TSL = Teasel THSL = Thistle

CV = Crown Vetch FL = Fence Line

(++) = Engineer must be present during

spray operations

NS = No Spray

Wet = Area is Seasonally Wet PR = Prairie - Consult with R.E.

Edges = Spray mowed edge only & consult

with R.E.


Heavy = Heavy Infestation SRRA = Spoon River Rest Area

STP = Steep Hillside


(*) = For Information Only

MM 90 Exit I-74 / GALE AVE. INTERCHANGE

USER NAME = everscl	DESIGNED -	REVISED -	LOCATION MAP		RTF	SECTION	COUNTY	SHEETS	i NO.					
	DRAWN -	REVISED -	STATE OF ILLINOIS		. 74 /OALE AV				DOLLANGEO	VAR.	D4 WEEK SPRAYING 2019(OR)	VARIOUS	21	4
PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	14 / GALE AVE. AND US 150 / IL 116 INTERCHANGES		KCHANGES			CONTRAC	T NO. 6	3E61			
PLOT DATE = 8/31/2018	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS	STA.	TO STA.		ILLINOIS FED. A	AID PROJECT		



RTF	SECTION	COUNTY	SHEET	[5] 3HEE!
VAR.	D4 WEEK SPRAYING 2019(OR)	VARIOUS	21	5
		CONTRAC	CT NO.	68E61
	ILLINOIS FED. A	AID PROJECT		
RT V/	AR.	E. SECTION AR. D4 WEEK SPRAYING 2019(OR) ILLINOIS FED. A	IE.	IE. JIILLI





SS = Spot Spraying

BR = Brush

BS = Blanket Spraying

SS* = May Require Hand Spray/Back

Pack

TSL = Teasel

THSL = Thistle

CV = Crown Vetch

FL = Fence Line

(++) = Engineer must be present during

spray operations

NS = No Spray

Wet = Area is Seasonally Wet

PR = Prairie - Consult with R.E.

Edges = Spray mowed edge only & consult

with R.E.

Heavy = Heavy Infestation

SRRA = Spoon River Rest Area


STP = Steep Hillside

(*) = For Information Only


NOT TO SCALE

CONTRACT NO. 68E61

LOCATION MAP (EXIT 2) STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION DRAWN REVISED RT 6/US 150 INTERCHANGE PLOT SCALE = 100.0000 ' / In. CHECKED REVISED OF SHEETS STA.



Hurden i IndoM



SS = Spot Spraying

BR = Brush

BS = Blanket Spraying

SS* = May Require Hand Spray/Back

Pack

TSL = Teasel

THSL = Thistle

CV = Crown Vetch

FL = Fence Line

(++) = Engineer must be present during

spray operations

NS = No Spray

Wet = Area is Seasonally Wet PR = Prairie - Consult with R.E.

Edges = Spray mowed edge only & consult

with R.E.

Heavy = Heavy Infestation SRRA = Spoon River Rest Area

STP = Steep Hillside

(*) = For Information Only

USER NAME = everscl	DESIGNED -	REVISED -		LOCATION MAP (EXIT 82)		F.A. RTE.	SECTION	COUNTY	TOTAL SHE	ET).				
	DRAWN -	REVISED -	STATE OF ILLINOIS					DS INTERCH	ANCE	VAR.	D4 WEED SPRAYING 2019 (OR)	VARIES	21 8	\Box
PLOT SCALE = 100.0000 / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION		I-74 / KIU	KAPUU	/ EDVVANI	JS INTENUE	ANGE			CONTRAC	T NO. 68E61	
PLOT DATE = 8/31/2018	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS	STA.	TO STA.		ILLINOIS FED. AI	ID PROJECT		\neg



SS = Spot Spraying

BR = Brush

BS = Blanket Spraying

SS* = May Require Hand Spray/Back

Pack

TSL = Teasel THSL = Thistle

CV = Crown Vetch

FL = Fence Line

spray operations

NS = No Spray

Wet = Area is Seasonally Wet PR = Prairie - Consult with R.E.

Edges = Spray mowed edge only & consult

with R.E.

Heavy = Heavy Infestation SRRA = Spoon River Rest Area

STP = Steep Hillside


(*) = For Information Only

(++) = Engineer must be present during

LOCATION MAP (MM62)

NOT TO SCALE

JSER NAME = everscl DESIGNED -REVISED STATE OF ILLINOIS DRAWN REVISED -**1 ⊢**74 SPOON RIVER REST AREA **DEPARTMENT OF TRANSPORTATION** CHECKED -REVISED CONTRACT NO. 68E61 OF SHEETS STA.





SS = Spot Spraying

BR = Brush

BS = Blanket Spraying

SS* = May Require Hand Spray/Back

Pack

TSL = Teasel

THSL = Thistle

CV = Crown Vetch

FL = Fence Line

(++) = Engineer must be present during

spray operations

NS = No Spray

Wet = Area is Seasonally Wet

PR = Prairie - Consult with R.E.

Edges = Spray mowed edge only & consult

with R.E.


Heavy = Heavy Infestation


SRRA = Spoon River Rest Area


STP = Steep Hillside

(*) = For Information Only

USER NAME = eversel	DESIGNED -	REVISED -		LOCATION MAP (EXIT 54) F.A. RTE.		SECTION	COUNTY	TOTAL	. SHEF				
	DRAWN -	REVISED -	STATE OF ILLINOIS				•	IANCE	VAR	D4 WEED SPRAYING 2019 (OR)	VARIOUS	21	10
PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	I–74 /CO. HWY 97 & US 150 INTERCHANGE		•	CONTRACT	T NO.	58E61				
PLOT DATE = 8/31/2018	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS STA.	TO STA.		ILLINOIS FED. AI	D PROJECT		









SS = Spot Spraying

BR = Brush

BS = Blanket Spraying

SS* = May Require Hand Spray/Back

Pack

TSL = Teasel

THSL = Thistle

CV = Crown Vetch

FL = Fence Line

(++) = Engineer must be present during

spray operations

NS = No Spray

Wet = Area is Seasonally Wet

PR = Prairie - Consult with R.E.

Edges = Spray mowed edge only & consult

with R.E.

Heavy = Heavy Infestation

SRRA = Spoon River Rest Area

STP = Steep Hillside

(*) = For Information Only

NOT TO SCALE

DRAWN - REVISED - STATE OF ILLINOIS

PLOT SCALE = 100.0000 ' / in. CHECKED - REVISED
PLOT DATE = 8/31/2018 DATE - REVISED -

 F.A. RTE.
 SECTION
 COUNTY
 TOTAL SHEETS NO.
 SHEETS NO.

 VAR.
 D4 WEED SPRAYING 2019 (OR)
 VARIOUS
 21
 13

 CONTRACT NO. 68E61

LOCATION MAP (HENDERSON STREET EXIT)
US 34 /US 150 INTERCHANGE

SCALE: SHEET OF SHEETS STA. TO STA.

DOUTE	TFAM	DIDECTION	LOCATION	COLINITY	ADDDOV MU EQ	APPROX. ACRES	APPROX. OUNCES	NOTEO
ROUTE	SECTION	DIRECTION	LOCATION	COUNTY	APPROX. MILES	OFF-RD.	OFF-RD.	NOTES
BUS 24	441	EB/WB	Washington Bypass to 5 Mi. W of IL 117	TAZEWELL / WOODFORD	15	10	60	SS, PR ++ FL
US 24	441	Westbound	RR Br. To Tazewell Co. Line	TAZEWELL		3	18	SS, PR ++ FL
US 24	441	Westbound	Tazewell Co. Line to Dee-Mack Rd.	TAZEWELL		5	30	SS, PR
US 24	441	Westbound	E/W Main St.	TAZEWELL		5	30	SS, PR
US 24	441	Westbound	E of Nofsinger Rd.	TAZEWELL		3	18	SS, PR
US 24	441	Westbound	0.5 Mi. W of Cummings	TAZEWELL		2	12	SS, PR
US 24	441	Westbound	Cummings to Spring Creek	TAZEWELL		2	12	SS, PR
US 24	441	Westbound	Bus. Rtes. 8/24 (and overpass)	TAZEWELL		30	180	SS/BS (Heavy)
BUS 24/IL 8	441	Southbound	McClugage Rd.	TAZEWELL		20	120	BS
BUS 24/IL 8	441	EB/WB	Washington Rd. (Ernest St. to Cummings Ln.)	TAZEWELL		40	240	BS
US 24	441	Westbound	Rt. 8 to Grange Rd.	TAZEWELL		10	70	SS, CANADA THSL
US 24	441	Westbound	US 150 to I.C.C.	TAZEWELL		40	240	SS, PR
US 24	441	Eastbound	College Dr. to Rt. 8	TAZEWELL		10	12	SS, PR
US 24	441	Eastbound	Rt. 8 to Spring Creek Rd.	TAZEWELL		5	30	SS, PR
US 24	441	Eastbound	Spring Creek Rd. to Cummings	TAZEWELL		10	60	SS, PR
US 24	441	Eastbound	Cummings to Nofsinger	TAZEWELL		5	30	SS, PR, FL
US 24	441	Eastbound	Nofsinger to Main St.	TAZEWELL		10	60	SS, PR ++
US 24	441	Eastbound	Main to Dieble	TAZEWELL		10	60	SS, PR ++
US 24	441	Eastbound	Dieble to Dee-Mack	TAZEWELL		10	60	FL,SS, PR ++
US 24	441	Eastbound	Woodford Co. Line to Cruger Rd.	TAZEWELL / WOODFORD		5	30	SS, PR ++
US 24	441	Interchange	Interchange US 150 / IL 116 (SEE DETAIL PG 4)	TAZEWELL		80	480	BS, TSL, THSL, BR
IL 116	441	NB/SB	JCT of US 150 & IL 116 to Tazewell Co. Line (Including JCT of IL 26 & IL 116)	TAZEWELL		58	348	BS
I-155	441	Median	MM 10-22 ; 29-32	TAZEWELL	22	150	900	SS (NS MM 22-29 Median)
I-155	441	Southbound	MM 31.5-31.9	TAZEWELL	0.4	3	18	Heavy TSL before overpass
I-155	441	Southbound	MM 31 Exit (Birchwood St)(SW infield/ramp)	TAZEWELL		20	120	SS, PR, Heavy TSL
I-155	441	Southbound	MM 30.9	TAZEWELL		1	6	SS
I-155	441	Southbound	MM 30.1	TAZEWELL		1	6	SS
I-155	441	Southbound	Exit 30 Queenwood (NW infield & ramp)	TAZEWELL		2	12	SS
I-155	441	Southbound	MM 29 Main St Entrance ramp SB infield	TAZEWELL		2	12	SS
I-155	441	Southbound	MM 28.5	TAZEWELL		1	6	SS
I-155	441	Southbound	MM 28.0	TAZEWELL		1	6	SS
I-155	441	Southbound	MM 28 Exit (Broadway Rd. NW & SW Infields)	TAZEWELL		5	30	SS
I-155	441	Southbound	MM 27.5-26.1	TAZEWELL	1.4	1	6	SS
I-155	441	Southbound	MM 25 Exit (NW & SW Infield & Ramps to IL 9)	TAZEWELL		5	30	SS
			SUB-TOTAL				3352	



SS = Spot Spraying

BR = Brush

BS = Blanket Spraying

SS* = May Require Hand Spray/Back

Pack

TSL = Teasel THSL = Thistle CV = Crown Vetch FL = Fence Line

(++) = Engineer must be present during

spray operations

NS = No Spray

Wet = Area is Seasonally Wet PR = Prairie - Consult with R.E.

Edges = Spray mowed edge only & consult

with R.E.

Heavy = Heavy Infestation SRRA = Spoon River Rest Area

STP = Steep Hillside

USER NAME = everscl	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 8/31/2018	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

			F.A. RTE	SECTION		COUNTY	TOTAL SHEETS	SHEET NO.				
SCHEDULE OF QUANTITIES						VAR.	D4 WEED SPRAYING 2019 (OR)			VARIOUS	21	14
						CONTRACT NO. 68E63						
	SHEET	OF	SHEETS	STA.	TO STA.			ILLINOIS	FED. A	ID PROJECT		

DOUTE	TFAM	DIDECTION		COUNTY	ADDDOY MILEO	APPROX. ACRES	APPROX. OUNCES	NOTEO
ROUTE	SECTION	DIRECTION		COUNTY	APPROX. MILES	OFF-RD.	OFF-RD.	NOTES
I-155	441	Southbound	MM 25.1	TAZEWELL		0.5	3	SS
I-155	441	Southbound	MM 24.5	TAZEWELL		0.5	3	SS
I-155	441	Southbound	MM 24.5-22.5	TAZEWELL	2	2	12	SS, PR
I-155	441	Southbound	MM 22.1 (curve)	TAZEWELL		0.5	3	SS
I-155	441	Southbound	MM 22 Exit (Townline Rd NW/SW Infields & Ramps)	TAZEWELL		15	90	SS, PR, Heavy TSL
I-155	441	Southbound	MM 20-19	TAZEWELL	1	3	18	STP, SS
I-155	441 Southbound MM 19.5 (Mackinaw River)		TAZEWELL		10	60	BR, SS	
I-155	I-155 441 Southbound Hopedale Exit 19 (NW/SW Infields & Ramps)		TAZEWELL		15	90	SS, PR	
I-155 441 Southbound MM 18.5		TAZEWELL		0.5	3	SS		
I-155	441	Southbound	MM 17	TAZEWELL		1	6	STP, PR, SS
I-155	441	Southbound	MM 17.2	TAZEWELL		2	12	SS
I-155	441	Southbound	MM 16-16.5	TAZEWELL	0.5	3	18	BS
I-155	441	Southbound	MM 15 Exit (Delavan NW/SW Infields & Ramps)	TAZEWELL		10	60	BS
I-155	441	Southbound	MM 15-15.5	TAZEWELL	0.5	5	30	SS
I-155	441	Southbound	MM 14.9-14.5	TAZEWELL	0.4	5	30	SS
I-155	441	Southbound	MM 13-13.5	TAZEWELL	0.5	2.5	15	SS
I-155	441	Southbound	MM 12-12.6	TAZEWELL	0.6	2.5	15	SS, FL
I-155	441	Southbound	MM 11-11.5	TAZEWELL	0.5	1	6	SS
I-155	441	SB/NB	At Exit 10 (US HWY 136 ALL 4 Infields)	TAZEWELL		9	54	BS
I-155	441	Northbound	MM 10.1 (Ramp sides)	TAZEWELL		3	18	SS, FL
I-155	441	Northbound	MM 10.2-10.7	TAZEWELL	0.5	5	30	SS
I-155	441	Northbound	MM 11.5-11.8	TAZEWELL	0.3	3	18	SS
I-155	441	Northbound	MM 12-14.9	TAZEWELL	2.9	10	60	SS
I-155	441	Northbound	Exit 15 (Delavan SE/NE Infields & Ramps)	TAZEWELL		5	30	BS
I-155	441	Northbound	MM 15-16	TAZEWELL	1	10	60	SS
I-155	441	Northbound	MM 17-18	TAZEWELL	1	5	30	SS
I-155	441	Northbound	MM 18-19 (Edges and Fence)	TAZEWELL	1	10	60	SS, FL
I-155	441	Northbound	Hopedale Exit 19 (SE/NE Infields & Ramps)	TAZEWELL		20	120	PR, SS
I-155	441	Northbound	MM 19.1-20 (Fenceline)	TAZEWELL	1	15	90	SS
I-155	441	Northbound	MM 20-22	TAZEWELL	2	1	6	SS, FL
I-155	441	Northbound	Exit 22 Townline Rd (SE/NE Infields & Ramps)	TAZEWELL		15	90	Heavy TSL
I-155	441	Northbound	MM 22-25	TAZEWELL	3			NS
I-155	441	Northbound	Exit 25 (SE/NE Infields & Ramps to IL 9)	TAZEWELL		1	6	SS
I-155	441	Northbound	MM 26-27.9	TAZEWELL	1.9	1	6	SS
		<u> </u>	SUB-TOTAL		1		1152	

<u>LEGEND</u>



SS = Spot Spraying

BR = Brush

BS = Blanket Spraying

SS* = May Require Hand Spray/Back

Pack

TSL = Teasel THSL = Thistle CV = Crown Vetch

FL = Fence Line

(++) = Engineer must be present during

NS = No Spray

Wet = Area is Seasonally Wet PR = Prairie - Consult with R.E.

Edges = Spray mowed edge only & consult

with R.E.

Heavy = Heavy Infestation SRRA = Spoon River Rest Area

STP = Steep Hillside

(*) = For Information Only

spray operations

USER NAME = everscl	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 8/31/2018	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

COULDING OF CHANTITIES						SECTION COUN		COUNTY	TOTAL SHEETS	SHEET NO.		
SCHEDULE OF QUANTITIES					VAR.	D4 WEED SPRAYING 2019 (OR)			VARIOUS	21	15	
									CONTRACT	NO. 68	3E61	
SHEET	OF	SHEETS	STA.	TO STA.	ILLINOIS FED. A				ID PROJECT			

ROUTE	TEAM	DIRECTION		COUNTY	APPROX. MILES	APPROX. ACRES	APPROX. OUNCES	NOTES
ROUTE	SECTION	DIRECTION		COUNTY	APPROX. WILES	OFF-RD.	OFF-RD.	NOTES
I-155	441	Northbound	Exit 28 Broadway Rd (SE/NE Infields & Ramps)	TAZEWELL		10	60	SS
I- 155	441	Northbound	Exit 29 (Main St. Exit Infield & Ramp)	TAZEWELL		20	120	BS, STP
I-155	441	Northbound	MM 30 Entrance Ramp (Queenwood Infield & Ramp)	TAZEWELL		2	12	SS
I- 155	441	Northbound	MM 30.1-30.9	TAZEWELL	1	20	120	BS EXIT
I-155	441	Northbound	BIRCH WOOD EXIT 31 (Infields & Ramp)	TAZEWELL	1	40	240	BS, SS
I-74	441	Eastbound	MM 94 (Underpass) East Peoria (Head down river on ramp to get to Camp St.)	TAZEWELL		2	12	BS
I-74	441	Eastbound	MM 94/At Exit 94 (Ramp to Washington St)	TAZEWELL		10	60	BS
I-74	441	Eastbound	MM Exit 94/Entrance ramp to I-74 (Camp St. infield & EB infield)	TAZEWELL		3	18	BS
I-74	441	Eastbound	MM 95-96	TAZEWELL		20	120	BS
I-74	441	Eastbound	IL 8 Exit 95/96 (Ramp)	TAZEWELL		5	30	BS
I-74	441	Eastbound	MM 96 Exit 96 (Infield)	TAZEWELL		8	48	BS, Exit
I-74	441	Eastbound	MM 96-96.5	TAZEWELL	0.5	1	6	BS, Edges, BR
I-74	441	Eastbound	MM 98-97	TAZEWELL	1	5	30	SS
I-74	441	Eastbound	MM 98 Pinecrest (Exit Ramps)	TAZEWELL		10	60	BS, FL
I-74	441	Eastbound	At I-74 MM 100	TAZEWELL		110	660	BS
I-74	441	Infields	MM 99-100 (474 interchange)	TAZEWELL		100	600	BS, Wet
I-74	441	Eastbound	MM 100-101 (NS N of Ramps)	TAZEWELL		40	240	BS, Wet
I-74	441	Eastbound	MM 101 (I-155)	TAZEWELL		1	6	BS, Edges
I - 74	441	Eastbound	MM 102 Morton	TAZEWELL		10	60	BS, Ramps
I-74	441	Eastbound	MM 103-104 (Exit Infield & Ramps)	TAZEWELL		1	6	SS
I-74	441		MM 104-106 (Median)	TAZEWELL		1	6	SS
I-74	441	Eastbound	MM 95-108	TAZEWELL / WOODFORD	25	8	48	SS
I-74	441	Westbound	MM 100-97 WB	TAZEWELL	3	2	12	BS
I-74	441	Westbound	MM 120 (Ramps/Infield)	MCLEAN		20 *	120	BS, STP, *
I-474	441	Median	MM 15- MM 2	TAZEWELL	13	100	600	BS
I-474	441	Infields	MM Exit 15	TAZEWELL		8	48	BS, Wet, STP
I-474	441	Westbound	MM 13-9	TAZEWELL	4	3	18	BS
I-474	441	Westbound	MM 12 (Overpass)	TAZEWELL		4	24	SS
I - 474	441	Westbound	MM 9.9-14.5	TAZEWELL	4.6	5	30	BS
I-474	441	Westbound	MM 9.5	TAZEWELL		2	12	SS, STP
I - 474	441	Westbound	Exit 9 (To IL 29, Ramps, edges of infield)	TAZEWELL		5	30	BS, STP, Wet
			SUB-TOTAL				3456	



SS = Spot Spraying

BR = Brush

BS = Blanket Spraying

SS* = May Require Hand Spray/Back

Pack

TSL = Teasel THSL = Thistle

CV = Crown Vetch FL = Fence Line

(++) = Engineer must be present during

spray operations

NS = No Spray

Wet = Area is Seasonally Wet PR = Prairie - Consult with R.E.

Edges = Spray mowed edge only & consult

SHEET

with R.E.

Heavy = Heavy Infestation SRRA = Spoon River Rest Area

STP = Steep Hillside

USER NAME = everscl	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 8/31/2018	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

			F.A. RTE	SECTION			COUNTY	TOTAL SHEETS	SHEET NO.				
SCHEDULE OF QUANTITIES				VAR.	D4 WEED SPRAYING 2019 (OR)			VARIOUS	21	16			
								CONTRACT NO. 68E61					
OF	SHEETS	STA.	TO STA.		ILLI	NOIS	FED. AI	D PROJECT					

	TEAM					APPROX. ACRES	APPROX. OUNCES	
ROUTE	SECTION	DIRECTION		COUNTY	APPROX. MILES	OFF-RD.	OFF-RD.	NOTES
I-474	432	Median	IL River to I-74 (MM 8 to MM 1)	PEORIA	7	60	360	SS
I-474	432	Westbound	MM 7-8.25	PEORIA	1.25	10	60	BS
I-474	432	Westbound	MM 7-6	PEORIA	1	10	60	BS
I-474	432	Westbound	Exit 6B & 6A (Exit Ramp, Entrance Ramp & Infield)	PEORIA		10	60	Wet, SS, PR
I-474	432	Westbound	Exit 5 (WB Ramps)	PEORIA		24	144	BS
I-474	432	Westbound	MM 3.9-4	PEORIA	0.1	1	6	SS
I-474	432	Westbound	ound Exit 3A (Infields, Ramps)			10	60	BS
I-474	432	Westbound	MM 1.5-3	PEORIA	1.5	10	60	BS
I-474	432	Interchange	I-74 Infields, Ramps (SEE DETAIL 6)	PEORIA		10	60	STP
I-474	432	Eastbound	MM 0-8.25	PEORIA	8.25	5	30	SS
I-474	432	Eastbound	Exit 3A (Infields & Ramps)	PEORIA		10	60	TSL
I-474	432	Eastbound	Exit 5 (EB Ramps & Infield)	PEORIA		24	144	TSL
I-474	432	Eastbound	Exit 6 (Exit Ramp & Infield, Entrance Ramp & Infield)	PEORIA		10	60	SS, PR
IL 6	432	Interchange	I-74 (SEE DETAIL PG 6)	PEORIA		60	360	STP, SS
IL 6	432	Median	MM 0-5	PEORIA	5	10	60	SS
IL 6	432	Northbound	MM 2-5	PEORIA	3	9	54	BS, Wet Ditch
IL 6	432	Interchange	Exit 2 (US 150) (SEE DETAIL 6)	PEORIA		5	30	Edges
IL 6	432	Southbound	Exit 5 To ALLEN RD (Infields & Ramps)	PEORIA		25	150	Edges, PR
IL 6	432	Interchange	Exit 6 to IL 40 (SEE DETAIL 7)	PEORIA		10	60	Edges ++, Spot spray middle
IL 6	432	Northbound	MM 7.5	PEORIA		5	30	STP, heavy TSL
IL 6	432	Northbound	MM 8 to Ramp/Infield at Exit 9	PEORIA	1	60	360	Wet Areas, TSL
IL 6	432	Intersection	At IL 29	PEORIA		20	120	BS, Heavy TSL
IL 6	432	Southbound	MM 9	PEORIA		60	360	SS
IL 6	432	Southbound	MM 7-8	PEORIA	1	4	24	STP, SS*
IL 6	432	Southbound	MM 5-6	PEORIA	1	10	60	SS
IL 6	432	Southbound	MM 2-4	PEORIA	2	10	60	SS, Wet Ditch
IL 6	432	Southbound	MM 2.2	PEORIA		1	6	SS
IL 6	432	Southbound	MM 1.5	PEORIA		1	6	SS
IL 6	432	Southbound	MM 0.9	PEORIA		1	6	SS
IL 40	432	NB/SB	IL 6 - US 150	PEORIA		20	120	SS (very spotty) Edges
			SUB-TOTAL				3030	



SS = Spot Spraying

BR = Brush

BS = Blanket Spraying

SS* = May Require Hand Spray/Back

Pack

TSL = Teasel THSL = Thistle CV = Crown Vetch

FL = Fence Line

(++) = Engineer must be present during spray operations

NS = No Spray

Wet = Area is Seasonally Wet PR = Prairie - Consult with R.E.

Edges = Spray mowed edge only & consult

SHEET

with R.E.

Heavy = Heavy Infestation SRRA = Spoon River Rest Area

STP = Steep Hillside

USER NAME = everscl	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 8/31/2018	DATE -	REVISED -


COUEDINE OF CHANTEE					SECTION CO			COUNTY	TOTAL SHEETS	SHEET NO.
SCHEDULE OF QUANTITIES			VAR.	D4 WEED SPRAYING 2019 (OR)			VARIOUS	21	17	
								CONTRACT	NO. 68	3E61
OF	SHEETS	STA.	TO STA.	ILLINOIS FED. AID PROJECT						

ROUTE	TEAM	DIRECTION		COLINTY	ADDDOY MILES	APPROX. ACRES	APPROX. OUNCES	NOTES
ROUTE	SECTION	DIRECTION		COUNTY	APPROX. MILES	OFF-RD.	OFF-RD.	NOTES
IL 29	432	NB/SB	Peoria to Chillicothe	PEORIA		10	60	BS
IL 29	432	NB/SB	Chillicothe to Henry	PEOR I A / MARSHALL		40	240	BS
IL 29	432	NB/SB	IL 6 to US 150	PEORIA		10	60	BS
IL 29	432	Intersection	North of IL 6 - IL 29	PEORIA		5	30	BS
IL 91	432	NB/SB	Grange Hall Rd. to Dunlap	PEORIA	6	20	120	BS
IL 8	432	EB/WB	Farmington Rd IL 78	PEORIA	34	100	600	BS, STP
IL 116	432	EB/WB	I-474 - Hanna City	PEORIA	12	70	420	BS
US 150	432	EB/WB	Allen RdWillow Knolls Dr.	PEORIA	6	20	120	BS
US 150	432	EB/WB	IL 78 - Kickapoo Creek Rd.	PEORIA		60	360	BS
US 24	432	NB/MED/SB	2 Mi. N. of IL 9 to Banner	PEORIA	17	60	360	BS, BR
IL 9	432	EB/WB	US 24-IL River (near Bridges)	PEORIA	5	20	120	BS, Edges
I -74	432	Westbound	MM 91-93 (Downtown Peoria Plantings)	PEORIA	-			NS
I- 74	432	Westbound	Exit 92 / MM 92.5 (Ramp & Infield)	PEORIA	0.5	5	30	BS, BR, STP
I -74	432	Eastbound	MM 92 EB****	PEORIA		1	6	SS, NS Bushes
I- 74	432	Westbound	Exit 91 (University)	PEORIA		20	120	BS, CV, THSL, STP
I -74	432	Westbound	MM 90-92	PEORIA		10	60	BS
I- 74	432	Interchange	Exit 90 (Gale Ave.)(paved gutters)(SEE DETAIL PG 4)	PEORIA		10	60	SS. BR
I-74	432	Westbound	MM 90-89 *****	PEORIA		1	6	SS, Heavy
I-74	432	Westbound	Exit 89 & 88	PEORIA		10	60	BS, STP
I-74	432	Eastbound	MM 89-91	PEORIA		10	60	BS
I- 74	432	Interchange	Exit 87 (Ramps) (SEE DETAIL PG 6)	PEORIA		20	120	SS, PR, STP
I-74	432	Median	MM 87-88	PEORIA		1	6	BS
I-74	432	EB/WB	MM 85	PEORIA				Perennial bed, PR NS ++
I -74	432	Westbound	MM 88-84	PEORIA	4	12	72	BS, Edges
I -74	432	Westbound	Spray brush on Gilles Rd. & Heinz Ln overpasses	PEORIA		10	60	BS
I-74	432	Median	MM 87-86	PEORIA		10	60	BS, Wet, Median
I -74	432	Eastbound	MM 82-80	PEORIA	2	5	30	BS
I- 74	432	Interchange	Exit 82 (Kickapoo/Edwards) (SEE DETAIL PG 8)	PEORIA		8	48	SS, PR, Edges ++
I -74	432	Median	MM 76-82	PEORIA	6	20	120	BS, Median Edges
I- 74	432	Westbound	MM 75-82	PEORIA	7	10	60	BS, BR, FL
I-74	432	Westbound Exit 75		PEORIA		10	60	SS
I- 74	432	Eastbound	MM 71-75	PEORIA	4	10	60	BS, Edges
I-74	432	Westbound	MM 71-68 (Median Shoulder)	PEORIA	3	20	120	BS
I-74	432	EB/WB	MM 74	PEORIA		3	18	BS,Hillside (by sign)
I-74	432	Westbound	EB Exit 71 (Ramps)	PEORIA		8	48	SS Ramps/Edges, PR infields ++
			SUB-TOTAL				3774	

**** No spray above retaining walls shrubs on sound walls. **No spray mm 92.1-93 EB & WB**

***** Large amount of TSL and brush in NE Quadrant. Will require hand spraying.





BR = Brush

TSL = Teasel

BS = Blanket Spraying

SS* = May Require Hand Spray/Back

Pack

THSL = Thistle CV = Crown Vetch FL = Fence Line

SCALE:

(++) = Engineer must be present during

SHEET

spray operations

USER NAME = everscl	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000 / in.	CHECKED -	REVISED -
PLOT DATE = 8/31/2018	DATE -	REVISED -

STATE OF ILLINOIS	
DEPARTMENT OF TRANSPORTATION	

COULDING OF OUANITHES				SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
SCHEDULE OF QUANTITIES			VAR.	D4 WEED SPRAYING 2019 (OR)	VARIOUS	21	18
					CONTRACT	NO. 68	3E61
OF	SHEETS STA.	TO STA.		ILLINOIS FED. A	ID PROJECT		

Edges = Spray mowed edge only & consult

NS = No Spray

with R.E.

Wet = Area is Seasonally Wet

Heavy = Heavy Infestation

(*) = For Information Only

STP = Steep Hillside

SRRA = Spoon River Rest Area

PR = Prairie - Consult with R.E.

DOUTE	TFAM	DIDECTION		COUNTY	ADDDOV MILEO	APPROX. ACRES	APPROX. OUNCES	NOTES	
ROUTE	SECTION	DIRECTION		COUNTY	APPROX. MILES	OFF-RD.	OFF-RD.	NOTES	
I-74	421	Westbound	MM 62-69	KNOX/PEORIA	7	40	240	BR, FL	
I-74	421	Westbound	MM 62 ** (SEE DETAIL PG 9)	KNOX		20	120	PR, TSL, STP ++	
I-74	421	Eastbound	Rest Area Ramp	KNOX		5	30	THSL	
I-74	421	Westbound	MM 62	KNOX		5	30	BS	
I-74	421	Westbound	MM 61-60	KNOX	1	5	30	BS	
I-74	421	Westbound	No spray @ MM 58	KNOX				Perennial bed	
I-74	421	Westbound	MM 59.5-58	KNOX	1.5	8	48	BS	
I-74	421	Westbound	MM 54.8	KNOX		1	6	BS	
I-74	421	Interchange	Exit 54 (SEE DETAIL PG 10)	KNOX		60	360	BS, THSL, TSL	
I-74	421	Median	MM 51.5-50	KNOX	1.5	5	30	SS	
I- 74	421	Westbound	MM 51.9	KNOX		1	6	BS	
I-74	421	Interchange	Exit 51 Knoxville (SEE DETAIL 11)	KNOX		40	240	TSL, PR ++	
I-74	421	Westbound	MM 49-45 (Median)	KNOX	4	20	120	SS	
I-74	421	Westbound	Exit 48 A & B Ramps and Infields	KNOX		10	60	SS	
I-74	421	Westbound	MM 46-47.5	KNOX	1.5	3	18	BS	
I-74	421	Interchange	Exit 46 (NE/NW Infields & Ramps) (SEE DETAIL PG 12)	KNOX		40	240	Exit/Ramps Heavy TSL	
I-74	421	Median	MM 46-44	KNOX	2	10	60	BS	
I-74	421	Westbound	MM 40.1	KNOX		3	18	SS	
I-74	421	Westbound	MM 39.2	KNOX		3	18	SS, Hillside	
I- 74	421	EB/WB	Henderson Creek	KNOX		60	360	BS	
I-74	421	Median	MM 40-39	KNOX	1	20	120	BS	
I- 74	421	Westbound	MM 37.5-34.9	KNOX	2.6	5	30	BS, FL	
I-74	421	EB/WB	Pope Creek	KNOX		40	240	BS	
I-74	421	Median	MM 36-34.5	KNOX	2.5	40	240	BS	
I-74	421	Westbound	MM 33.5	KNOX		1	6	SS, Hillside	
I-74	421	Interchange	Exit 32 WOODHULL (Infields & Ramps)	HENRY		30	180	SS, PR ++	
I-74	421	Eastbound	MM 32.5-33.1	KNOX	0.6	5	30	SS	
I-74	421	Median MM 35-36		KNOX	1	10	60	BS	
I-74	421	Eastbound	MM 36.1	KNOX		2	12	BS	
			SUB-TOTAL				2952		

Symbol Notes

** No spray NW quadrant of WB SRRA good prairie

LEGEND



SS = Spot Spraying

BR = Brush

BS = Blanket Spraying

SS* = May Require Hand Spray/Back

Pack

TSL = Teasel
THSL = Thistle
CV = Crown Vetch
FL = Fence Line

(++) = Engineer must be present during

spray operations

NS = No Spray

Wet = Area is Seasonally Wet PR = Prairie - Consult with R.E.

Edges = Spray mowed edge only & consult

with R.E.

Heavy = Heavy Infestation SRRA = Spoon River Rest Area

STP = Steep Hillside

USER NAME = everscl	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 8/31/2018	DATE -	REVISED -

COUEDING OF CHARITIES					F.A. RTE.	SECTION		COUNTY	TOTAL SHEETS	SHEET NO.
SCHEDULE OF QUANTITIES				VAR.	D4 WEED SPRAYING 2019	(OR)	VARIOUS	21	19	
								CONTRACT	NO. 68	3E61
SHEET	OF	SHEETS	STA.	TO STA.		ILLINOIS	FED. AI	D PROJECT		

ROUTE	TEAM	DIRECTION		COUNTY	APPROX. MILES	APPROX. ACRES	APPROX. OUNCES	NOTES
ROUTE	SECTION	DIRECTION		COUNTY	APPROX. WILES	OFF-RD.	OFF-RD.	NOTES
I-74	421	Eastbound	MM 36.8	KNOX		1	6	SS
I-74	421	Eastbound	MM 40.2	KNOX		0.5	3	SS
I-74	421	Eastbound	MM 44.5	KNOX		0.5	3	SS
I-74	421	Interchange	Exit 46 to US 34 (SE & SW Infields/ & Ramps) (SEE DETAIL PG 12)	KNOX		40	240	Wet, SS, ++
US 34	421	Eastbound	Exit 46B 74 East To Oneida (Median in 4 LN)	KNOX	15	20	120	SS, PR
US 34	421	Infields/Ramps	Seminary Street Exit	KNOX		20	120	SS
US 34	Handana Office File (Infinite O Danie)		Henderson Street Exit (Infields & Ramps) (SEE DETAIL PG 13)	KNOX		40	240	PR, SS ++
US 34	421	Infields/Ramps	West Main Street Exit	KNOX		40	240	SS, EB exit ramp heavy TSL
US 34	421	EB/WB	MM 0-8	KNOX	8	80	480	BS
US 34	421	Westbound	MM 15	WARREN		1	6	SS
US 150	421	Northbound	From US 34 to N. Lake Storey Rd	KNOX	0.6	5	30	BS
US 150	421	NB/SB	STA 354+00 to 342+00	KNOX		5	30	Heavy Rosettes
US 150	421	Northbound	500ft East & West of Knox Hwy 37 (2100)	KNOX		5	30	Heavy Rosettes
US 150	421	Northbound	Knox Rd 2350 to 500' south (west side of road)	KNOX		1	6	BS
US 150	421	Northbound	Sta 167+00 to 170+00 (Henderson Creek) East side	KNOX		2	12	BS
US 150	421	Northbound	600' South of Knox Rd 2900 to Knox County line	KNOX	1.2	20	120	SS Heavy TSL near Pope Creek
I - 74	421	Eastbound	MM 44-48	KNOX	4	2	12	BS
I-74	421	Eastbound	MM 48.5-50	KNOX	1.5	25	150	SS
I-74	421	Eastbound	Exit 48 (NW & SW Infields and Ramps)	KNOX		20	120	SS
I-74	421	Eastbound	EB MM 62.1 (SRRA) (SEE DETAIL PG 9)	KNOX		40	240	SRRA, SS
I-74	421	Eastbound	MM 69.8	KNOX		0.5	3	FL
I-74	421	Eastbound	MM 70.2	PEORIA		0.5	3	SS
I-74	421	Eastbound	MM 70.9	PEORIA		0.5	3	SS
I-74	I-74 421 Infields/Ramps Exit 71		PEORIA		10	60	Edges, ++	
IL 94	411	NB/SB	S. of Aledo high school; A distance of 2 miles; NB & SB	MERCER	2	20	120	Heavy Rosettes
			SUB-TOTAL				2397	

Symbol Notes

**No spray infields of good prairie

<u>LEGEND</u>



SS = Spot Spraying

NS = No Spray

BR = Brush

Wet = Area is Seasonally Wet PR = Prairie - Consult with R.E.

BS = Blanket Spraying SS* = May Require Hand Spray/Back

Edges = Spray mowed edge only & consult

Pack

with R.E.

TSL = Teasel

Heavy = Heavy Infestation SRRA = Spoon River Rest Area

THSL = Thistle CV = Crown Vetch

STP = Steep Hillside

FL = Fence Line

(*) = For Information Only

(++) = Engineer must be present during

spray operations

QUANTITIES	APPROX. OUNCES	GALLON*
SUB-TOTAL SHEET 14	3352	26
SUB-TOTAL SHEET 15	1152	9
SUB-TOTAL SHEET 16	3456	27
SUB-TOTAL SHEET 17	3030	24
SUB-TOTAL SHEET 18	3774	29
SUB-TOTAL SHEET 19	2952	23
SUB-TOTAL SHEET 20	2397	19
TOTAL	20113	157

* 128 OUNCE = 1 GALLON

USER NAME = everscl	DESIGNED -	REVISED -	
	DRAWN -	REVISED -	
PLOT SCALE = 100.0000 / in.	CHECKED -	REVISED -	
PLOT DATE = 8/31/2018	DATE -	REVISED -	

	SCHEDULE OF QUANTITIES						SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
							D4 WEED SPRAYING 2019 (OR)	VARIOUS	21	20
								CONTRACT	NO. 68	3E61
	SHEET	OF	SHEETS	STA.	TO STA.	TILLINOIS FED. AID PROJECT				

HERBICIDE DOSAGE CHART									
WATER	MILESTONE VM* DRIFT CONTROL** SURFACTANT***		ACRES OF R.O.W.						
(GALLONS)	OZ	(OZ.)	PINTS	ACRE					
40	6	3.2	0.8	1					
50	7.5	4	1	1.25					
100	15	8	2	2.5					
200	30	16	4	5					
300	45	24	6	7.5					
400	60	32	8	10					
500	75	40	10	12.5					
600	90	48	12	15					
700	105	56	14	17.5					
800	120	64	16	20					
900	135	72	18	22.5					
1000	150	80	20	25					
1100	165	88	22	27.5					
1200	180	96	24	30					
1300	195	104	26	32.5					
1400	210	112	28	35					
1500	225	120	30	37.5					

^{*} BASED ON 6 OUNCES OF MILESTONE VM FOR EACH 1.0 ACRE

- Suggested rate of water per acre. Refer to product label for verification.
 Spraying machine shall be calibrated to deliver 6 oz of herbicide per acre 72 hr prior to job start.
 Spot checks will be performed to check for herbicide delivery accuracy.

USER NAME = everscl	DESIGNED -	REVISED -								F.A.	SECTION	COUNTY	TOTAL S	HEET
	DRAWN -	REVISED -	STATE OF ILLINOIS	HERBICIDE DOSAGE CHART					VAR	D4 WEED SPRAYING 2019 (OR)	VARIOUS	21	21	
PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION						CONTRACT	Г NO. 68E	.61			
PLOT DATE = 8/31/2018	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS	STA.	TO STA.		ILLINOIS FED. AID	PROJECT		

^{**} BASED ON 8 OUNCES OF DRIFT CONTROL AGENT PER 100 GALLONS
*** BASED ON 2 PINTS OF NON-IONIC SURFACTANT FOR EACH 100 GALLONS OF WATER