TREE REPLACEMENT SCHEDULE

CODE NUMBER	SCIENTIFIC NAME	COMMON NAME	SIZE	UNIT	QUANTITY
A2001714	ACER SACCHARUM	SUGAR MAPLE	1 3/4" CALIPER, BALLED & BURLAPPED	EACH	7
A2002914	CELTIS OCCIDENTALIS	COMMON HACKBERRY	1 3/4" CALIPR, BALLED & BURLAPPED	EACH	7
A2006714	QUERCUS MACROCARPA	BUR OAK	1 3/4" CALIPER, BALLED & BURLAPPED	EACH	8
B2000562	AMELANCHIER CANADENSIS	SHADBLOW SERVICEBERRY	4 FT HEIGHT, SHRUB FORM, BALLED & BURLAPPED	EACH	15
B2004814	MALUS SARGENTII	SARGENT CRABAPPLE	1 3/4" CALIPER, BALLED & BURLAPPED	EACH	15
	-				
L	L	L			L

LAYOUT SHALL BE PERFORMED BY THE DISTRICT LANDSCAPE ARCHITECT MULCH SHALL BE HARDWOOD WOOD CHIPS, 5 FOOT WIDTH, 4 INCHES THICK WITH WEED BARRIER FABRIC

ALL DIMENSIONS ARE IN MILLIMETERS (INCHES) UNLESS OTHERWISE NOTED.

TREE REPLACEMENT SCHEDULE 90.4

DRAIN FOR AGGREGATE **BASE COURSE**

COUNTY TOTAL SHEE NO. •2079 CARROLL&OGLE 232 144 TO STA. FED. ROAD DIST. NO. | ILLINOIS | FED. AID PROJECT **(16,17,18)RS-3

& (16BR)M-1

DO NOT SEED THIS AREA FOR WIDTH OF DRAIN

PROPOSED HOT-MIX ASPHALT SHOULDER PAVEMENT PROPOSED AGGREGATE OR EARTH SHOULDER ALL DIMENSIONS ARE IN MILLIMETERS (INCHES) UNLESS OTHERWISE NOTED.

NOTES:

The rock outlets shall be constructed using CA7 and will be paid for at the contract unit price per m² (SQ. YD.) for DRAIN FOR AGGREGATE BASE COURSE. The thickness shall be the same as the adjacent sub-base material as noted on the plans and shall include the cost of the filter fabric. The Rock outlets will be measured in m^2 (SQ. YD.), the width being 900 (36) by the length shown above. The cost of the CA6 or CA10 under the shoulder shall be included in the contract unit price per m² (SQ. for SUB-BASE GRANULAR MATERIAL, TYPE A of the thickness specified. The filter fabric to be used shall conform to the filter fabric used for Riprap.

X0325519

ROCK OUTLET AT ALL LOW POINTS TO BE 900 (36) WIDE AND EXTEND TO FORESLOPE

FILTER FABRIC

Slope


(on all sides except the foreslope) NOTE: Slope same as shoulder with 2% min. SECTION A-A

300(12)& Var.

DRAIN FOR AGGREGATE BASE COURSE 96.4

REVISED 10-10-06

SUBGRADE REPLACEMENT



3 (CU. YD.)

GRANULAR SUBGRADE REPLACEMENT and per m2 (SQ. YD.) for

ALL DIMENSIONS ARE IN MILLIMETERS (INCHES) UNLESS

SUBGRADE REPLACEMENT

97.4

REVISED 4-23-93