




B.M. East end of South H.W. Sta 552+71. Elev 582.61
 Existing structure R.C. Slab span 18'-2 1/2", Roadway 22'-0"
 to be widened on North side.

STATE OF ILLINOIS
 DEPARTMENT OF PUBLIC WORKS & BUILDINGS
 DIVISION OF HIGHWAYS

FAP NO.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
599	42MFT-BR & 42MFT-T	ROCK ISLAND	90	49
STA.	TO STA.			
EXISTING CONDITIONS:				

CONTRACT 64641
 FOR INFORMATION ONLY




BILL OF MATERIAL

Bar	Size	No.	Length
V	1/2"	11	11'-0"
V1	1/2"	4	10'-0"
V2	1/2"	2	7'-6"
V3	1/2"	6	5'-0"
V4	1/2"	6	7'-6"
V5	1/2"	5	6'-0"
V6	1/2"	5	5'-0"
V7	1/2"	20	27'-0"
V8	1/2"	10	13'-0"
V9	1/2"	10	12'-3"
V10	1/2"	12	7'-0"
V11	1/2"	2	4'-0"
V12	1/2"	12	13'-0"
V13	1/2"	1	7'-0"
V14	1/2"	11	8'-6"
V15	1/2"	42	3'-6"
V16	1/2"	12	4'-3"
V17	1/2"	23	6'-0"
V18	1/2"	43	6'-0"
V19	1/2"	8	19'-3"
V20	1/2"	4	8'-6"
V21	1/2"	4	14'-0"

Reinforcing Steel - Lbs. 2970
 Class X Conc. - cu yds. 510
 Rock Excavation - cu yds. 278

Class X Concrete shall be used throughout.
 Reinforcing steel shall be placed and fastened according to Article 43.5 of Std. Specifications.
 Old reinforcing steel shall be bent into new concrete where possible.
 In joining the old structure with the new structure, Article 42.12 of Std. Specifications shall be followed.
 The North wing of old structure shall be removed.

COMPLETED	EXAMINED
CHECKED	PASSED
DRAWN	APPROVED
CHECKED	
SPECIAL ASSEMBLED	
CHECKED	



GUYER BRIDGE
 S.A.R.T. SEC. 42-B.M.F.T.
 ROCK ISLAND CO.
 STA. 332+72