



MIN BAR LAP
(Deck)
#5 bar = 3'-3"
#6 bar = 3'-10"

PLAN - SPANS 7 & 8

Notes:
See Sheets 32-34 of 103 for superstructure details and Bill of Material.
Bars indicated thus 20 x 3-#5 etc. indicates 20 lines of bars with 3 lengths per line.
See Sheets 30 & 31 of 103 for parapet reinforcement.
See Sheet 82 of 103 for Bar Splicer details.
See Electrical Plans for 2-Conduit hanger spacing.
Utility hangers and bracing locations shall be paid for and coordinated with utility company.

FILE NAME =
0264808 sht-deckplan4.dgn

USER NAME = dwozniarski	DESIGNED - ACB	REVISED -
	CHECKED - JMB	REVISED -
PLOT SCALE = 1/8" = 1'-0"	DRAWN - RLK	REVISED -
PLOT DATE = 7/18/2011	CHECKED - ACB	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

DECK PLAN - SPANS 7 & 8
STRUCTURE NO. 098-0115

SHEET NO. 29F 103 SHEETS

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
646	1B-2	WHITESIDE	257	132
			CONTRACT NO. 64B80	
ILLINOIS FED. AID PROJECT				