



DESIGNED: P.H. Smith
 CHECKED: T.M. Gray
 DRAWN: W.H. Souvannan
 DATE: 2-16-60

DESIGNED: P.H. Smith
 CHECKED: T.M. Gray
 DRAWN: W.H. Souvannan
 DATE: 2-16-60

NOTES:

- All Posts shall be placed normal to parapet.
- All Posts shall be of Aluminum conforming to ASTM Specification B-108 alloy 50-102-16.
- All Rail tubing shall be of Aluminum conforming to ASTM Specification B-230 alloy 53-34-16.
- Aluminum Washers shall be made from sheet conforming to ASTM Specification B-209 alloy clad 50-52-16.
- For material composition of Fabricated Post, See Art. 24.3.11, (Bearing and Anchorage) of the SpE Specs.
- Concrete shall be of Aluminum conforming to ASTM Specification B-21 alloy 53-34-16.
- The contract shall include the furnishing of all material, fabrication, transportation and erection.

HANDRAIL
 F.A. RT. 60 - SEC. 06 - SUB
 BUREAU COUNTY
 STA. 1230+04.12

FOR INFORMATION ONLY

FILE NAME =	USER NAME = braboupo	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	EXISTING BRIDGE PLANS	F.A. RTE. =	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
c:\pwwork\pwwork\braboupo\d212731\036686-sht-coover.dgn		DRAWN -	REVISED -			80	(106-SHBR-1\VR\06-6)JRS-36.I	BUREAU	249	164	
PLOT SCALE = 50.8558' / 1"		CHECKED -	REVISED -			CONTRACT NO. 66686					
PLOT DATE = 9/18/2011		DATE -	REVISED -			ILLINOIS FED. AID PROJECT					