



SECTION THRU PILES

107'-6" Back to Back Abutments
Measured along Local Tangent

FOUNDATION PLAN

EXISTING PILE DATA

Type - Concrete Piles
Capacity - 25 Ton Min.
Est. Length - 35' Feet
No. Req'd - 22 (1 test pile
at N. Abut. included)

NOTES

1. For Temporary Soil Retention system details see sheet S4 of S25.
2. For Abutment details see sheet S20 of S25.
3. For Steel HP Piles details see sheet S22 of S25.
4. Drive one test pile at each abutment.

FILE NAME = ...\\0480090-68084-003-FootingPlan.dgn	DESIGNED <i>EV</i> DRAWN <i>JCP</i>	REVISED - REVISED - REVISED - REVISED -	 800 WEST FULTON STREET CHICAGO, ILLINOIS 60611-1259 TEL 312 454 9100 FAX 312 559 1217 WEB www.sepstein.com	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SUBSTRUCTURE LAYOUT STRUCTURE NO. 048-0090 SHEET NO. S3 OF S25 SHEETS	F.A.I. R.T.E. 74	SECTION 48-[25B]BR, BR-1J	COUNTY KNOX	TOTAL SHEETS 131	SHEET NO. 24
PLOT TIME = 4:31:10 PM PLOT DATE = 7/30/2014	CHECKED <i>PC</i> DATE 05 03 2013					CONTRACT NO. 68B85			ILLINOIS FED. AID PROJECT	