



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

November 13, 2014

SUBJECT: FAS Route 1030 (Garden Prairie Road)
Project BRS-1030(102)
Section 12-00091-00-BR
Boone County
Contract No. 85614
Item No. 118, November 21, 2014 Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised Index of Special Provisions and added special
PLACEMENT OF BRIDGE DECK CONCRETE on page 7

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

John Baranzelli, P.E.
Acting Engineer of Design and Environment

A handwritten signature in cursive script, reading "Ted B. Walschleger P.E.".

By: Ted B. Walschleger, P. E.
Engineer of Project Management

INDEX OF SPECIAL PROVISIONS

<u>Item</u>	<u>Sheet Number</u>
Location of Project	1
Description of Work	1
Start Date	1
Work Zone	1
Traffic Control and Protection (Special).....	1
Maintenance of Roadways.....	4
Existing Drawings.....	4
Saw Cutting of Pavement	4
Seeding	5
Earth Excavation (Special).....	5
Stone Riprap, Class A4.....	5
Removal of Existing Structures.....	5
Guardrail Removal	6
Concrete Truck Washout.....	6
Permanent Survey Markers (Special).....	6
Construction Layout.....	6
Department of the Army Corps of Engineers Permit.....	6
<u>Placement of Bridge Deck Concrete</u>	<u>7</u>

The cost of complying with the Department of the Army Corps of Engineers permit(s) will not be paid for separately but shall be considered incidental to the contract.

PLACEMENT OF BRIDGE DECK CONCRETE

In order to eliminate the potential for girder uplift at the south abutment, placement of bridge deck concrete shall begin at the south abutment and progress north.