

DATE

REVISED

*NOTE:

- 1) REBAR AND ANCHORS SHALL BE EPOXY GROUTED INTO EX. CONC. WITH HILTI HIT-HY 150MAX-SD, OR APPROVED EQUAL * PRICE INCLUDED IN "CONCRETE STRUCTURES"
- 2) EXISTING CONCRETE SURFACE IN CONTACT WITH NEW CONCRETE SHALL BE CLEANED AND COATED WITH EPOXY BONDING AGENT, PRIOR TO CONCRETE INSTALLATION. PRICE INCLUDED IN "CONCRETE STRUCTURES"
- 3) THE PRICE OF ALL ALUMINUM MATERIAL, SHAPES AND GRATING SHALL BE INCLUDED IN "PUMP STATION GENERAL WORK"
- 4) THE PRICE OF ALL STAINLESS STEEL BOLTS AND MATERIAL SHALL BE INCLUDED IN "PUMP STATION GENERAL WORK"
- 5) THE PRICE OF ALL HANDRAILS AND GRADES 36 AND 50 STRUCTURAL STEEL SHALL BE INCLUDED IN "PUMP STATION GENERAL WORK"

SCALE: 1/2" = 1'-0"

				5	\$503
ROOF FRAMING & FOUNDATION	F.A.I. RTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
P WELL FACILITY	64	82-4T-1	ST. CLAIR	185	122
	_		CONTRAC	「 NO. 7	6699
TS STA. TO STA.		ILLINOIS FED.	AID PROJECT		