
LETTING DATE - January 19, 2018 LETTING ITEM NO. - 10A CONTRACT NO. - CI006

CAIRO REGIONAL AIRPORT CAIRO - ALEXANDER COUNTY, ILLINOIS AIRPORT TYPE: BASIC UTILITY


REHABILITATION OF AIRCRAFT APRON & T-HANGAR TAXIWAYS & REMARK RUNWAYS





ILLINOIS PROJECT NO. CIR-4420 PROJECT NO. 3-17-SBGP-111/120




LATITUDE 37°03'52" LONGITUDE 89°13'04" ELEVATION 321 MSL







	TOTAL	AS BUILT
UNIT	QUANTITIES	QUANTITIES
L.F.	10,000	
S. Y.	17,300	
S.F.	18,740	
S.F.	3,236	
	L.F. S.Y. S.F.	L.F. 10,000 S.Y. 17,300 S.F. 18,740



NOT TO SCALE

ALL AIRCRAFT SHALL REMAIN IN HANGERS DURING THE DURATION OF CONSTRUCTION. NO AIRCRAFT WILL BE ALLOWED TO BE PARKED ON THE RAMP DURING CONSTRUCTION. CONTRACTOR RESPONSIBILITIES

IDENTIFICATION - WHEN THE CONTRACTORS VEHICLES AND EQUIPMENT ARE ON THE AIRPORT THEY SHALL BE PROPERLY MARKED WITH THREE (3') FOOT SQUARE CHECKERED FLAGS (INTERNATIONAL ORANGE AND WHITE). THE CONTRACTOR WILL ALSO PROVIDE WORKERS WITH SOME TYPE OF TAG OR GARMENT TO IDENTIFY THE PERSON AS BEING PART OF THE CONSTRUCTION CREW

RADIO CONTROL - THE CONTRACTOR WILL BE REQUIRED TO BE IN TWO-WAY RADIO CONTACT (122.80 MHz.) WITH THE AIRPORT UNICOM. THIS WILL KEEP THE CONTRACTOR IN CONSTANT CONTACT WITH THE CAIRO REGIONAL AIRPORT AND ENABLE THE AIRPORT TO IMMEDIATELY CONTACT THE CONTRACTOR IN CASE OF AN AERONAUTICAL EMERGENCY THAT WOULD REQUIRE ACTION BY THE CONTRACTOR AND/OR HIS PERSONNEL.

THE CONTRACTOR'S EQUIPMENT PARKING AND STORAGE AREA WILL BE AS SHOWN ON THIS SHEET. THE CONTRACTOR'S EMPLOYEES WILL PARK THEIR VEHICLES IN THIS AREA. ONLY CONTRACTOR VEHICLES WILL BE ALLOWED OUTSIDE THIS AREA.

THE CONTRACTOR AND HIS EMPLOYEES WILL BE RESTRICTED TO THE WORK AREA AND ALL OTHER AREAS OF THE AIRPORT ARE "OFF LIMITS" TO THEM.

ALL WORK PERFORMED SHALL BE DONE IN AN ORDERLY AND EFFECTIVE MANNER

THE CONTRACTOR IS RESPONSIBLE FOR PLACING, MAINTAINING, RELOCATING, AND REMOVING CROSSES AND OTHER MEANS OF TRAFFIC MAINTENANCE NECESSARY TO SUCCESSFULLY AND SAFELY CLOSE THE CONSTRUCTION WORK LIMITS.

THE CROSSES, THEIR MAINTENANCE, PLACEMENT AND REMOVAL WILL BE CONSIDERED AS AN INCIDENTAL ITEM TO THE CONTRACT AND NO ADDITIONAL COMPENSATION WILL BE ALLOWED.

AIRPORT SECURITY NOTE

THE AIRPORT SPONSOR MAY PROVIDE ADDITIONAL GUIDANCE AND TRAINING FOR AIRPORT SECURITY MEASURES. AIRPORT SECURITY WILL BE MAINTAINED AT ALL TIMES. THE CONTRACTOR WILL CLOSE AND LOCK THE EXISTING GATE IN THE HAUL ROUTE AT THE END OF EACH WORKING DAY. ANY ACCESS GATES WILL BE CLOSED AT ALL TIMES WHEN NOT IN USE. IF CONTINOUS HAULING IS REQUIRED, THEN THE GATE ACCESS WILL BE MONITORED TO PREVENT A BREACH FROM OUTSIDE, NON-CONSTRUCTION

TEMPORARY RUNWAY CLOSURE NOTE

FAA CRITERIA REQUIRES A RUNWAY BE CLOSED IF CONSTRUCTION ACTIVITIES OR PERSONNEL ARE WITHIN 200 FT OF A RUNWAY CENTERLINE

COST OF CONSTRUCTING, PLACING, MAINTAINING AND REMOVING CROSSES WILL BE CONSIDERED INCIDENTAL TO THE CONTRACT AND NO ADDITIONAL COMPENSATION WILL BE ALLOWED. ALL RUNWAY CLOSURES WILL BE IN ACCORDANCE WITH ALL FAA ADVISORY CIRCULARS THAT RELATE TO RUNWAY CLOSURES DURING CONSTRUCTION OPERATIONS. THE RUNWAY CLOSURE PROCEDURES SHALL BE REVIEWED BY THE AIRPORT MANAGER AND COORDINATED WITH THE RESIDENT ENGINEER. THE CROSSES WILL BE YELLOW IN COLOR AND SHALL BE MADE OF A SUITABLE MATERIAL, AS APPROVED BY THE RESIDENT ENGINEER AND REVIEWED BY THE AIRPORT MANAGER. THE CROSSES WILL BE PLACED OVER THE NUMERALS OR OFF EACH END OF THE RUNWAY AND SECURED IN A MANNER APPROVED BY THE AIRPORT MANAGER. THE PROPOSED CROSSES WILL BE PLACED WHEN THE RUNWAYS ARE CLOSED AND REMOVED WHEN THE RUNWAYS ARE RE-OPENED. THE CONTRACTOR WILL BE RESPONSIBLE FOR THE PLACEMENT AND REMOVAL OF THE CROSSES. NO ADDITIONAL COMPENSATION WILL BE ALLOWED.

BARRICADES

RUNWAY CLOSURE * CONTACT THE AIRPORT MANAGER OR HIS ASSIGNED REPRESENTATIVE. * ISSUANCE OF NOTAM BY THE AIRPORT MANGAGER OR HIS ASSIGNED REPRESENTATIVE. * PLACEMENT OF CROSSES (SEE DETAIL THIS SHEET) ONLY AT THE TIME THAT ALL OF THE ABOVE ARE COMPLETED MAY ANY CONSTRUCTION

RUNWAY RE-OPENING PROCEDURES:

NOTIFY THE AIRPORT MANAGER OR HIS REPRESENTATIVE TO CANCEL THE NOTAM. * CANCELLATION OF THE NOTAM.

CRITICAL POINT INFORMATION								
	(NAD83)		MSL (NGVD29)					
	LATITUDE	LONGITUDE	ELEVATION					
ER OF EXISTING PARKING LOT PAVEMENT	37°03'42.5670"	89°13'21.2372"	319.0					
CALDO DE	CLONLL	A LD D O	D.T					

CAIRO REGIONAL AIRPORT ALEXANDER COUNTY, ILLINOIS							
PROJECT N	0. 3-17-SBGP-111/120	ILL PF	ROJECT NO). CIR-4420			
REHABILITATION OF AIRCRAFT APRON & T-HANGAR TAXIWAYS & REMARK RUNWAYS							
SBGP-111/120 SAFETY PLAN							
SCALE AS SHOWN J.T.BLANKINSHIP, INC.		FILE NO. E-9941					
DATE MAY 2017	77 BY ILLINOS PROFESSIONAL DESIGN FIRM NO.1394		DESIGN FILE E9941-03.DGA				
DRAWN BY SDR			SHEET NO. 3 OF 5				

