#### If you plan to submit a bid directly to the Department of Transportation

#### PREQUALIFICATION

Any contractor who desires to become pre-qualified to bid on work advertised by IDOT must submit the properly completed pre-qualification forms to the Bureau of Construction no later that 4:30 p.m. prevailing time twenty-one days prior to the letting of interest. This pre-qualification requirement applies to first time contractors, contractors renewing expired ratings, contractors maintaining continuous pre-qualification or contractors requesting revised ratings. To be eligible to bid, existing pre-qualification ratings must be effective through the date of letting.

#### **REQUESTS FOR AUTHORIZATION TO BID**

Contractors downloading and/or ordering CD-ROM's and are wanting to bid on items included in a particular letting must submit the properly completed "Request for Authorization to Bid/or Not For Bid Status" (BDE 124INT) and the ORIGINAL, signed and notarized, "Affidavit of Availability" (BC 57) to the proper office no later than 4:30 p.m. prevailing time, three (3) days prior to the letting date.

#### WHO CAN BID ?

Bids will be accepted from only those companies that request and receive written **Authorization to Bid** from IDOT's Central Bureau of Construction.

WHAT CONSTITUTES WRITTEN AUTHORIZATION TO BID?: When a prospective prime bidder submits a "Request for Authorization to Bid/or Not For Bid Status" (BDE 124INT) he/she must indicate at that time which items are being requested For Bidding purposes. Only those items requested For Bidding will be analyzed. After the request has been analyzed, the bidder will be issued a **Proposal Denial and/or Authorization Form**, approved by the Central Bureau of Construction, that indicates which items have been approved For Bidding. If **Authorization to Bid** cannot be approved, the **Proposal Denial and/or Authorization Form** will indicate the reason for denial.

**ABOUT AUTHORIZATION TO BID:** Firms that have not received an authorization form within a reasonable time of complete and correct original document submittal should contact the department as to status. This is critical in the week before the letting. These documents must be received three days before the letting date. Firms unsure as to authorization status should call the Prequalification Section of the Bureau of Construction at the number listed at the end of these instructions.

**ADDENDA:** It is the contractor's responsibility to determine which, if any, addenda pertains to any project they may be bidding. Failure to incorporate all relevant addenda may cause the bid to be declared unacceptable.

Each addendum will be placed with the contract number. Addenda will also be placed on the Addendum/Revision Checksheet and each subscription service subscriber will be notified by e-mail of each addendum issued.

The Internet is the Department's primary way of doing business. The subscription server e-mails are an added courtesy the Department provides. It is suggested that bidder check IDOT's website <a href="http://www.dot.il.gov/desenv/delett.html">http://www.dot.il.gov/desenv/delett.html</a> before submitting final bid information.

#### IDOT is not responsible for any e-mail related failures.

Addenda Questions may be directed to the Contracts Office at (217)-782-7806 or D&Econtracts@dot.il.gov

Technical Questions about downloading these files may be directed to Roseanne Nance (217)-785-5875 or nancer@dot.il.gov

**WHAT MUST BE INCLUDED WHEN BIDS ARE SUBMITTED?**: Bidders need not return the entire proposal when bids are submitted. That portion of the proposal that must be returned includes the following:

- 1. All documents from the Proposal Cover Sheet through the Proposal Bid Bond
- 2. Other special documentation and/or information that may be required
  - by the contract special provisions

All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed by IDOT personnel.

**ABOUT SUBMITTING BIDS**: It is recommended that bidders deliver bids in person to insure they arrive at the proper location prior to the time specified for the receipt of bids. Any bid received at the place of letting after the time specified will not be accepted.

#### WHO SHOULD BE CALLED IF ASSISTANCE IS NEEDED?

Questions Regarding	Call
Prequalification and/or Authorization to Bid	217/782-3413
Preparation and submittal of bids	217/782-7806
Mailing of plans and proposals	217/782-7806
Electronic plans and proposals	217/785-5875

#### ADDENDUMS TO THE PROPOSAL FORMS

Planholders should verify that they have received and incorporated the revisions prior to submitting their bid. Failure by the bidder to include an addendum could result in a bid being rejected as irregular.

Proposal Submitted By

9	6	

Name

Address

City

# Letting January 21, 2005

# NOTICE TO PROSPECTIVE BIDDERS

This proposal can be used for bidding purposes by only those companies that request and receive written AUTHORIZATION TO BID from IDOT's Central Bureau of Construction. (SEE INSTRUCTIONS ON THE INSIDE OF COVER)

# Notice To Bidders, Specifications, Proposal, Contract and Contract Bond



Springfield, Illinois 62764

Contract No. 98891 SALINE County Section DEMOLITION PROJECT FY05 District 9 Construction Funds Route FAP 332

PLEASE MARK THE APPROPRIATE BOX BELOW:

A <u>Bid Bond</u> is included.

A Cashier's Check or a Certified Check is included.

Plans Included Herein

Prepared by S Checked by

(Printed by authority of the State of Illinois)

#### INSTRUCTIONS

**ABOUT IDOT PROPOSALS**: All proposals issued by IDOT are potential bidding proposals. Each proposal contains all Certifications and Affidavits, a Proposal Signature Sheet and a Proposal Bid Bond required for Prime Contractors to submit a bid after written **Authorization to Bid** has been issued by IDOT's Central Bureau of Construction.

**WHO CAN BID**?: Bids will be accepted from only those companies that request and receive written **Authorization to Bid** from IDOT's Central Bureau of Construction. To request authorization, a potential bidder <u>must complete and submit</u> Part B of the Request for Authorization to Bid/or Not For Bid Status form (BDE 124 INT) and submit an original Affidavit of Availability (BC 57).

WHAT CONSTITUTES WRITTEN AUTHORIZATION TO BID?: When a prospective prime bidder submits a "Request for Proposal Forms and Plans" he/she must indicate at that time which items are being requested For Bidding purposes. Only those items requested For Bidding will be analyzed. After the request has been analyzed, the bidder will be issued a **Proposal Denial and/or Authorization Form**, approved by the Central Bureau of Construction, that indicates which items have been approved For Bidding. If **Authorization to Bid** cannot be approved, the **Proposal Denial and/or Authorization Form**, they should contact the Central Bureau of Construction in advance of the letting date.

**WHAT MUST BE INCLUDED WHEN BIDS ARE SUBMITTED**?: Bidders need not return the entire proposal when bids are submitted. That portion of the proposal that must be returned includes the following:

- 1. All documents from the Proposal Cover Sheet through the Proposal Bid Bond
- 2. Other special documentation and/or information that may be required by the contract special provisions

All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed by IDOT personnel.

**ABOUT SUBMITTING BIDS**: It is recommended that bidders deliver bids in person to insure they arrive at the proper location prior to the time specified for the receipt of bids. Any bid received at the place of letting after the time specified will not be accepted.

#### WHO SHOULD BE CALLED IF ASSISTANCE IS NEEDED?

Questions Regarding	Call
Prequalification and/or Authorization to Bid	217/782-3413
Preparation and submittal of bids	217/782-7806
Mailing of CD-ROMS	217/782-7806



# PROPOSAL

TO THE DEPARTMENT OF TRANSPORTATION

1. Proposal of \_\_\_\_\_\_

for the improvement identified and advertised for bids in the Invitation for Bids as:

Contract No. 98891 SALINE County Section DEMOLITION PROJECT FY05 Route FAP 332 District 9 Construction Funds

Demolition of 5 buildings along U.S. Route 45 at North Main Street and North Commercial located in Harrisburg.

2. The undersigned bidder will furnish all labor, material and equipment to complete the above described project in a good and workmanlike manner as provided in the contract documents provided by the Department of Transportation. This proposal will become part of the contract and the terms and conditions contained in the contract documents shall govern performance and payments.

BD 353A (Rev. 11/2001)

- 3. ASSURANCE OF EXAMINATION AND INSPECTION/WAIVER. The undersigned further declares that he/she has carefully examined the proposal, plans, specifications, form of contract and contract bond, and special provisions, and that he/she has inspected in detail the site of the proposed work, and that he/she has familiarized themselves with all of the local conditions affecting the contract and the detailed requirements of construction, and understands that in making this proposal he/she waives all right to plead any misunderstanding regarding the same.
- 4. EXECUTION OF CONTRACT AND CONTRACT BOND. The undersigned further agrees to execute a contract for this work and present the same to the department within fifteen (15) days after the contract has been mailed to him/her. The undersigned further agrees that he/she and his/her surety will execute and present within fifteen (15) days after the contract has been mailed to him/her contract bond satisfactory to and in the form prescribed by the Department of Transportation, in the penal sum of the full amount of the contract, guaranteeing the faithful performance of the work in accordance with the terms of the contract.
- 5. **PROPOSAL GUARANTY.** Accompanying this proposal is either a bid bond on the department form, executed by a corporate surety company satisfactory to the department, or a proposal guaranty check consisting of a bank cashier's check or a properly certified check for not less than 5 per cent of the amount bid or for the amount specified in the following schedule:

<u> </u>	Amount o	of Bid	Proposal <u>Guaranty</u>	Am	nount c	of Bid	Proposal <u>Guaranty</u>
Up to		\$5,000	\$150	\$2,000,000	to	\$3,000,000	\$100,000
\$5,000	to	\$10,000	\$300	\$3,000,000	to	\$5,000,000	\$150,000
\$10,000	to	\$50,000	\$1,000	\$5,000,000	to	\$7,500,000	\$250,000
\$50,000	to	\$100,000	\$3,000	\$7,500,000	to	\$10,000,000	\$400,000
\$100,000	to	\$150,000	\$5,000	\$10,000,000	to	\$15,000,000	\$500,000
\$150,000	to	\$250,000	\$7,500	\$15,000,000	to	\$20,000,000	\$600,000
\$250,000	to	\$500,000	\$12,500	\$20,000,000	to	\$25,000,000	\$700,000
\$500,000	to	\$1,000,000	\$25,000	\$25,000,000	to	\$30,000,000	\$800,000
\$1,000,000	to	\$1,500,000	\$50,000	\$30,000,000	to	\$35,000,000	\$900,000
\$1,500,000	to	\$2,000,000	\$75,000	over		\$35,000,000	\$1,000,000

Bank cashier's checks or properly certified checks accompanying proposals shall be made payable to the Treasurer, State of Illinois, when the state is awarding authority; the county treasurer, when a county is the awarding authority; or the city, village, or town treasurer, when a city, village, or town is the awarding authority.

If a combination bid is submitted, the proposal guaranties which accompany the individual proposals making up the combination will be considered as also covering the combination bid.

The amount of the proposal guaranty check is \_\_\_\_\_\_\$( ). If this proposal is accepted and the undersigned shall fail to execute a contract bond as required herein, it is hereby agreed that the amount of the proposal guaranty shall become the property of the State of Illinois, and shall be considered as payment of damages due to delay and other causes suffered by the State because of the failure to execute said contract and contract bond; otherwise, the bid bond shall become void or the proposal guaranty check shall be returned to the undersigned.

Attach Cashier's Check or Certified Check Her	е

In the event that one proposal guaranty check is intended to cover two or more proposals, the amount must be equal to the sum of the proposal guaranties which would be required for each individual proposal. If the guaranty check is placed in another proposal, state below where it may be found.

The proposal guaranty check will be found in the proposal for:

Item \_\_\_\_\_

Section No. \_\_\_\_\_

County \_\_\_\_\_

Mark the proposal cover sheet as to the type of proposal guaranty submitted.

BD 354 (Rev. 11/2001)

6. COMBINATION BIDS. The undersigned further agrees that if awarded the contract for the sections contained in the following combination, he/she will perform the work in accordance with the requirements of each individual proposal comprising the combination bid specified in the schedule below, and that the combination bid shall be prorated against each section in proportion to the bid submitted for the same. If an error is found to exist in the gross sum bid for one or more of the individual sections included in a combination, the combination bid shall be corrected as provided in the specifications.

When a combination bid is submitted, the schedule below must be completed in each proposal comprising the combination.

If alternate bids are submitted for one or more of the sections comprising the combination, a combination bid must be submitted for each alternate.

#### **Schedule of Combination Bids**

Combination		Combination	Combination Bid						
No.	Sections Included in Combination	Dollars	Cents						

- 7. SCHEDULE OF PRICES. The undersigned bidder submits herewith, in accordance with the rules and instructions, a schedule of prices for the items of work for which bids are sought. The unit prices bid are in U.S. dollars and cents, and all extensions and summations have been made. The bidder understands that the quantities appearing in the bid schedule are approximate and are provided for the purpose of obtaining a gross sum for the comparison of bids. If there is an error in the extension of the unit prices, the unit prices shall govern. Payment to the contractor awarded the contract will be made only for actual quantities of work performed and accepted or materials furnished according to the contract. The scheduled quantities of work to be done and materials to be furnished may be increased, decreased or omitted as provided elsewhere in the contract.
- 8. **CERTIFICATE OF AUTHORITY.** The undersigned bidder, if a business organized under the laws of another State, assures the Department that it will furnish a copy of its certificate of authority to do business in the State of Illinois with the return of the executed contract and bond. Failure to furnish the certificate within the time provided for execution of an awarded contract may be cause for cancellation of the award and forfeiture of the proposal guaranty to the State.

#### ILLINOIS DEPARTMENT OF TRANSPORTATION SCHEDULE OF PRICES CONTRACT 98891 NUMBER -

C-99-050-04 State Job # -PPS NBR -9-97380-0110 County Name -SALINE- -Code -165 - -9 - -District -

Project Number

Route

FAP 332

Section Number -**DEMOLITION PROJECT FY 05** 

ltem Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
X0323415	SITE CLEAN-UP	L SUM	1.000				
Z0007601	BLDG REMOV NO 1	L SUM	1.000				
Z0007602	BLDG REMOV NO 2	L SUM	1.000				
Z0007603	BLDG REMOV NO 3	L SUM	1.000				
Z0007604	BLDG REMOV NO 4	L SUM	1.000				
Z0007605	BLDG REMOV NO 5	L SUM	1.000				
Z0049905	R&D NON-FR ASB BLD 5	L SUM	1.000				
21101615	TOPSOIL F & P 4	SQ YD	3,318.000				
25000115	SEEDING CL 1B	ACRE	0.900				
25000350	SEEDING CL 7	ACRE	0.900				
25000400	NITROGEN FERT NUTR	POUND	143.000				
25000500	PHOSPHORUS FERT NUTR	POUND	107.000				
25000600	POTASSIUM FERT NUTR	POUND	107.000				
25000700		TON	2.000				
25100115	MULCH METHOD 2	ACRE	1.800			<u> </u>	

Page 1 12/28/2004

#### ILLINOIS DEPARTMENT OF TRANSPORTATION SCHEDULE OF PRICES CONTRACT NUMBER -

 State Job # C-99-050-04

 PPS NBR 9-97380-0110

 County Name SALINE- 

 Code 165 - 

 District 9 - 

Project Number

Route

FAP 332

Section Number - DEMOLITION PROJECT FY 05

ltem Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
28000250	TEMP EROS CONTR SEED	POUND	494.000				
35101800	AGG BASE CSE B 6	SQ YD	2,809.000				
44000200	DRIVE PAVEMENT REM	SQ YD	3,945.000				
67100100	MOBILIZATION	L SUM	1.000				

Page 2 12/28/2004 CONTRACT NUMBER

98891

THIS IS THE TOTAL BID \$

NOTES:

- 1. Each PAY ITEM should have a UNIT PRICE and a TOTAL PRICE.
- 2. The UNIT PRICE shall govern if no TOTAL PRICE is shown or if there is a discrepancy between the product of the UNIT PRICE multiplied by the QUANTITY.
- 3. If a UNIT PRICE is omitted, the TOTAL PRICE will be divided by the QUANTITY in order to establish a UNIT PRICE.
- 4. A bid may be declared UNACCEPTABLE if neither a unit price nor a total price is shown.

#### STATE REQUIRED ETHICAL STANDARDS GOVERNING CONTRACT PROCUREMENT: ASSURANCES, CERTIFICATIONS AND DISCLOSURES

#### I. GENERAL

**A.** Article 50 of the Illinois Procurement Code establishes the duty of all State chief procurement officers, State purchasing officers, and their designees to maximize the value of the expenditure of public moneys in procuring goods, services, and contracts for the State of Illinois and to act in a manner that maintains the integrity and public trust of State government. In discharging this duty, they are charged by law to use all available information, reasonable efforts, and reasonable actions to protect, safeguard, and maintain the procurement process of the State of Illinois.

**B.** In order to comply with the provisions of Article 50 and to carry out the duty established therein, all bidders are to adhere to ethical standards established for the procurement process, and to make such assurances, disclosures and certifications required by law. By execution of the Proposal Signature Sheet, the bidder indicates that each of the mandated assurances has been read and understood, that each certification is made and understood, and that each disclosure requirement has been understood and completed.

**C.** In addition to all other remedies provided by law, failure to comply with any assurance, failure to make any disclosure or the making of a false certification shall be grounds for termination of the contract and the suspension or debarment of the bidder.

#### **II. ASSURANCES**

**A.** The assurances hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder. The Department may terminate the contract if it is later determined that the bidder rendered a false or erroneous assurance, and the surety providing the performance bond shall be responsible for the completion of the contract.

#### B. Felons

1. The Illinois Procurement Code provides:

Section 50-10. Felons. Unless otherwise provided, no person or business convicted of a felony shall do business with the State of Illinois or any state agency from the date of conviction until 5 years after the date of completion of the sentence for that felony, unless no person held responsible by a prosecutorial office for the facts upon which the conviction was based continues to have any involvement with the business.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-10.

#### C. Conflicts of Interest

1. The Illinois Procurement Code provides in pertinent part:

Section 50-13. Conflicts of Interest.

(a) Prohibition. It is unlawful for any person holding an elective office in this State, holding a seat in the General Assembly, or appointed to or employed in any of the offices or agencies of state government and who receives compensation for such employment in excess of 60% of the salary of the Governor of the State of Illinois, or who is an officer or employee of the Capital Development Board or the Illinois Toll Highway Authority, or who is the spouse or minor child of any such person to have or acquire any contract, or any direct pecuniary interest in any contract therein, whether for stationery, printing, paper, or any services, materials, or supplies, that will be wholly or partially satisfied by the payment of funds appropriated by the General Assembly of the State of Illinois or in any contract of the Capital Development Board or the Illinois Toll Highway authority.

(b) Interests. It is unlawful for any firm, partnership, association or corporation, in which any person listed in subsection (a) is entitled to receive (i) more than 7 1/2% of the total distributable income or (ii) an amount in excess of the salary of the Governor, to have or acquire any such contract or direct pecuniary interest therein.

(c) Combined interests. It is unlawful for any firm, partnership, association, or corporation, in which any person listed in subsection (a) together with his or her spouse or minor children is entitled to receive (i) more than 15%, in the aggregate, of the total distributable income or (ii) an amount in excess of 2 times the salary of the Governor, to have or acquire any such contract or direct pecuniary interest therein.

(d) Securities. Nothing in this Section invalidates the provisions of any bond or other security previously offered or to be offered for sale or sold by or for the State of Illinois.

(e) Prior interests. This Section does not affect the validity of any contract made between the State and an officer or employee of the State or member of the General Assembly, his or her spouse, minor child or any combination of those persons if that contract was in existence before his or her election or employment as an officer, member, or employee. The contract is voidable, however, if it cannot be completed within 365 days after the officer, member, or employee takes office or is employed.

The current salary of the Governor is \$150,700.00. Sixty percent of the salary is \$90,420.00.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-13, or that an effective exemption has been issued by the Board of Ethics to any individual subject to the Section 50-13 prohibitions pursuant to the provisions of Section 50-20 of the Code and Executive Order Number 3 (1998). Information concerning the exemption process is available from the Department upon request.

#### D. Negotiations

1. The Illinois Procurement Code provides in pertinent part:

Section 50-15. Negotiations.

(a) It is unlawful for any person employed in or on a continual contractual relationship with any of the offices or agencies of State government to participate in contract negotiations on behalf of that office or agency with any firm, partnership, association, or corporation with whom that person has a contract for future employment or is negotiating concerning possible future employment.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-15, and that the bidder has no knowledge of any facts relevant to the kinds of acts prohibited therein.

#### E. Inducements

1. The Illinois Procurement Code provides:

Section 50-25. Inducement. Any person who offers or pays any money or other valuable thing to any person to induce him or her not to bid for a State contract or as recompense for not having bid on a State contract is guilty of a Class 4 felony. Any person who accepts any money or other valuable thing for not bidding for a State contract or who withholds a bid in consideration of the promise for the payment of money or other valuable thing is guilty of a Class 4 felony.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-25, and that the bidder has no knowledge of any facts relevant to the kinds of acts prohibited therein.

#### F. Revolving Door Prohibition

1. The Illinois Procurement Code provides:

Section 50-30. Revolving door prohibition. Chief procurement officers, associate procurement officers, State purchasing officers, their designees whose principal duties are directly related to State procurement, and executive officers confirmed by the Senate are expressly prohibited for a period of 2 years after terminating an affected position from engaging in any procurement activity relating to the State agency most recently employing them in an affected position for a period of at least 6 months. The prohibition includes, but is not limited to: lobbying the procurement process; specifying; bidding; proposing bid, proposal, or contract documents; on their own behalf or on behalf of any firm, partnership, association, or corporation. This Section applies only to persons who terminate an affected position on or after January 15, 1999.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-30, and that the bidder has no knowledge of any facts relevant to the kinds of acts prohibited therein.

#### G. Reporting Anticompetitive Practices

1. The Illinois Procurement Code provides:

Section 50-40. Reporting anticompetitive practices. When, for any reason, any vendor, bidder, contractor, chief procurement officer, State purchasing officer, designee, elected official, or State employee suspects collusion or other anticompetitive practice among any bidders, offerors, contractors, proposers, or employees of the State, a notice of the relevant facts shall be transmitted to the Attorney General and the chief procurement officer.

2. The bidder assures the Department that it has not failed to report any relevant facts concerning the practices addressed in Section 50-40 which may involve the contract for which the bid is submitted.

#### H. Confidentiality

#### 1. The Illinois Procurement Code provides:

Section 50-45. Confidentiality. Any chief procurement officer, State purchasing officer, designee, or executive officer who willfully uses or allows the use of specifications, competitive bid documents, proprietary competitive information, proposals, contracts, or selection information to compromise the fairness or integrity of the procurement, bidding, or contract process shall be subject to immediate dismissal, regardless of the Personnel code, any contract, or any collective bargaining agreement, and may in addition be subject to criminal prosecution.

2. The bidder assures the Department that it has no knowledge of any fact relevant to the practices addressed in Section 50-45 which may involve the contract for which the bid is submitted.

#### I. Insider Information

1. The Illinois Procurement Act provides:

Section 50-50. Insider information. It is unlawful for any current or former elected or appointed State official or State employee to knowingly use confidential information available only by virtue of that office or employment for actual or anticipated gain for themselves or another person.

2. The bidder assures the Department that it has no knowledge of any facts relevant to the practices addressed in Section 50-50 which may involve the contract for which the bid is submitted.

#### **III. CERTIFICATIONS**

**A.** The certifications hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder. The Department may terminate the contract if it is later determined that the bidder rendered a false or erroneous certification, and the surety providing the performance bond shall be responsible for completion of the contract.

#### B. Bribery

1. The Illinois Procurement Code provides:

Section 50-5. Bribery.

(a) Prohibition. No person or business shall be awarded a contract or subcontract under this Code who:

(1) has been convicted under the laws of Illinois or any other state of bribery or attempting to bribe an officer or employee of the State of Illinois or any other state in that officer's or employee's official capacity; or

(2) has made an admission of guilt of that conduct that is a matter of record but has not been prosecuted for that conduct.

(b) Businesses. No business shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of the business if the employee or agent is no longer employed by the business and:

(1) the business has been finally adjudicated not guilty; or

(2) the business demonstrates to the governmental entity with which it seeks to contract, and that entity finds that the commission of the offense was not authorized, requested, commanded, or performed by a director, officer, or high managerial agent on behalf of the business as provided in paragraph (2) of subsection (a) of Section 5-4 of the Criminal Code of 1961.

(c) Conduct on behalf of business. For purposes of this Section, when an official, agent, or employee of a business committed the bribery or attempted bribery on behalf of the business and in accordance with the direction or authorization of a responsible official of the business, the business shall be chargeable with the conduct.

(d) Certification. Every bid submitted to and contract executed by the State shall contain a certification by the contractor that the contractor is not barred from being awarded a contract or subcontract under this Section. A contractor who makes a false statement, material to the certification, commits a Class 3 felony.

2. The bidder certifies that it is not barred from being awarded a contract under Section 50.5.

#### C. Educational Loan

1. Section 3 of the Educational Loan Default Act provides:

§ 3. No State agency shall contract with an individual for goods or services if that individual is in default, as defined in Section 2 of this Act, on an educational loan. Any contract used by any State agency shall include a statement certifying that the individual is not in default on an educational loan as provided in this Section.

2. The bidder, if an individual as opposed to a corporation, partnership or other form of business organization, certifies that the bidder is not in default on an educational loan as provided in Section 3 of the Act.

#### D. Bid-Rigging/Bid Rotating

1. Section 33E-11 of the Criminal Code of 1961 provides:

§ 33E-11. (a) Every bid submitted to and public contract executed pursuant to such bid by the State or a unit of local government shall contain a certification by the prime contractor that the prime contractor is not barred from contracting with any unit of State or local government as a result of a violation of either Section 33E-3 or 33E-4 of this Article. The State and units of local government shall provide the appropriate forms for such certification.

(b) A contractor who makes a false statement, material to the certification, commits a Class 3 felony.

A violation of Section 33E-3 would be represented by a conviction of the crime of bid-rigging which, in addition to Class 3 felony sentencing, provides that any person convicted of this offense or any similar offense of any state or the United States which contains the same elements as this offense shall be barred for 5 years from the date of conviction from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation and: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract and that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent in behalf of the corporation.

A violation of Section 33E-4 would be represented by a conviction of the crime of bid-rotating which, in addition to Class 2 felony sentencing, provides that any person convicted of this offense or any similar offense of any state or the United States which contains the same elements as this offense shall be permanently barred from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation and: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract and that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent in behalf of the corporation.

2. The bidder certifies that it is not barred from contracting with the Department by reason of a violation of either Section 33E-3 or Section 33E-4.

#### E. International Anti-Boycott

1. Section 5 of the International Anti-Boycott Certification Act provides:

§ 5. State contracts. Every contract entered into by the State of Illinois for the manufacture, furnishing, or purchasing of supplies, material, or equipment or for the furnishing of work, labor, or services, in an amount exceeding the threshold for small purchases according to the purchasing laws of this State or \$10,000.00, whichever is less, shall contain certification, as a material condition of the contract, by which the contractor agrees that neither the contractor nor any substantially-owned affiliated company is participating or shall participate in an international boycott in violation of the provisions of the U.S. Export Administration Act of 1979 or the regulations of the U.S. Department of Commerce promulgated under that Act.

2. The bidder makes the certification set forth in Section 5 of the Act.

#### F. Drug Free Workplace

1. The Illinois "Drug Free Workplace Act" applies to this contract and it is necessary to comply with the provisions of the "Act" if the contractor is a corporation, partnership, or other entity (including a sole proprietorship) which has 25 or more employees.

2. The bidder certifies that if awarded a contract in excess of \$5,000 it will provide a drug free workplace by:

(a) Publishing a statement notifying employees that the unlawful manufacture, distribution, dispensation, possession or use of a controlled substance, including cannabis, is prohibited in the contractor's workplace; specifying the actions that will be taken against employees for violations of such prohibition; and notifying the employee that, as a condition of employment on such contract, the employee shall abide by the terms of the statement, and notify the employer of any criminal drug statute conviction for a violation occurring in the workplace no later than five (5) days after such conviction.

(b) Establishing a drug free awareness program to inform employees about the dangers of drug abuse in the workplace; the contractor's policy of maintaining a drug free workplace; any available drug counseling, rehabilitation, and employee assistance programs; and the penalties that may be imposed upon employees for drug violations.

(c) Providing a copy of the statement required by subparagraph (1) to each employee engaged in the performance of the contract and to post the statement in a prominent place in the workplace.

(d) Notifying the Department within ten (10) days after receiving notice from an employee or otherwise receiving actual notice of the conviction of an employee for a violation of any criminal drug statute occurring in the workplace.

(e) Imposing or requiring, within 30 days after receiving notice from an employee of a conviction or actual notice of such a conviction, an appropriate personnel action, up to and including termination, or the satisfactory participation in a drug abuse assistance or rehabilitation program approved by a federal, state or local health, law enforcement or other appropriate agency.

(f) Assisting employees in selecting a course of action in the event drug counseling, treatment, and rehabilitation is required and indicating that a trained referral team is in place.

(g) Making a good faith effort to continue to maintain a drug free workplace through implementation of the actions and efforts stated in this certification.

#### G. Debt Delinquency

1. The Illinois Procurement Code provides:

Section 50-11 and 50-12. Debt Delinquency.

The contractor or bidder certifies that it, or any affiliate, is not barred from being awarded a contract under 30 ILCS 500. Section 50-11 prohibits a person from entering into a contract with a State agency if it knows or should know that it, or any affiliate, is delinquent in the payment of any debt to the State as defined by the Debt Collection Board. Section 50-12 prohibits a person from entering into a contract with a State agency if it, or any affiliate, has failed to collect and remit Illinois Use Tax on all sales of tangible personal property into the State of Illinois in accordance with the provisions of the Illinois Use Tax Act. The contractor further acknowledges that the contracting State agency may declare the contract void if this certification is false or if the contractor, or any affiliate, is determined to be delinquent in the payment of any debt to the State during the term of the contract.

#### H. Sarbanes-Oxley Act of 2002

1. The Illinois Procurement Code provides:

Section 50-60(c).

The contractor certifies in accordance with 30 ILCS 500/50-10.5 that no officer, director, partner or other managerial agent of the contracting business has been convicted of a felony under the Sarbanes-Oxley Act of 2002 or a Class 3 or Class 2 felony under the Illinois Securities Law of 1953 for a period of five years prior to the date of the bid or contract. The contractor acknowledges that the contracting agency shall declare the contract void if this certification is false.

#### I. ADDENDA

The contractor or bidder certifies that all relevant addenda have been incorporated in to this contract. Failure to do so may cause the bid to be declared unacceptable.

#### J. Section 42 of the Environmental Protection Act

The contractor certifies in accordance with 30 ILCS 500/50-12 that the bidder or contractor is not barred from being awarded a contract under this Section which prohibits the bidding on or entering into contracts with the State of Illinois or a State agency by a person or business found by a court or the Pollution Control Board to have committed a willful or knowing violation of Section 42 of the Environmental Protection Act for a period of five years from the date of the order. The contractor acknowledges that the contracting agency may declare the contract void if this certification is false.

#### K. Apprenticeship and Training Certification (Does not apply to federal aid projects)

In accordance with the provisions of Section 30-22 (6) of the Illinois Procurement Code, the bidder certifies that it is a participant, either as an individual or as part of a group program, in the approved apprenticeship and training programs applicable to each type of work or craft that the bidder will perform with its own forces. The bidder further certifies for work that will be performed by subcontract that each of its subcontractors submitted for approval either (a) is, at the time of such bid, participating in an approved, applicable apprenticeship and training program; or (b) will, prior to commencement of performance of work pursuant to this contract, begin participation in an approved apprenticeship and training program applicable to the work of the subcontract. The Department, at any time before or after award, may require the production of a copy of each applicable Certificate of Registration issued by the United States Department of Labor evidencing such participation by the contractors. Unless otherwise directed in writing by the Department, applicable apprenticeship and training programs are those that have been approved and registered with the United States Department of Labor. The bidder shall list in the space below, the official name of the program sponsor holding the Certificate of Registration for all of the types of work or crafts in which the bidder is a participant and that will be performed with the bidder's forces. Types of work or craft work that will be subcontracted may be indicated as to be subcontracted.

The requirements of this certification and disclosure are a material part of the contract, and the contractor shall require this certification provision to be included in all approved subcontracts. In order to fulfill this requirement, it shall not be necessary that an applicable program sponsor be currently taking or that it will take applications for apprenticeship, training or employment during the performance of the work of this contract.

#### TO BE RETURNED WITH BID

#### **IV. DISCLOSURES**

**A.** The disclosures hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder. The Department may terminate the contract if it is later determined that the bidder rendered a false or erroneous disclosure, and the surety providing the performance bond shall be responsible for completion of the contract.

#### B. Financial Interests and Conflicts of Interest

1. Section 50-35 of the Illinois Procurement Code provides that all bids of more than \$10,000 shall be accompanied by disclosure of the financial interests of the bidder. This disclosed information for the successful bidder, will be maintained as public information subject to release by request pursuant to the Freedom of Information Act.

The financial interests to be disclosed shall include ownership or distributive income share that is in excess of 5%, or an amount greater than 60% of the annual salary of the Governor, of the bidding entity or its parent entity, whichever is less, unless the contractor or bidder is a publicly traded entity subject to Federal 10K reporting, in which case it may submit its 10K disclosure in place of the prescribed disclosure. If a bidder is a privately held entity that is exempt from Federal 10K reporting, but has more than 400 shareholders, it may submit the information that Federal 10K companies are required to report, and list the names of any person or entity holding any ownership share that is in excess of 5%. The disclosure shall include the names, addresses, and dollar or proportionate share of ownership of each person making the disclosure, their instrument of ownership or beneficial relationship, and notice of any potential conflict of interest resulting from the current ownership or beneficial interest of each person making the disclosure having any of the relationships identified in Section 50-35 and on the disclosure form.

In addition, all disclosures shall indicate any other current or pending contracts, proposals, leases, or other ongoing procurement relationships the bidding entity has with any other unit of state government and shall clearly identify the unit and the contract, proposal, lease, or other relationship.

2. <u>Disclosure Forms</u>. Disclosure Form A is attached for use concerning the individuals meeting the above ownership or distributive share requirements. Subject individuals should be covered each by one form. In addition, a second form (Disclosure Form B) provides for the disclosure of current or pending procurement relationships with other (non-IDOT) state agencies. **The forms must be included with each bid or incorporated by reference.** 

#### C. Disclosure Form Instructions

#### Form A: For bidders that have previously submitted the information requested in Form A

The Department has retained the Form A disclosures submitted by all bidders responding to these requirements for the April 24, 1998 or any subsequent letting conducted by the Department. The bidder has the option of submitting the information again or the bidder may sign the following certification statement indicating that the information previously submitted by the bidder is, as of the date of signature, current and accurate. The Certification must be signed and dated by a person who is authorized to execute contracts for the bidding company. Before signing this certification, the bidder should carefully review its prior submissions to ensure the Certification is correct. If the Bidder signs the Certification, the Bidder should proceed to Form B instructions.

#### **CERTIFICATION STATEMENT**

I have determined that the Form A disclosure information previously submitted is current and accurate, and all forms are hereby incorporated by reference in this bid. Any necessary additional forms or amendments to previously submitted forms are attached to this bid.

(Bidding Company)

Name of Authorized Representative (type or print)

Title of Authorized Representative (type or print)

Signature of Authorized Representative

Date

#### Form A: For bidders who have NOT previously submitted the information requested in Form A

If the bidder is a publicly traded entity subject to Federal 10K reporting, the 10K Report may be submitted to meet the requirements of Form A. If a bidder is a privately held entity that is exempt from Federal 10K reporting, but has more than 400 shareholders, it may submit the information that Federal 10K companies are required to report, and list the names of any person or entity holding any ownership share that is in excess of 5%. If a bidder is not subject to Federal 10K reporting, the bidder must determine if any individuals are required by law to complete a financial disclosure form. To do this, the bidder should answer each of the following questions. A "YES" answer indicates Form A must be completed. If the answer to each of the following questions is "NO", then the <u>NOT APPLICABLE STATEMENT</u> on the second page of Form A must be signed and dated by a person that is authorized to execute contracts for the bidding company. Note: These questions are for assistance only and are not required to be completed.

- 1. Does anyone in your organization have a direct or beneficial ownership share of greater than 5% of the bidding entity or parent entity? YES \_\_\_ NO
- Does anyone in your organization have a direct or beneficial ownership share of less than 5%, but which has a value greater than \$90,420.00? YES \_\_\_\_ NO\_\_\_\_
- Does anyone in your organization receive more than \$90,420.00 of the bidding entity's or parent entity's distributive income? (Note: Distributive income is, for these purposes, any type of distribution of profits. An annual salary is not distributive income.) YES \_\_\_\_ NO \_\_\_
- 4. Does anyone in your organization receive greater than 5% of the bidding entity's or parent entity's total distributive income, but which is less than \$90,420.00? YES \_\_\_\_ NO \_\_\_

(Note: Only one set of forms needs to be completed <u>per person per bid</u> even if a specific individual would require a yes answer to more than one question.)

A "YES" answer to any of these questions requires the completion of Form A. The bidder must determine each individual in the bidding entity or the bidding entity's parent company that would cause the questions to be answered "Yes". Each form must be signed and dated by a person that is authorized to execute contracts for your organization. **Photocopied or stamped signatures are not acceptable**. The person signing can be, but does not have to be, the person for which the form is being completed. The bidder is responsible for the accuracy of any information provided.

If the answer to each of the above questions is "NO", then the <u>NOT APPLICABLE STATEMENT</u> on page 2 of Form A must be signed and dated by a person that is authorized to execute contracts for your company.

Form B: Identifying Other Contracts & Procurement Related Information Disclosure Form B must be completed for each bid submitted by the bidding entity. It must be signed by an individual who is authorized to execute contracts for the bidding entity. Note: Signing the <u>NOT</u> <u>APPLICABLE STATEMENT</u> on Form A <u>does not</u> allow the bidder to ignore Form B. Form B must be completed, signed and dated or the bidder may be considered nonresponsive and the bid will not be accepted.

The Bidder shall identify, by checking Yes or No on Form B, whether it has any pending contracts (including leases), bids, proposals, or other ongoing procurement relationship with any other (non-IDOT) State of Illinois agency. If "No" is checked, the bidder only needs to complete the signature box on the bottom of Form B. If "Yes" is checked, the bidder must do one of the following:

Option I: If the bidder did not submit an Affidavit of Availability to obtain authorization to bid, the bidder must list all non-IDOT State of Illinois agency pending contracts, leases, bids, proposals, and other ongoing procurement relationships. These items may be listed on Form B or on an attached sheet(s). Do not include IDOT contracts. Contracts with cities, counties, villages, etc. are not considered State of Illinois agency contracts and are not to be included. Contracts with other State of Illinois agencies such as the Department of Natural Resources or the Capital Development Board must be included. Bidders who submit Affidavits of Availability are suggested to use Option II.

Option II: If the bidder is required and has submitted an Affidavit of Availability in order to obtain authorization to bid, the bidder may write or type "See Affidavit of Availability" which indicates that the Affidavit of Availability is incorporated by reference and includes all non-IDOT State of Illinois agency pending contracts, leases, bids, proposals, and other ongoing procurement relationships. For any contracts that are not covered by the Affidavit of Availability, the bidder must identify them on Form B or on an attached sheet(s). These might be such things as leases.

#### D. Bidders Submitting More Than One Bid

Bidders submitting multiple bids may submit one set of forms consisting of all required Form A disclosures and one Form B for use with all bids. Please indicate in the space provided below the bid item that contains the original disclosure forms and the bid items which incorporate the forms by reference.

The bid submitted for letting item \_\_\_\_\_ contains the Form A disclosures or Certification Statement and the Form B disclosures. The following letting items incorporate the said forms by reference:

#### **RETURN WITH BID/OFFER**

# ILLINOIS DEPARTMENT OF TRANSPORTATION

### Form A Financial Information & Potential Conflicts of Interest Disclosure

Contractor Name		
Legal Address		
City, State, Zip		
Telephone Number	Email Address	Fax Number (if available)
(30 ILCS 500). Vendors desiring t and potential conflict of interest inf the publicly available contract file.	o enter into a contract with the Sta ormation as specified in this Discl This Form A must be complete ded company may submit a 1	the Section 50-35 of the Illinois Procurement Code ate of Illinois must disclose the financial information osure Form. This information shall become part of d for bids in excess of \$10,000, and for all open- IOK disclosure (or equivalent if applicable) in sure Form Instructions.
	DISCLOSURE OF FINANCIAL	
terms of ownership or distributive \$90,420.00 (60% of the Governor	income share in excess of 5%, or	elow has an interest in the BIDDER (or its parent) in an interest which has a value of more than bies of this form as necessary and attach a requirements)
FOR INDIVIDUAL (type or prin		
NAME:		
ADDRESS		
Type of ownership/distribu	table income share:	
stock sole pro % or \$ value of ownership/dis	pprietorship Partnersh stributable income share:	hip other: (explain on separate sheet):

**2. Disclosure of Potential Conflicts of Interest.** Check "Yes" or "No" to indicate which, if any, of the following potential conflict of interest relationships apply. If the answer to any question is "Yes", please attach additional pages and describe.

(a) State employment, currently or in the previous 3 years, including contractual employment of services. Yes \_\_\_No \_\_\_

If your answer is yes, please answer each of the following questions.

- 1. Are you currently an officer or employee of either the Capitol Development Board or the Illinois Toll Highway Authority? Yes \_\_\_\_No \_\_\_
- Are you currently appointed to or employed by any agency of the State of Illinois? If you are currently appointed to or employed by any agency of the State of Illinois, and your annual salary exceeds \$90,420.00, (60% of the Governor's salary as of 7/1/01) provide the name the State agency for which you are employed and your annual salary.

#### **RETURN WITH BID/OFFER**

- If you are currently appointed to or employed by any agency of the State of Illinois, and your annual salary exceeds \$90,420.00, (60% of the Governor's salary as of 7/1/01) are you entitled to receive (i) more than 7 1/2% of the total distributable income of your firm, partnership, association or corporation, or (ii) an amount in excess of the salary of the Governor? Yes \_\_\_\_No \_\_\_
- 4. If you are currently appointed to or employed by any agency of the State of Illinois, and your annual salary exceeds \$90,420.00, (60% of the Governor's salary as of 7/1/01) are you and your spouse or minor children entitled to receive (i) more than 15 % in the aggregate of the total distributable income of your firm, partnership, association or corporation, or (ii) an amount in excess of 2 times the salary of the Governor? Yes \_\_\_\_No \_\_
- (b) State employment of spouse, father, mother, son, or daughter, including contractual employment services in the previous 2 years.

Yes <u>No</u>

- If your answer is yes, please answer each of the following questions.
  - 1. Is your spouse or any minor children currently an officer or employee of the Capitol Development Board or the Illinois Toll Highway Authority? Yes \_\_\_\_No \_\_\_
  - 2. Is your spouse or any minor children currently appointed to or employed by any agency of the State of Illinois? If your spouse or minor children is/are currently appointed to or employed by any agency of the State of Illinois, and his/her annual salary exceeds \$90,420.00, (60 % of the Governor's salary as of 7/1/01) provide the name of your spouse and/or minor children, the name of the State agency for which he/she is employed and his/her annual salary.
  - 3. If your spouse or any minor children is/are currently appointed to or employed by any agency of the State of Illinois, and his/her annual salary exceeds \$90,420.00, (60% of the salary of the Governor as of 7/1/01) are you entitled to receive (i) more then 71/2% of the total distributable income of your firm, partnership, association or corporation, or (ii) an amount in excess of the salary of the Governor? Yes No
  - 4. If your spouse or any minor children are currently appointed to or employed by any agency of the State of Illinois, and his/her annual salary exceeds \$90,420.00, (60% of the Governor's salary as of 7/1/01) are you and your spouse or minor children entitled to receive (i) more than 15% in the aggregate of the total distributable income of your firm, partnership, association or corporation, or (ii) an amount in excess of 2 times the salary of the Governor?

Yes <u>No</u>

(c) Elective status; the holding of elective office of the State of Illinois, the government of the United States, any unit of local government authorized by the Constitution of the State of Illinois or the statutes of the State of Illinois currently or in the previous 3 years.
Yes \_\_\_\_No \_\_\_

(d) Relationship to anyone holding elective office currently or in the previous 2 years; spouse, father, mother, son, or daughter. Yes \_\_\_\_No \_\_\_

(e) Appointive office; the holding of any appointive government office of the State of Illinois, the United States of America, or any unit of local government authorized by the Constitution of the State of Illinois or the statutes of the State of Illinois, which office entitles the holder to compensation in excess of the expenses incurred in the discharge of that office currently or in the previous 3 years. Yes \_\_\_\_No \_\_\_

(f) Relationship to anyone holding appointive office currently or in the previous 2 years; spouse, father, mother, son, or daughter. Yes \_\_\_\_No \_\_\_

(g) Employment, currently or in the previous 3 years, as or by any registered lobbyist of the State government. Yes \_\_\_No \_\_\_



#### **RETURN WITH BID/OFFER**

- (h) Relationship to anyone who is or was a registered lobbyist in the previous 2 years; spouse, father, mother, son, or daughter. Yes \_\_\_\_No \_\_\_
- (i) Compensated employment, currently or in the previous 3 years, by any registered election or reelection committee registered with the Secretary of State or any county clerk of the State of Illinois, or any political action committee registered with either the Secretary of State or the Federal Board of Elections. Yes No
- (j) Relationship to anyone; spouse, father, mother, son, or daughter; who was a compensated employee in the last 2 years by any registered election or re-election committee registered with the Secretary of State or any county clerk of the State of Illinois, or any political action committee registered with either the Secretary of State or the Federal Board of Elections.

Yes No

## APPLICABLE STATEMENT This Disclosure Form A is submitted on behalf of the INDIVIDUAL named on previous page. Completed by: Name of Authorized Representative (type or print) Completed by: Title of Authorized Representative (type or print) Completed by: Signature of Individual or Authorized Representative Date NOT APPLICABLE STATEMENT I have determined that no individuals associated with this organization meet the criteria that would require the completion of this Form A. This Disclosure Form A is submitted on behalf of the CONTRACTOR listed on the previous page. Name of Authorized Representative (type or print) Title of Authorized Representative (type or print) Signature of Authorized Representative Date

## ILLINOIS DEPARTMENT OF TRANSPORTATION

### Form B Other Contracts & Procurement Related Information Disclosure

Contractor Name		
Legal Address		
City State Zin		
City, State, Zip		
Telephone Number	Email Address	Fax Number (if available)

Disclosure of the information contained in this Form is required by the Section 50-35 of the Illinois Procurement Act (30 ILCS 500). This information shall become part of the publicly available contract file. This Form B must be completed for bids in excess of \$10,000, and for all open-ended contracts.

#### DISCLOSURE OF OTHER CONTRACTS AND PROCUREMENT RELATED INFORMATION

1. Identifying Other Contracts & Procurement Related Information. The BIDDER shall identify whether it has any pending contracts (including leases), bids, proposals, or other ongoing procurement relationship with any other State of Illinois agency: Yes No

If "No" is checked, the bidder only needs to complete the signature box on the bottom of this page.

**2.** If "Yes" is checked. Identify each such relationship by showing State of Illinois agency name and other descriptive information such as bid or project number (attach additional pages as necessary). SEE DISCLOSURE FORM INSTRUCTIONS:

#### THE FOLLOWING STATEMENT MUST BE SIGNED

Name of Authorized Representative (type or print)	
 Title of Authorized Representative (type or print)	
 Signature of Authorized Representative	

#### SPECIAL NOTICE TO CONTRACTORS

The following requirements of the Illinois Department of Human Rights' Rules and Regulations are applicable to bidders on all construction contracts advertised by the Illinois Department of Transportation:

#### **CONSTRUCTION EMPLOYEE UTILIZATION PROJECTION**

- (a) All bidders on construction contracts shall complete and submit, along with and as part of their bids, a Bidder's Employee Utilization Form (Form BC-1256) setting forth a projection and breakdown of the total workforce intended to be hired and/or allocated to such contract work by the bidder including a projection of minority and female employee utilization in all job classifications on the contract project.
- (b) The Department of Transportation shall review the Employee Utilization Form, and workforce projections contained therein, of the contract awardee to determine if such projections reflect an underutilization of minority persons and/or women in any job classification in accordance with the Equal Employment Opportunity Clause and Section 7.2 of the Illinois Department of Human Rights' Rules and Regulations for Public Contracts adopted as amended on September 17, 1980. If it is determined that the contract awardee's projections reflect an underutilization of minority persons and/or women in any job classification, it shall be advised in writing of the manner in which it is underutilizing and such awardee shall be considered to be in breach of the contract unless, prior to commencement of work on the contract project, it submits revised satisfactory projections or an acceptable written affirmative action plan to correct such underutilization including a specific timetable geared to the completion stages of the contract.
- (c) The Department of Transportation shall provide to the Department of Human Rights a copy of the contract awardee's Employee Utilization Form, a copy of any required written affirmative action plan, and any written correspondence related thereto. The Department of Human Rights may review and revise any action taken by the Department of Transportation with respect to these requirements.



#### PART I. IDENTIFICATION

Dept. Human Rights #\_\_\_

\_\_\_\_\_ Duration of Project: \_\_\_

Name of Bidder:

#### PART II. WORKFORCE PROJECTION

A. The undersigned bidder has analyzed minority group and female populations, unemployment rates and availability of workers for the location in which this contract work is to be performed, and for the locations from which the bidder recruits employees, and hereby submits the following workforce projection including a projection for minority and female employee utilization in all job categories in the workforce to be allocated to this contract: TABLE A TABLE B

TOTAL Workforce Projection for Contract									1	(	CURRENT	ΕN	IPLOYEE	S						
		MINORITY EMPLOYEES														SIGNED				
	то	<b>T</b> A1												тс		ONTRACT MINORITY				
JOB CATEGORIES		TAL OYEES	Ы	ACK	HISP			THER NOR.	APPF TIC			HE JOB INEES			DTAL OYEES		EMPLO			
CATEGORIES		F	M	F	M	F	M	F	M	F	M	F		M	F		M	F		
OFFICIALS	IVI	Г	IVI	Г	IVI	Г	IVI	Г	IVI	Г	IVI	Г		IVI	Г		IVI	Г		
(MANAGERS)																				
(																				
SUPERVISORS																				
FORENEN																				
FOREMEN																				
CLERICAL																				
EQUIPMENT																				
OPERATORS																				
MECHANICS	-					-														
TRUCK DRIVERS																				
																1				
IRONWORKERS																				
CARPENTERS																				
OANI ENTERO																				
CEMENT MASONS																				
ELECTRICIANS PIPEFITTERS,																				
PLUMBERS																				
PAINTERS																				
LABORERS, SEMI-SKILLED																				
LABORERS, UNSKILLED													1			1				
UNONILLED													1							
TOTAL																				

#### TABLE C

TOTAL Training Projection for Contract								
EMPLOYEES IN		TAL DYEES	BLA	К	HISP	ANIC		HER NOR.
TRAINING	M	F	Μ	F	M	F	М	F
APPRENTICES								
ON THE JOB TRAINEES								

\*Other minorities are defined as Asians (A) or Native Americans (N).

Please specify race of each employee shown in Other Minorities column.

Note: See instructions on the next page

FOR DEPARTMENT USE ONLY

BC 1256 - Pg 1 (Rev. 3/98) IL 494-0454

#### PART II. WORKFORCE PROJECTION - continued

B. Included in "Total Employees" under Table A is the total number of new hires that would be employed in the event the undersigned bidder is awarded this contract.

The undersigned bidder projects that: (number) \_\_\_\_ \_\_\_\_ new hires would be recruited from the area in which the contract project is located; and/or (number) new hires would be recruited from the area in which the bidder's principal office or base of operation is located.

C. Included in "Total Employees" under Table A is a projection of numbers of persons to be employed directly by the undersigned bidder as well as a projection of numbers of persons to be employed by subcontractors.

The undersigned bidder estimates that (number) persons will be directly employed by the prime contractor and that (number) \_\_\_\_\_\_ persons will be employed by subcontractors.

#### PART III. AFFIRMATIVE ACTION PLAN

- A. The undersigned bidder understands and agrees that in the event the foregoing minority and female employee utilization projection included under PART II is determined to be an underutilization of minority persons or women in any job category, and in the event that the undersigned bidder is awarded this contract, he/she will, prior to commencement of work, develop and submit a written Affirmative Action Plan including a specific timetable (geared to the completion stages of the contract) whereby deficiencies in minority and/or female employee utilization are corrected. Such Affirmative Action Plan will be subject to approval by the contracting agency and the Department of Human Rights.
- B. The undersigned bidder understands and agrees that the minority and female employee utilization projection submitted herein, and the goals and timetable included under an Affirmative Action Plan if required, are deemed to be part of the contract specifications.

Company \_\_\_\_\_

Address

#### NOTICE REGARDING SIGNATURE

The Bidder's signature on the Proposal Signature Sheet will constitute the signing of this form. The following signature block needs to be completed only if revisions are required.

Signature: \_\_\_

\_\_\_\_\_ Title: \_\_\_\_\_ Date: \_\_\_\_\_

Telephone Number \_\_\_\_\_

All tables must include subcontractor personnel in addition to prime contractor personnel. Instructions:

- Table A -Include both the number of employees that would be hired to perform the contract work and the total number currently employed (Table B) that will be allocated to contract work, and include all apprentices and on-the-job trainees. The "Total Employees" column should include all employees including all minorities, apprentices and on-the-job trainees to be employed on the contract work.
- Include all employees currently employed that will be allocated to the contract work including any apprentices and on-the-job trainees Table B currently employed.
- Table C -Indicate the racial breakdown of the total apprentices and on-the-job trainees shown in Table A.

BC-1256-Pg. 2 (Rev. 3/98)

#### PROPOSAL SIGNATURE SHEET

The undersigned bidder hereby makes and submits this bid on the subject Proposal, thereby assuring the Department that all requirements of the Invitation for Bids and rules of the Department have been met, that there is no misunderstanding of the requirements of paragraph 3 of this Proposal, and that the contract will be executed in accordance with the rules of the Department if an award is made on this bid.

	Firm Name	
(IF AN INDIVIDUAL)		
	Firm Name	
(IF A CO-PARTNERSHIP)		
		Name and Address of All Members of the Firm:
_		
-		
	Corporate Name	
	Ву	Signature of Authorized Representative
		Typed or printed name and title of Authorized Representative
(IF A CORPORATION)		
(IF A JOINT VENTURE, USE THIS SECTION FOR THE MANAGING PARTY AND THE		Signature
SECOND PARTY SHOULD SIGN BELOW)	Business Address	
	Бу	Signature of Authorized Representative
(IF A JOINT VENTURE)		Typed or printed name and title of Authorized Representative
	Attest	Signature
	Business Address	· · · · ·
	Dusiness Audiess	
If more than two parties are in the joint venture	<ol> <li>please attach an ac</li> </ol>	dditional signature sheet.



**Division of Highways Proposal Bid Bond** (Effective November 1, 1992)

Item No.

Letting Date

KNOW ALL MEN BY THESE PRESENTS, That We

as PRINCIPAL, and

as SURETY, are

held jointly, severally and firmly bound unto the STATE OF ILLINOIS in the penal sum of 5 percent of the total bid price, or for the amount specified in Article 102.09 of the "Standard Specifications for Road and Bridge Construction" in effect on the date of invitation for bids, whichever is the lesser sum, well and truly to be paid unto said STATE OF ILLINOIS, for the payment of which we bind ourselves, our heirs, executors, administrators, successors and assigns.

THE CONDITION OF THE FOREGOING OBLIGATION IS SUCH, That Whereas, the PRINCIPAL has submitted a bid proposal to the STATE OF ILLINOIS, acting through the Department of Transportation, for the improvement designated by the Transportation Bulletin Item Number and Letting Date indicated above.

NOW, THEREFORE, if the Department shall accept the bid proposal of the PRINCIPAL; and if the PRINCIPAL shall, within the time and as specified in the bidding and contract documents, submit a DBE Utilization Plan that is accepted and approved by the Department; and if, after award by the Department, the PRINCIPAL shall enter into a contract in accordance with the terms of the bidding and contract documents including evidence of the required insurance coverages and providing such bond as specified with good and sufficient surety for the faithful performance of such contract and for the prompt payment of labor and material furnished in the prosecution thereof; or if, in the event of the failure of the PRINCIPAL to make the required DBE submission or to enter into such contract and to give the specified bond, the PRINCIPAL pays to the Department the difference not to exceed the penalty hereof between the amount specified in the bid proposal and such larger amount for which the Department may contract with another party to perform the work covered by said bid proposal, then this obligation shall be null and void, otherwise, it shall remain in full force and effect.

IN THE EVENT the Department determines the PRINCIPAL has failed to comply with any requirement as set forth in the preceding paragraph, then Surety shall pay the penal sum to the Department within fifteen (15) days of written demand therefor. If Surety does not make full payment within such period of time, the Department may bring an action to collect the amount owed. Surety is liable to the Department for all its expenses, including attorney's fees, incurred in any litigation in which it prevails either in whole or in part.

In TESTIMONY WHEREOF, the said PRINCIPAL and the said SURETY have caused this instrument to be signed by their respective officers this \_\_\_\_ \_\_\_\_\_ day of \_\_\_\_\_\_ A.D., \_\_\_\_\_

PRINCIPAL	SURETY
(Company Name)	(Company Name)
By:	By:
(Signature & Title)	(Signature of Attorney-in-Fact)
STATE OF ILLINOIS, COUNTY OF	Notary Certification for Principal and Surety
I,	, a Notary Public in and for said County, do hereby certify that
	and
(Insert names	s of individuals signing on behalf of PRINCIPAL & SURETY)
	same persons whose names are subscribed to the foregoing instrument on behalf of this day in person and acknowledged respectively, that they signed and delivered said uses and purposes therein set forth.
Given under my hand and notarial seal this	day of, A.D
My commission expires	

In lieu of completing the above section of the Proposal Bid Form, the Principal may file an Electronic Bid Bond. By signing below the Principal is ensuring the identified electronic bid bond has been executed and the Principal and Surety are firmly bound unto the State of Illinois under the conditions of the bid bond as shown above.

Electronic Bid Bond ID#

Signature and Title

# PROPOSAL ENVELOPE



# PROPOSALS

for construction work advertised for bids by the Illinois Department of Transportation

Item No.	Item No.
	Item No.

Submitted By:

ame:	
ddress:	
hone No.	

Bidders should use an IDOT proposal envelope or affix this form to the front of a 10" x 13" envelope for the submittal of bids. If proposals are mailed, they should be enclosed in a second or outer envelope addressed to:

Engineer of Design and Environment - Room 323 Illinois Department of Transportation 2300 South Dirksen Parkway Springfield, Illinois 62764

### **NOTICE**

Individual bids, including Bid Bond and/or supplemental information if required, should be securely stapled.

# **CONTRACTOR OFFICE COPY OF CONTRACT SPECIFICATIONS**

# NOTICE

None of the following material needs to be returned with the bid package unless the special provisions require documentation and/or other information to be submitted.

Contract No. 98891 SALINE County Section DEMOLITION PROJECT FY05 Route FAP 332 District 9 Construction Funds





- 1. TIME AND PLACE OF OPENING BIDS. Sealed proposals for the improvement described herein will be received by the Department of Transportation at the Harry R. Hanley Building, 2300 South Dirksen Parkway, in Springfield, Illinois until 10:00 o'clock a.m., January 21, 2005. All bids will be gathered, sorted, publicly opened and read in the auditorium at the Department of Transportation's Harry R. Hanley Building shortly after the 10:00 a.m. cut off time.
- 2. DESCRIPTION OF WORK. The proposed improvement is identified and advertised for bids in the Invitation for Bids as:

Demolition of 5 buildings along U.S. Route 45 at North Main Street and North Commercial located in Harrisburg.

- 3. INSTRUCTIONS TO BIDDERS. (a) This Notice, the invitation for bids, proposal and letter of award shall, together with all other documents in accordance with Article 101.09 of the Standard Specifications for Road and Bridge Construction, become part of the contract. Bidders are cautioned to read and examine carefully all documents, to make all required inspections, and to inquire or seek explanation of the same prior to submission of a bid.
  - (b) State law, and, if the work is to be paid wholly or in part with Federal-aid funds, Federal law requires the bidder to make various certifications as a part of the proposal and contract. By execution and submission of the proposal, the bidder makes the certification contained therein. A false or fraudulent certification shall, in addition to all other remedies provided by law, be a breach of contract and may result in termination of the contract.
- 4. AWARD CRITERIA AND REJECTION OF BIDS. This contract will be awarded to the lowest responsive and responsible bidder considering conformity with the terms and conditions established by the Department in the rules, Invitation for Bids and contract documents. The issuance of plans and proposal forms for bidding based upon a prequalification rating shall not be the sole determinant of responsibility. The Department reserves the right to determine responsibility at the time of award, to reject any or all proposals, to readvertise the proposed improvement, and to waive technicalities.

By Order of the Illinois Department of Transportation

Timothy W. Martin, Secretary

BD 351 (Rev. 01/2003)

#### INDEX

#### FOR SUPPLEMENTAL SPECIFICATIONS AND RECURRING SPECIAL PROVISIONS

#### Adopted January 1, 2004

This index contains a listing of SUPPLEMENTAL SPECIFICATIONS and frequently used RECURRING SPECIAL PROVISIONS.

# ERRATA Standard Specifications for Road and Bridge Construction (Adopted 1-1-02) (Revised 1-1-04)

#### SUPPLEMENTAL SPECIFICATIONS

Std. Sp	ec. Sec.	age No.
101	Definition of Terms	
105	Control of Work	
205	Embankment	3
251	Mulch	
440	Removal of Existing Pavement and Appurtenances	5
442	Pavement Patching	6
449	Removal and Replacement of Preformed Elastomeric Compression Joint Seal	
501	Removal of Existing Structures	
503	Concrete Structures	
505	Steel Structures	
506	Cleaning and Painting Metal Structures	13
508	Reinforcement Bars	14
512	Piling	
540	Box Culverts	
669	Removal and Disposal of Regulated Substances	
671	Mobilization	19
702	Work Zone Traffic Control Devices	
1003	Fine Aggregates	21
1004	Coarse Aggregate	
1020	Portland Cement Concrete	-
1021	Concrete Admixtures	32
1022	Concrete Curing Materials	
1024	Nonshrink Grout	
1056	Preformed Flexible Gaskets and Mastic Joint Sealer for Sewer and Culvert Pipe	
1060	Waterproofing Materials	
1069	Pole and Tower	
1070	Foundation and Breakaway Devices	
1077	Post and Foundation	
1080	Fabric Materials	43
1083	Elastomeric Bearings	
1094	Overhead Sign Structures	47
1103	Portland Cement Concrete Equipment	48

#### **RECURRING SPECIAL PROVISIONS**

The following RECURRING SPECIAL PROVISIONS indicated by an "X" are applicable to this contract and are included by reference:

<ul> <li>State Required Contract Provisions All Federal-aid Construction Contracts (Eff. 2-1-69) (Rev. 10-1-63)</li> <li>SteDel (Eff. 7-21-78) (Rev. 11-18-80)</li> <li>X EEO (Eff. 7-21-78) (Rev. 11-18-80)</li> <li>X Specific Equal Employment Opportunity Responsibilities NonFederal-aid Contracts (Eff. 3-20-69) (Rev. 1-1-94)</li> <li>X Required Provisions - State Contracts (Eff. 4-1-65) (Rev. 4-1-93)</li> <li>Reserved</li> <li>Reserved</li> <li>Rational Pollutant Discharge Elimination System Permit (Eff. 7-1-94) (Rev. 1-1-03)</li> <li>Haul Road Stream Crossings, Other Temporary Stream Crossings, and In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98)</li> <li>Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-02)</li> <li>Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-02)</li> <li>Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-95) (Rev. 1-1-97)</li> <li>Quality Control/Quality Assurance of Bituminous Concrete Mixtures (Eff. 8-1-89) (Rev. 2-1-97)</li> <li>Guality Control/Quality Assurance of Bituminous Concrete Mixtures (Eff. 1-1-00) (Rev. 1-1-04)</li> <li>Bituminous Surface Removal (Cold Milliong) (Eff. 11-1-87) (Rev. 1-1-97)</li> <li>Guality Control/Quality Assurance of Bituminous Concrete Mixtures (Eff. 1-1-04)</li> <li>PCC Parial Depth Bituminous Patching (Eff. 1-1-93) (Rev. 1-1-97)</li> <li>Reserved</li> <li>Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-03)</li> <li>PCC Parial Depth Bituminous Patching (Eff. 1-1-93) (Rev. 1-1-97)</li> <li>Reserved</li> <li>Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-93) (Rev. 1-1-97)</li> <li>Base Protective Shield System (Eff. 4-1-96) (Rev. 1-1-97)</li> <li>Reserved</li> <li>Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-93) (Rev. 1-1-97)</li> <li>Reserved</li> <li>Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-93) (Rev. 1-1-97)</li> <li>Reserved</li> <li>Reserved</li> <li>Reserved</li> <li>Reserved</li> <li>Reserved</li> <li>Reserved</li></ul>	CHEC	PAG	E NO.
2         Subletting of Contracts (Federal-aid Contracts) (Eff. 1-1-88) (Rev. 5-1-93)         51           3         X EEO (Eff. 7-21-78) (Rev. 11-1948)         52           4         X Specific Equal Employment Opportunity Responsibilities NonFederal-aid Contracts (Eff. 3-20-68) (Rev. 1-1-94)         63           5         X Required Provisions - State Contracts (Eff. 4-1-65) (Rev. 4-1-93)         69           6         Reserved         74           7         Asphalt Quantities and Cost Reviews (Eff. 7-1-88)         75           8         National Pollutant Discharge Elimination System Permit (Eff. 7-1-94) (Rev. 1-1-03)         76           9         Haul Road Stream Crossings, Other Temporary Stream Crossings and In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98)         77           10         Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-02)         78           112         Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-99) (Rev. 1-1-97)         84           12         Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-93) (Rev. 1-1-97)         86           13         Subsealing of Concrete Pavements (Eff. 1-1-93) (Rev. 1-1-97)         82           14         Asphaltic Emulsion Slurry Seal Eff. As1-89) (Rev. 2-1-97)         81           15         Quality Control/Quality Assurance of Bluminous Concrete Mixtures (Eff. 1-1-00) (Rev. 1-1-04)         98      <	-		
3 X EEO (Eff. 7-21-78) (Rev. 11-18-80)         52           4 X Specific Equal Employment Opportunity Responsibilities NonFederal-aid Contracts (Eff. 3-20-69) (Rev. 1-1-94)         63           5 X Required Provisions - State Contracts (Eff. 4-1-65) (Rev. 4-1-93)         63           7 Asphalt Quantities and Cost Reviews (Eff. 7-1-88)         74           7 Asphalt Quantities and Cost Reviews (Eff. 7-1-88)         76           8 National Pollutant Discharge Elimination System Permit (Eff. 7-1-94) (Rev. 1-1-03)         76           9 Haul Road Stream Crossings, Other Temporary Stream Crossings and In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98)         77           Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-02)         78           11 Use of Geotextile Fabric for Railcoad Crossing (Eff. 1-1-95) (Rev. 1-1-97)         84           12 Use of Geotextile Fabric for Railcoad Crossing (Eff. 1-1-95) (Rev. 1-1-97)         84           13 Asphaltic Emulsion Slurry Seal and Fibrated Asphaltic Emulsion Slurry Seal (Eff. 8-1-89) (Rev. 2-1-97)         86           14 Biturninous Surface Treatments Half-Smart (Eff. 7-1-93) (Rev. 1-1-97)         84           16 Quality Control/Quality Assurance of Biturninous Concrete Mixtures (Eff. 1-1-00) (Rev. 1-1-04)         98           17 Biturninous Surface Removal (Cold Milling) (Eff. 11-1-87) (Rev. 10-15-97)         121           18 Resurfacing of Milled Surfaces (Eff. 10-1-95) (Rev. 1-1-93)         124           19 PCC P			
4         X         Specific Equal Employment Opportunity Responsibilities NonFederal-aid Contracts (Eff. 3-20-69) (Rev. 1-1-94)         63           5         X         Required Provisions - State Contracts (Eff. 4-1-65) (Rev. 4-1-93)         69           6         Reserved         74           74         Asphalt Quantities and Cost Reviews (Eff. 7-1-88)         75           8         National Pollutant Discharge Elimination System Permit (Eff. 7-1-94) (Rev. 1-1-03)         76           9         Haul Road Stream Crossings, Other Temporary Stream Crossings and In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98)         77           10         Construction Layout Stakes (Eff. 5-1-39) (Rev. 1-1-02)         78           11         Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-99) (Rev. 1-1-97)         84           12         Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-96) (Rev. 1-1-97)         92           13         Asphaltic Emulsion Slurry Seal and Fibrated Asphaltic Emulsion Slurry Seal (Eff. 8-1-89) (Rev. 2-1-97)         92           14         Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-93) (Rev. 1-1-04)         98           14         Bituminous Surface Treatments Half-Smart (Eff. 7-1-93)         92           15         Quality Control/Quality Assurace of Bituminous Concrete Mixtures (Eff. 1-1-00) (Rev. 1-1-04)         98           14         Potextrab Struments (	_		
(Eff. 3-20-69) (Rev. 1-1-94)         63           5 X Required Provisions - State Contracts (Eff. 4-1-65) (Rev. 4-1-93)         69           6 Reserved         74           7 Asphalt Quantities and Cost Reviews (Eff. 7-1-88)         75           8 National Pollutant Discharge Elimination System Permit (Eff. 7-1-94) (Rev. 1-1-03)         76           9 Haul Road Stream Crossings, Other Temporary Stream Crossings and In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98)         77           10 Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-02)         78           11 Construction Layout Stakes (Eff. 5-1-39) (Rev. 1-1-02)         78           12 Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-97)         84           13 Asphaltic Emulsion Slurry Seal and Fibrated Asphaltic Emulsion Slurry Seal (Eff. 8-1-89) (Rev. 2-1-97)         84           14 Bituminous Surface Treatments Half-Smart (Eff. 7-1-93) (Rev. 1-1-97)         84           15 Quality Control/Quality Assurace of Bituminous Concrete Mixtures (Eff. 1-1-00) (Rev. 1-1-04)         98           15 Subsealing of Concrete Pavements (Eff. 1-1-87) (Rev. 10-15-97)         121           17 Resurfacing of Milled Surfaces (Eff. 10-1-95)         123           19 PCC Partial Depth Bituminous Patching (Eff. 1-1-87) (Rev. 1-1-39)         124           20 Potymer Concrete (Eff. 8-1-95) (Rev. 1-1-03)         129           21 Potymer Concrete (Eff. 8-1-95) (Rev. 1-			02
5 X       Required Provisions - State Contracts (Eff. 4-1-65) (Rev. 4-1-93)       69         6 Reserved       74         7 Asphalt Quantities and Cost Reviews (Eff. 7-1-88)       75         8 National Pollutant Discharge Elimination System Permit (Eff. 7-1-94) (Rev. 1-1-03)       76         9 Haul Road Stream Crossings, Other Temporary Stream Crossings and In-Stream Work Pads       77         10 Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-02)       78         11 Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-02)       81         12 Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-97)       84         13 Asphaltic Emulsion Slurry Seal and Fibrated Asphaltic Emulsion Slurry Seal (Eff. 8-1-89) (Rev. 2-1-97)       86         14 Bituminous Surface Treatments Half-Smart (Eff. 7-1-93) (Rev. 1-1-97)       86         15 Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 2-1-95)       117         17 Bituminous Surface Removal (Cold Milling) (Eff. 11-1-87) (Rev. 10-15-97)       121         18 Reserved       124         29 PCC Partial Depth Bituminous Patching (Eff. 10-1-95) (Rev. 7-1-99)       126         219 PCC Partial Cystem (Eff. 4-1-95) (Rev. 1-1-03)       129         220 Protective Shield System (Eff. 4-1-95) (Rev. 1-1-00)       133         29       Polymer Concrete Pavements (Eff. 10-1-95) (Rev. 1-1-97)       139         219	7 7		63
6       Reserved       74         7       Asphalt Quantities and Cost Reviews (Eff. 7-1-88)       75         8       National Pollutant Discharge Elimination System Permit (Eff. 7-1-94) (Rev. 1-1-03)       76         9       Haul Road Stream Crossings, Other Temporary Stream Crossings and In-Stream Work Pads       77         10       Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-02)       78         11       Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-02)       84         12       Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-97)       84         13       Asphaltic Emulsion Slurry Seal and Fibrated Asphaltic Emulsion Slurry Seal (Eff. 8-1-89) (Rev. 2-1-97)       86         14       Bituminous Surface Treatments Half-Smart (Eff. 7-1-93) (Rev. 1-1-97)       84         14       Bituminous Surface Removal (Cold Milling) (Eff. 11-1-84) (Rev. 2-1-95)       117         17       Bituminous Surface Removal (Cold Milling) (Eff. 11-1-87) (Rev. 10-15-97)       121         18       Reserved       124         19       PCC Partial Depth Bituminous Patching (Eff. 10-1-95) (Rev. 7-1-99)       126         12       Reserved       128         10       Protective Shield System (Eff. 4-1-95) (Rev. 1-1-03)       129         20       Polymer Concrete (Eff. 4-1-95) (Rev. 1-1-90) (Rev. 1-1-09) </td <td>5 X</td> <td>Required Provisions - State Contracts (Eff 4-1-65) (Rev. 4-1-93)</td> <td> 00 69</td>	5 X	Required Provisions - State Contracts (Eff 4-1-65) (Rev. 4-1-93)	00 69
7       Asphalt Quantities and Cost Reviews (Eff. 7-1-88)       75         8       National Pollutart Discharge Elimination System Permit (Eff. 7-1-94) (Rev. 1-1-03)       76         9       Haul Road Stream Crossings, Other Temporary Stream Crossings and In-Stream Work Pads       77         10       Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-02)       78         11       Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-97)       84         12       Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-93) (Rev. 1-1-97)       84         13       Asphaltic Emulsion Slurry Seal and Fibrated Asphaltic Emulsion Slurry Seal (Eff. 8-1-89) (Rev. 2-1-97)       84         14       Asphaltic Concrete Pawements (Eff. 11-1-83) (Rev. 1-1-97)       92         15       Quality Control/Quality Assurance of Bituminous Concrete Mixtures (Eff. 1-1-00) (Rev. 1-1-04)       98         17       Bituminous Surface Removal (Cold Milling) (Eff. 11-1-87) (Rev. 2-1-95)       117         18       Reserved       124         19       Poct Partial Depth Bituminous Patching (Eff. 1-1-98)       124         20       Patching with Bituminous Overlay Removal (Eff. 10-1-95) (Rev. 7-1-99)       126         21       Reserved       124       Potective Shield System (Eff. 4-1-95) (Rev. 1-1-03)       129         22       Potchig Bituminous O		Reserved	03
8         National Pollutant Discharge Elimination System Permit (Eff. 7-1-94) (Rev. 1-1-03)         76           9         Haul Road Stream Crossings, Other Temporary Stream Crossings and In-Stream Work Pads         77           10         Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-02)         78           11         Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-97)         84           12         Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-93) (Rev. 1-1-97)         84           13         Asphaltic Emulsion Slurry Seal and Fibrated Asphaltic Emulsion Slurry Seal (Eff. 8-1-89) (Rev. 2-1-97)         84           13         Matrice Treatments Half-Smart (Eff. 1-1-93) (Rev. 1-1-97)         82           14         Bituminous Surface Treatments Half-Smart (Eff. 1-1-93) (Rev. 1-1-97)         82           15         Quality Control/Quality Assurance of Bituminous Concrete Mixtures (Eff. 1-1-00) (Rev. 1-1-04)         98           16         Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 7-1-99)         121           17         Bituminous Surface Removal (Cold Milling) (Eff. 11-1-87) (Rev. 7-1-99)         123           19         PCC Partial Depth Bituminous Patching (Eff. 10-1-95) (Rev. 7-1-99)         126           12         Reserved         129         Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-03)         129           20         Polym			
9         Haul Road Stream Crossings, Other Temporary Stream Crossings and In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98)         77           Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-02)         78           11         Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-02)         78           12         Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-97)         84           13         Asphaltic Emulsion Slurry Seal and Fibrated Asphaltic Emulsion Slurry Seal (Eff. 8-1-89) (Rev. 2-1-97)         86           14         Bituminous Surface Treatments Half-Smart (Eff. 7-1-93) (Rev. 1-1-97)         92           15         Quality Control/Quality Assurance of Bituminous Concrete Mixtures (Eff. 1-1-00) (Rev. 1-1-04)         98           17         Bituminous Surface Removal (Cold Willing) (Eff. 11-1-87) (Rev. 10-15-97)         121           18         Resurfacing of Miled Surfaces (Eff. 10-1-95)         123           19         PCC Partial Depth Bituminous Overlay Removal (Eff. 10-1-95) (Rev. 7-1-99)         126           12         Patching with Bituminous Overlay Removal (Eff. 10-1-95) (Rev. 1-1-00)         133           12         Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-03)         129           12         Potective Shield System (Eff. 4-1-94) (Rev. 1-1-90)         133           13         Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-93)         129 <td>-</td> <td></td> <td></td>	-		
(Eff. 1-2-92) (Rev. 1-1-98)         77           10         Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-02)         78           11         Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-92)         81           12         Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-97)         84           13         Asphaltic Emulsion Slurry Seal (aff. 7-1-93) (Rev. 1-1-97)         84           14         Statace Treatments Half-Smart (Eff. 7-1-93) (Rev. 1-1-97)         92           15         Quality Control/Quality Assurance of Bituminous Concrete Mixtures (Eff. 1-1-00) (Rev. 1-1-04)         98           16         Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 2-1-95)         117           17         Bituminous Surface Removal (Cold Milling) (Eff. 11-1-87) (Rev. 10-15-97)         121           18         Resurfacing of Milled Surfaces (Eff. 10-1-95)         123           19         PCC Partial Depth Bituminous Patching (Eff. 1-1-98)         124           124         Patching with Bituminous Overlay Removal (Eff. 10-1-95) (Rev. 7-1-99)         126           17         Reserved         128           29         Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-03)         129           20         Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-03)         133           21         Polymer Concrete (Eff. 8-1-95			70
10         Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-02)         78           11         Use of Geotextille Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-97)         84           13         Asphaltic Emulsion Slurry Seal and Fibrated Asphaltic Emulsion Slurry Seal (Eff. 8-1-89) (Rev. 2-1-97)         86           14         Bituminous Surface Treatments Half-Smart (Eff. 7-1-93) (Rev. 1-1-97)         92           14         Bituminous Surface Treatments Half-Smart (Eff. 7-1-93) (Rev. 1-1-97)         92           15         Quality Control/Quality Assurance of Bituminous Concrete Mixtures (Eff. 1-1-00) (Rev. 1-1-04)         98           16         Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 2-1-95)         117           17         Bituminous Surfaces (Eff. 10-1-95)         121           18         Resurfacing of Milled Surfaces (Eff. 10-1-95)         123           19         PCC Partial Depth Bituminous Overlay Removal (Eff. 10-1-95) (Rev. 7-1-99)         126           22         Protective Shield System (Eff. 4-1-95) (Rev. 1-1-03)         129           23         Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-03)         129           24         Potective Shield System (Eff. 4-1-95) (Rev. 1-1-03)         133           25         Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-03)         129           26         Quality Control (Rev. [Eff. 9-9-87	0		77
11       Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-02)       81         12       Use of Geotextile Fabric for Rairoad Crossing (Eff. 1-1-95) (Rev. 1-1-97)       84         13       Asphaltic Emulsion Slurry Seal and Fibrated Asphaltic Emulsion Slurry Seal (Eff. 8-1-89) (Rev. 2-1-97)       86         14       Bituminous Surface Treatments Half-Smart (Eff. 7-1-93) (Rev. 1-1-97)       86         15       Quality Control/Quality Assurance of Bituminous Concrete Mixtures (Eff. 1-1-00) (Rev. 1-1-04)       98         17       Bituminous Surface Removal (Cold Milling) (Eff. 11-1-87) (Rev. 10-15-97)       121         17       Bituminous Surface Removal (Cold Milling) (Eff. 11-1-87) (Rev. 10-15-97)       123         19       PCC Partial Depth Bituminous Patching (Eff. 1-1-98)       124         14       Patching with Bituminous Overlay Removal (Eff. 10-1-95) (Rev. 7-1-99)       126         12       Reserved       128         14       Protective Shield System (Eff. 4-1-95) (Rev. 1-1-03)       128         12       Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-93)       129         13       Controlled Low-Strength Material (CLSM) (Eff. 1-1-90) (Rev. 1-1-97)       133         14       Giuardrai and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       139         13       Bitycle Racks (Eff. 4-1-94) (Rev. 1-1-93)       120         14 <td>10</td> <td></td> <td></td>	10		
12       Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-97)       84         13       Asphaltic Emulsion Slurry Seal and Fibrated Asphaltic Emulsion Slurry Seal (Eff. 8-1-89) (Rev. 2-1-97)       86         14       Bituminous Surface Treatments Half-Smart (Eff. 7-1-93) (Rev. 1-1-97)       92         15       Quality Control/Quality Assurance of Bituminous Concrete Mixtures (Eff. 1-1-00) (Rev. 1-1-04)       98         15       Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 2-1-95)       117         16       Bituminous Surface Removal (Cold Milling) (Eff. 11-1-87) (Rev. 10-15-97)       123         17       Bituminous Surface Removal (Cold Milling) (Eff. 11-1-98)       124         18       Resurfacing of Milled Surfaces (Eff. 10-1-95)       123         19       PCC Partial Depth Bituminous Overlay Removal (Eff. 10-1-95) (Rev. 7-1-99)       126         12       Patching with Bituminous Overlay Removal (Eff. 10-1-95) (Rev. 7-1-99)       128         20       Potymer Concrete (Eff. 8-1-95) (Rev. 1-1-03)       129         21       Potoctive Shield System (Eff. 4-1-95) (Rev. 1-1-00)       133         22       Protective Shield Cow-Strength Material (CLSM) (Eff. 1-1-90) (Rev. 1-1-97)       139         22       Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-93) (Rev. 2-1-96)       134         23       Bivcole Racks (Eff. 4-1-94) (Rev. 1-1-97)			
13       Asphaltic Emulsion Slurry Seal and Fibrated Åsphaltic Emulsion Slurry Seal (Eff. 8-1-89) (Rev. 2-1-97)       96         14       Bituminous Surface Treatments Half-Smart (Eff. 7-1-93) (Rev. 1-1-97)       92         14       Guality Control/Quality Assurance of Bituminous Concrete Mixtures (Eff. 1-1-00) (Rev. 1-1-04)       98         15       Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 2-1-95)       117         17       Bituminous Surface Removal (Cold Milling) (Eff. 11-1-87) (Rev. 10-15-97)       121         18       Resurfacing of Milled Surfaces (Eff. 10-1-95)       123         19       PCC Partial Depth Bituminous Patching (Eff. 10-1-95) (Rev. 7-1-99)       126         21       Reserved       128         22       Protective Shield System (Eff. 4-1-95) (Rev. 1-1-03)       129         23       Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-04)       131         24       Controlled Low-Strength Material (CLSM) (Eff. 1-1-90) (Rev. 1-1-97)       138         25       Giuardraia and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       139         27       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-97)       139         28       Portable Changeable Message Signs (Eff. 11-1-93) (Rev. 2-1-96)       144         29       Polymer Material (CLSM) (Rev. 4-1-97)       139         27       Bicycle Racks (Eff. 4-1-94) (Rev.			
14       Bituminous Surface Treatments Half-Smart (Eff. 7-1-93) (Rev. 1-1-97)       92         15       Quality Control/Quality Assurance of Bituminous Concrete Mixtures (Eff. 1-1-00) (Rev. 1-1-04)       98         16       Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 2-1-95)       117         17       Bituminous Surface Removal (Cold Milling) (Eff. 11-1-87) (Rev. 10-15-97)       121         18       Resurfacing of Milled Surfaces (Eff. 10-1-95)       123         19       PCC Partial Depth Bituminous Patching (Eff. 11-1-98)       124         124       Patching with Bituminous Overlay Removal (Eff. 10-1-95) (Rev. 7-1-99)       126         21       Reserved       128         22       Protective Shield System (Eff. 4-1-95) (Rev. 1-1-03)       129         23       Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-04)       123         24       Patching with Material (CLSM) (Eff. 1-1-90) (Rev. 1-1-00)       133         25       Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-98)       138         26       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       139         27       Potzele Racks (Eff. 4-1-94) (Rev. 1-1-97)       139         28       Give em a Brake Sign (Eff. 8-1-89) (Rev. 8-1-91)       144         29       Potable Changeable Message Signs (Eff. 11-1-93) (Rev. 2-1-96)       144			
15       Quality Control/Quality Assurance of Bituminous Concrete Mixtures (Eff. 1-1-00) (Rev. 1-1-04)       98         16       Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 2-1-95)       117         17       Bituminous Surface Removal (Cold Milling) (Eff. 11-1-87) (Rev. 10-15-97)       121         18       Resurfacing of Milled Surfaces (Eff. 10-1-95)       123         19       PCC Partial Depth Bituminous Patching (Eff. 10-1-95) (Rev. 7-1-99)       126         21       Reserved       128         22       Protective Shield System (Eff. 4-1-95) (Rev. 1-1-03)       129         23       Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-04)       131         24       Controlled Low-Strength Material (CLSM) (Eff. 1-1-90) (Rev. 1-1-00)       133         25       Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-98)       138         26       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       139         27       Bicycle Racks (Eff. 4-1-94) (Rev. 8-1-91)       144         28       Give em a Brake Sign (Eff. 8-1-89) (Rev. 8-1-91)       144         29       Portable Changeable Message Signs (Eff. 11-1-93) (Rev. 2-1-96)       147         28       Reserved       148         31       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       147         32       Reserved <td>-</td> <td></td> <td></td>	-		
16       Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 2-1-95)       117         17       Bituminous Surface Removal (Cold Milling) (Eff. 11-1-87) (Rev. 10-15-97)       121         18       Resurfacing of Milled Surfaces (Eff. 10-1-95)       123         19       PCC Partial Depth Bituminous Patching (Eff. 1-1-98)       124         20       Patching with Bituminous Overlay Removal (Eff. 10-1-95) (Rev. 7-1-99)       126         21       Reserved       128         22       Protective Shield System (Eff. 4-1-95) (Rev. 1-1-03)       129         23       Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-04)       121         24       Controlled Low-Strength Material (CLSM) (Eff. 12-15-93) (Rev. 1-1-00)       133         25       Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-97)       139         26       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       139         27       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-97)       144         28       Give em a Brake Sign (Eff. 8-1-89) (Rev. 8-1-91)       146         29       Pottable Changeable Message Signs (Eff. 11-1-93) (Rev. 2-1-96)       147         28       Reserved       148         31       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       149         32       English Substitution of Metric Bolts (Eff. 7-1-9			
17       Bituminous Surface Removal (Cold Milling) (Eff. 11-1-87) (Rev. 10-15-97)       121         18       Resurfacing of Milled Surfaces (Eff. 10-1-95)       123         19       PCC Partial Depth Bituminous Patching (Eff. 1-1-98)       124         120       Patching with Bituminous Overlay Removal (Eff. 10-1-95) (Rev. 7-1-99)       126         12       Reserved       128         21       Protective Shield System (Eff. 4-1-95) (Rev. 1-1-03)       129         23       Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-03)       129         24       Portective Shield System (Eff. 4-1-95) (Rev. 1-1-03)       129         25       Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-90) (Rev. 1-1-00)       133         26       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       139         27       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-97)       144         28       Guerdrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       149         29       Portable Changeable Message Signs (Eff. 11-1-93) (Rev. 2-1-96)       146         29       Portable Changeable Message Signs (Eff. 11-1-93) (Rev. 2-1-96)       149         20       Reserved       149         21       Reserved       150         22       Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-03)	-		
18       Resurfacing of Milled Surfaces (Eff. 10-1-95)       123         19       PCC Partial Depth Bituminous Patching (Eff. 1-1-98)       124         20       Patching with Bituminous Overlay Removal (Eff. 10-1-95) (Rev. 7-1-99)       126         21       Reserved       128         22       Protective Shield System (Eff. 4-1-95) (Rev. 1-1-03)       129         23       Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-04)       131         24       Controlled Low-Strength Material (CLSM) (Eff. 1-1-90) (Rev. 1-1-00)       133         25       Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-98)       138         26       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       139         27       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-97)       144         28       Give em a Brake Sign (Eff. 8-1-89) (Rev. 8-1-91)       144         29       Portable Changeable Message Signs (Eff. 11-1-93) (Rev. 2-1-96)       147         29       Reserved       148         31       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       147         32       Reserved       150         33       English Substitution of Metric Bolts (Eff. 7-1-96)       151         34       Night Time Inspection of Roadway Lighting (Eff. 5-1-96) (Rev. 1-1-03)       152         35	-	Bituminous Surface Removal (Cold Milling) (Ff 11-1-87) (Rev 10-15-97)	121
19       PCC Partial Depth Bituminous Patching (Eff. 1-1-98)       124         20       Patching with Bituminous Overlay Removal (Eff. 10-1-95) (Rev. 7-1-99)       126         21       Reserved       128         22       Protective Shield System (Eff. 4-1-95) (Rev. 1-1-03)       129         23       Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-04)       131         24       Controlled Low-Strength Material (CLSM) (Eff. 1-1-90) (Rev. 1-1-00)       133         25       Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-98)       138         26       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       139         27       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-97)       139         28       Give em a Brake Sign (Eff. 8-1-89) (Rev. 8-1-91)       144         29       Portable Changeable Message Signs (Eff. 11-1-93) (Rev. 2-1-96)       147         28       Reserved       148         31       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       149         29       Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-03)       152         219       Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-04)       154         229       Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-04)       154         329       Corrosion Inhibitor (Eff. 3-1-80)			
20       Patching with Bituminous Overlay Removal (Eff. 10-1-95) (Rev. 7-1-99)       126         21       Reserved       128         22       Protective Shield System (Eff. 4-1-95) (Rev. 1-1-03)       129         23       Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-04)       131         24       Controlled Low-Strength Material (CLSM) (Eff. 1-1-90) (Rev. 1-1-00)       133         25       Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-98)       138         26       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       139         27       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-97)       139         28       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       144         29       Portable Changeable Message Signs (Eff. 11-1-93) (Rev. 2-1-96)       147         29       Portable Changeable Message Signs (Eff. 11-1-93) (Rev. 2-1-96)       147         20       Reserved       148         31       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       149         32       English Substitution of Metric Bolts (Eff. 7-1-96)       151         34       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       152         35       Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-04)       154         35       Polyme	-		
21       Reserved       128         22       Protective Shield System (Eff. 4-1-95) (Rev. 1-1-03)       129         23       Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-04)       131         24       Controlled Low-Strength Material (CLSM) (Eff. 1-1-90) (Rev. 1-1-00)       133         25       Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-98)       138         26       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       139         27       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-97)       139         28       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       139         29       Portable Changeable Message Signs (Eff. 11-1-93) (Rev. 2-1-96)       144         29       Portable Changeable Message Signs (Eff. 11-1-93) (Rev. 2-1-96)       147         30       Reserved       148         31       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       149         32       Reserved       150         33       English Substitution of Metric Bolts (Eff. 7-1-96)       151         34       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       152         35       Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-04)       154         36       Corrosion Inhibitor (Eff. 3-1-80) (Rev. 7-1-99)       156<	-		
22       Protective Shield System (Eff. 4-1-95) (Rev. 1-1-03)       129         23       Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-04)       131         24       Controlled Low-Strength Material (CLSM) (Eff. 1-1-90) (Rev. 1-1-00)       133         25       Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-98)       138         26       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       139         27       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-97)       144         28       Give em a Brake Sign (Eff. 8-1-89) (Rev. 8-1-91)       144         29       Portable Changeable Message Signs (Eff. 11-1-93) (Rev. 2-1-96)       147         29       Reserved       148         31       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       147         32       English Substitution of Metric Bolts (Eff. 7-1-96)       150         33       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       152         34       Corrosion Inhibitor (Eff. 3-1-80) (Rev. 7-1-99)       156         35       Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-04)       157         36       Quality Control of Concrete Mixtures at the Plant-Single A (Eff. 8-1-00) (Rev. 1-1-04)       157         36       Quality Control of Concrete Mixtures at the Plant-Double A (Eff. 8-1-00) (Rev. 1-1-04)       16	-		
23       Polymer Concrete (Eff. 8-1-95) (Rev.1-1-04)       131         24       Controlled Low-Strength Material (CLSM) (Eff. 1-1-90) (Rev. 1-1-00)       133         25       Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-98)       138         26       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       139         27       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-97)       144         28       Give em a Brake Sign (Eff. 8-1-89) (Rev. 8-1-91)       144         29       Portable Changeable Message Signs (Eff. 11-1-93) (Rev. 2-1-96)       147         30       Reserved       148         31       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       149         32       Reserved       150         33       English Substitution of Metric Bolts (Eff. 7-1-96)       151         34       Rights Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       152         35       Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-04)       154         35       Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-04)       155         36       Quality Control of Concrete Mixtures at the Plant-Single A (Eff. 8-1-00) (Rev. 1-1-04)       157         36       Quality Control of Concrete Mixtures at the Plant-Double A (Eff. 8-1-00) (Rev. 1-1-04)       163			
24       Controlled Low-Strength Material (CLSM) (Eff. 1-1-90) (Rev. 1-1-00)       133         25       Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-98)       138         26       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       139         27       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-97)       139         28       Give em a Brake Sign (Eff. 8-1-89) (Rev. 8-1-91)       144         29       Portable Changeable Message Signs (Eff. 11-1-93) (Rev. 2-1-96)       147         29       Portable Changeable Message Signs (Eff. 11-1-93) (Rev. 2-1-96)       147         20       Reserved       148         31       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       149         32       Reserved       150         33       English Substitution of Metric Bolts (Eff. 7-1-96)       151         34       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       152         35       Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-04)       154         36       Corrosion Inhibitor (Eff. 3-1-80) (Rev. 7-1-99)       156         37       Quality Control of Concrete Mixtures at the Plant-Single A (Eff. 8-1-00) (Rev. 1-1-04)       157         38       Quality Control of Concrete Mixtures at the Plant-Double A (Eff. 8-1-00) (Rev. 1-1-04)       163		Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-04)	. 131
25       Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-98)       138         26       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       139         27       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-97)       144         28       Give em a Brake Sign (Eff. 8-1-89) (Rev. 8-1-91)       144         29       Portable Changeable Message Signs (Eff. 11-1-93) (Rev. 2-1-96)       147         30       Reserved       148         31       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       147         32       Reserved       150         33       English Substitution of Metric Bolts (Eff. 7-1-96)       151         34       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       152         35       Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-04)       154         36       Corrosion Inhibitor (Eff. 3-1-80) (Rev. 7-1-99)       156         37       Quality Control of Concrete Mixtures at the Plant-Single A (Eff. 8-1-00) (Rev. 1-1-04)       157         38       Quality Control of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-04)       163         39       Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-04)       171         40       Traffic Barrier Terminal Type 1, Special (Eff. 8-1-94) (Rev. 1-1-03)       185	-		
26       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       139         27       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-97)       144         28       Give em a Brake Sign (Eff. 8-1-89) (Rev. 8-1-91)       146         29       Portable Changeable Message Signs (Eff. 11-1-93) (Rev. 2-1-96)       147         30       Reserved       148         31       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       149         32       Reserved       150         33       English Substitution of Metric Bolts (Eff. 7-1-96)       151         34       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       152         35       Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-04)       154         36       Corrosion Inhibitor (Eff. 3-1-80) (Rev. 7-1-99)       156         37       Quality Control of Concrete Mixtures at the Plant-Single A (Eff. 8-1-00) (Rev. 1-1-04)       157         38       Quality Control of Concrete Mixtures at the Plant-Double A (Eff. 8-1-00) (Rev. 1-1-04)       163         39       Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-04)       171         40       Traffic Barrier Terminal Type 1, Special (Eff. 8-1-94) (Rev. 1-1-03)       185         41       Reserved       186       28       28 <td>25</td> <td>Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-98)</td> <td>. 138</td>	25	Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-98)	. 138
27       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-97)       144         28       Give em a Brake Sign (Eff. 8-1-89) (Rev. 8-1-91)       146         29       Portable Changeable Message Signs (Eff. 11-1-93) (Rev. 2-1-96)       147         30       Reserved       148         31       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       149         32       Reserved       150         33       English Substitution of Metric Bolts (Eff. 7-1-96)       151         34       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       152         35       Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-04)       154         36       Corrosion Inhibitor (Eff. 3-1-80) (Rev. 7-1-99)       156         37       Quality Control of Concrete Mixtures at the Plant-Single A (Eff. 8-1-00) (Rev. 1-1-04)       157         38       Quality Control of Concrete Mixtures at the Plant-Double A (Eff. 8-1-00) (Rev. 1-1-04)       163         39       Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-04)       171         40       Traffic Barrier Terminal Type 1, Special (Eff. 8-1-94) (Rev. 1-1-03)       185         41       Reserved       186         42       Segregation Control of Bituminous Concrete (Eff. 7-15-97)       187	26		
28       Give em a Brake Sign (Eff. 8-1-89) (Rev. 8-1-91)       146         29       Portable Changeable Message Signs (Eff. 11-1-93) (Rev. 2-1-96)       147         30       Reserved       148         31       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       149         32       Reserved       150         33       English Substitution of Metric Bolts (Eff. 7-1-96)       151         34       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       152         35       Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-04)       154         36       Corrosion Inhibitor (Eff. 3-1-80) (Rev. 7-1-99)       156         37       Quality Control of Concrete Mixtures at the Plant-Single A (Eff. 8-1-00) (Rev. 1-1-04)       157         38       Quality Control of Concrete Mixtures at the Plant-Double A (Eff. 8-1-00) (Rev. 1-1-04)       163         39       Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-04)       171         40       Traffic Barrier Terminal Type 1, Special (Eff. 8-1-94) (Rev. 1-1-03)       185         41       Reserved       186         42       Segregation Control of Bituminous Concrete (Eff. 7-15-97)       187	-		
29       Portable Changeable Message Signs (Eff. 11-1-93) (Rev. 2-1-96)       147         30       Reserved       148         31       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       149         32       Reserved       150         33       English Substitution of Metric Bolts (Eff. 7-1-96)       151         34       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       152         35       Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-04)       154         36       Corrosion Inhibitor (Eff. 3-1-80) (Rev. 7-1-99)       156         37       Quality Control of Concrete Mixtures at the Plant-Single A (Eff. 8-1-00) (Rev. 1-1-04)       157         38       Quality Control of Concrete Mixtures at the Plant-Double A (Eff. 8-1-00) (Rev. 1-1-04)       163         39       Quality Control of Concrete Mixtures at the Plant-Double A (Eff. 8-1-00) (Rev. 1-1-04)       171         40       Traffic Barrier Terminal Type 1, Special (Eff. 8-1-94) (Rev. 1-1-03)       185         41       Reserved       186         42       Segregation Control of Bituminous Concrete (Eff. 7-15-97)       187	28		
30Reserved14831Night Time Inspection of Roadway Lighting (Eff. 5-1-96)14932Reserved15033English Substitution of Metric Bolts (Eff. 7-1-96)15134English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)15235Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-04)15436Corrosion Inhibitor (Eff. 3-1-80) (Rev. 7-1-99)15637Quality Control of Concrete Mixtures at the Plant-Single A (Eff. 8-1-00) (Rev. 1-1-04)15738Quality Control of Concrete Mixtures at the Plant-Double A (Eff. 8-1-00) (Rev. 1-1-04)16339Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-04)17140Traffic Barrier Terminal Type 1, Special (Eff. 8-1-94) (Rev. 1-1-03)18541Reserved18642Segregation Control of Bituminous Concrete (Eff. 7-15-97)187	29		
31Night Time Inspection of Roadway Lighting (Eff. 5-1-96)14932Reserved15033English Substitution of Metric Bolts (Eff. 7-1-96)15134English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)15235Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-04)15436Corrosion Inhibitor (Eff. 3-1-80) (Rev. 7-1-99)15637Quality Control of Concrete Mixtures at the Plant-Single A (Eff. 8-1-00) (Rev. 1-1-04)15738Quality Control of Concrete Mixtures at the Plant-Double A (Eff. 8-1-00) (Rev. 1-1-04)16339Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-04)17140Traffic Barrier Terminal Type 1, Special (Eff. 8-1-94) (Rev. 1-1-03)18541Reserved18642Segregation Control of Bituminous Concrete (Eff. 7-15-97)187	30		
32Reserved15033English Substitution of Metric Bolts (Eff. 7-1-96)15134English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)15235Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-04)15436Corrosion Inhibitor (Eff. 3-1-80) (Rev. 7-1-99)15637Quality Control of Concrete Mixtures at the Plant-Single A (Eff. 8-1-00) (Rev. 1-1-04)15738Quality Control of Concrete Mixtures at the Plant-Double A (Eff. 8-1-00) (Rev. 1-1-04)16339Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-04)17140Traffic Barrier Terminal Type 1, Special (Eff. 8-1-94) (Rev. 1-1-03)18541Reserved18642Segregation Control of Bituminous Concrete (Eff. 7-15-97)187	31		
33English Substitution of Metric Bolts (Eff. 7-1-96)15134English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)15235Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-04)15436Corrosion Inhibitor (Eff. 3-1-80) (Rev. 7-1-99)15637Quality Control of Concrete Mixtures at the Plant-Single A (Eff. 8-1-00) (Rev. 1-1-04)15738Quality Control of Concrete Mixtures at the Plant-Double A (Eff. 8-1-00) (Rev. 1-1-04)16339Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-04)17140Traffic Barrier Terminal Type 1, Special (Eff. 8-1-94) (Rev. 1-1-03)18541Reserved18642Segregation Control of Bituminous Concrete (Eff. 7-15-97)187	32		
34       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       152         35       Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-04)       154         36       Corrosion Inhibitor (Eff. 3-1-80) (Rev. 7-1-99)       156         37       Quality Control of Concrete Mixtures at the Plant-Single A (Eff. 8-1-00) (Rev. 1-1-04)       157         38       Quality Control of Concrete Mixtures at the Plant-Double A (Eff. 8-1-00) (Rev. 1-1-04)       163         39       Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-04)       171         40       Traffic Barrier Terminal Type 1, Special (Eff. 8-1-94) (Rev. 1-1-03)       185         41       Reserved       186         42       Segregation Control of Bituminous Concrete (Eff. 7-15-97)       187	33		
35Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-04)15436Corrosion Inhibitor (Eff. 3-1-80) (Rev. 7-1-99)15637Quality Control of Concrete Mixtures at the Plant-Single A (Eff. 8-1-00) (Rev. 1-1-04)15738Quality Control of Concrete Mixtures at the Plant-Double A (Eff. 8-1-00) (Rev. 1-1-04)16339Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-04)17140Traffic Barrier Terminal Type 1, Special (Eff. 8-1-94) (Rev. 1-1-03)18541Reserved18642Segregation Control of Bituminous Concrete (Eff. 7-15-97)187	34		
36Corrosion Inhibitor (Eff. 3-1-80) (Rev. 7-1-99)15637Quality Control of Concrete Mixtures at the Plant-Single A (Eff. 8-1-00) (Rev. 1-1-04)15738Quality Control of Concrete Mixtures at the Plant-Double A (Eff. 8-1-00) (Rev. 1-1-04)16339Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-04)17140Traffic Barrier Terminal Type 1, Special (Eff. 8-1-94) (Rev. 1-1-03)18541Reserved18642Segregation Control of Bituminous Concrete (Eff. 7-15-97)187	35		
38Quality Control of Concrete Mixtures at the Plant-Double A (Eff. 8-1-00) (Rev. 1-1-04)16339Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-04)17140Traffic Barrier Terminal Type 1, Special (Eff. 8-1-94) (Rev. 1-1-03)18541Reserved18642Segregation Control of Bituminous Concrete (Eff. 7-15-97)187	36		
39Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-04)17140Traffic Barrier Terminal Type 1, Special (Eff. 8-1-94) (Rev. 1-1-03)18541Reserved18642Segregation Control of Bituminous Concrete (Eff. 7-15-97)187	37		
40Traffic Barrier Terminal Type 1, Special (Eff. 8-1-94) (Rev. 1-1-03)18541Reserved18642Segregation Control of Bituminous Concrete (Eff. 7-15-97)187	38		
40Traffic Barrier Terminal Type 1, Special (Eff. 8-1-94) (Rev. 1-1-03)18541Reserved18642Segregation Control of Bituminous Concrete (Eff. 7-15-97)187	39	Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-04)	171
41Reserved18642Segregation Control of Bituminous Concrete (Eff. 7-15-97)187	40	Traffic Barrier Terminal Type 1, Special (Eff. 8-1-94) (Rev. 1-1-03)	185
	41		
43 Reserved	42	Segregation Control of Bituminous Concrete (Eff. 7-15-97)	187
· · · · · · · · · · · · · · · · · · ·	43	Reserved	190

FAP 332 (US 45) Section Demolition Project FY 05 Saline County Contract 98891

## TABLE OF CONTENTS

LOCATION OF PROJECT1
DESCRIPTION OF PROJECT1
UTILITIES1
TRAFFIC CONTROL PLAN
SEEDING AND MULCH
TEMPORARY SEEDING AND MULCH4
BUILDING REMOVAL AND BACKFILL
SITE CLEANUP
DRIVEWAY PAVEMENT REMOVAL
AGGREGATE BASE COURSE, TYPE B 6"
FURNISHING AND PLACING TOPSOIL
EROSION AND SEDIMENT CONTROL DEFICIENCY DEDUCTION (BDE)
FLAGGER VESTS (BDE)
MULCHING SEEDED AREAS (BDE)
PARTIAL PAYMENTS (BDE)
PAYMENTS TO SUBCONTRACTORS (BDE)
PERSONAL PROTECTIVE EQUIPMENT (BDE)
WORK ZONE TRAFFIC CONTROL DEVICES (BDE)
WORKING DAYS (BDE)
SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)
BUILDING REMOVAL - CASE IV (NO ASBESTOS) (BDE)
BUILDING REMOVAL - CASE II (NON-FRIABLE ASBESTOS ABATEMENT) (BDE)
STORM WATER POLLUTION PREVENTION PLAN

FAP 332 (US 45) Section Demolition Project FY 05 Saline County Contract 98891

## STATE OF ILLINOIS

## **SPECIAL PROVISIONS**

The following Special Provisions supplement the "Standard Specifications for Road and Bridge Construction," adopted January 1, 2002, the latest edition of the "Manual on Uniform Traffic Control Devices for Streets and Highways," and the "Manual of Test Procedures for Materials" in effect on the date of invitation for bids, and the Supplemental Specifications and Recurring Special Provisions indicated on the Check Sheet included herein which apply to and govern the construction of FAP 332 (US 45), Section Demolition Project FY 05, Saline County, and in case of conflict with any part or parts of said Specifications, the said Special Provisions shall take precedence and shall govern.

ROUTE: FAP 332 (US 45)

SECTION: Demolition Project FY 05

COUNTY: Saline

CONTRACT: 98891

#### LOCATION OF PROJECT

The improvement is located on FAP 332 (US 45) in Saline County. The sites are located at 620 North Main Street, Harrisburg and 404 North Commercial Street, Harrisburg.

#### DESCRIPTION OF PROJECT

Work consists of demolition of state acquired buildings for the relocation of Illinois Route 13 through Harrisburg.

#### UTILITIES

Effective 1984 Revised 1/2/97

Add the following after the first paragraph of Article 105.07 of the Standard Specifications:

Verification of locations of underground utilities, shown or not shown, will be the responsibility of the Contractor. The following utility companies have facilities within the project limits:

Name and Address of Utility	Туре	Locations
City of Harrisburg 110 East Locust Harrisburg, IL 62946 (618) 252-6344	Water and Sewer	Throughout

AmerenCIPS 1800 West Main Marion, IL 62959 (618) 997-3311	Aerial & Buried Electric	Throughout
Verizon North, Inc. 208 West Union Street Marion, IL 62959 (618) 997-0660	Aerial & Buried Telephone	Throughout
United Cities Gas Company PO Box 424 Harrisburg, IL 62946 (618) 252-1436	Buried Gas Lines	Throughout
Southeastern Illinois Electric Co-op PO Box 251 Eldorado, IL 62930 (618) 273-2611	Aerial & Buried Electric	Throughout
MediaCom 1603 East DeYoung Marion, IL 62959 (618) 993-5216	Aerial & Buried CATV	Throughout

Additional utility information may be obtained by calling the "Joint Utility Location Information for Excavators" phone number, 800-892-0123. This project is located in the Harrisburg Township.

#### TRAFFIC CONTROL PLAN

Effective 1985 Revised 2/17/99

Traffic control shall be in accordance with the applicable sections of the Standard Specifications for Road and Bridge Construction, the guidelines contained in the National Manual on Uniform Traffic Control Devices for Streets and Highways, the Supplemental Specifications, these Special Provisions, and any special details and highway standards contained herein and in the plans.

Special attention is called to Articles 107.09 and 107.14 of the Standard Specifications for Road and Bridge Construction and the following traffic control related (1) Highway Standards; (2) Supplemental Specifications and Recurring Special Provisions; (3) other Special Provisions; and (4) Plan Details which are included in this contract:

- 1. Standards: 701006-02, 701101-01
- 2. Supplemental Specifications and Recurring Special Provisions: Work Zone Traffic Control Devices
- 3. Special Provisions: Flagger Vests
- 4. Plan Details: None

Traffic control standards shall be applied as directed by the Engineer. Suggested applications for each standard are as follow:

- <u>701006</u> This standard should be used for placement of aggregate base course, building removal and other miscellaneous work which is performed within 15', but not closer than 2' to the edge of the traffic lane.
- <u>701101</u> This standard should be used for seeding, building removal and other miscellaneous work which is performed within 15' of the edge of the traffic lane.

During the entire construction period, the road shall be kept open to traffic as follows:

Access to all public roads and private entrances shall be maintained during all stages of the work.

If at any time the signs are in place but not applicable, they shall be turned from the view of motorists or covered as directed by the Engineer.

The cost of furnishing, erecting, maintaining, and removing the required signs shall be incidental to the contract.

#### SEEDING AND MULCH

This work shall be performed in accordance with Sections 250 and 251 of the Standard Specifications, as shown in the plans, and as follows:

(a) Class 1B Seeding (Low Maintenance Lawn Mixture) shall be used at the locations shown in the plans. The following seed mixture and rates per acre shall be used during the time of year indicated:

Seed Mixture	Spring 3/1 to 6/1 Lbs./Acre	Fall 8/1 to 10/1 Lbs./Acre	Dormant 11/15 to 3/1 Lbs./Acre
Turf Type Fescue	150	150	225
Perennial Ryegrass	20	20	30
Redtop	10	10	15
Creeping Red Fescue	20	20	30

(b) Fertilizer and agricultural ground limestone shall be uniformly spread over the designated areas immediately prior to seed bed preparation at the following rates per acre:

- 120 lbs. of Nitrogen Fertilizer Nutrients
- 120 lbs. of Phosphorus Fertilizer Nutrients
- 120 lbs. of Potassium Fertilizer Nutrients

2 tons of Agricultural Ground Limestone

(c) Straw mulch shall be applied to all seeded areas at the rate of 2 tons per acre of Method 2.

Basis of Payment. This work shall be paid for at the contract unit price per acre for SEEDING CLASS 1B; at the contract unit price per pound for NITROGEN FERTILIZER NUTRIENT, PHOSPHORUS FERTILIZER NUTRIENT, AND POTASSIUM FERTILIZER NUTRIENT; at the

contract unit price per ton for AGRICULTURAL GROUND LIMESTONE; at the contract unit price per acre for MULCH, METHOD 2; and at the contract unit price per square yard for EROSION CONTROL BLANKET.

#### TEMPORARY SEEDING AND MULCH

Revised 3/27/02

This work shall be performed in accordance with Sections 250 and 251 of the Standard Specifications, as shown in the plans, and as follows:

(a) Class 7 Seeding (Temporary Turf Cover Mixture) shall be used as a temporary erosion control method when permanent seeding cannot be accomplished so as to limit the surface area of erodible earth material exposed by clearing, grubbing, excavation, borrow, and embankment operations. The following seed mixture and rates per acre shall be used during the time of year indicated:

Seed Mixture	Spring 3/1 to 7/31 Lb/Acre	Fall 8/1 to 11/15 Lb/Acre	Winter 11/15 to 2/28
Perennial Ryegrass	50	50	Temporary
Spring Oats	64	-	Straw
Winter Wheat	-	64	Mulching Only

- (b) Fertilizer and agricultural ground limestone shall be uniformly spread over the designated areas immediately prior to seed bed preparation at the following rates per acre:
  - 40 lb. of Nitrogen Fertilizer Nutrients (N)
  - 0 Ib. of Phosphorus Fertilizer Nutrients (P)
  - 0 Ib. of Potassium Fertilizer Nutrients (K)
  - 2 tons of Agricultural Ground Limestone
- (c) Straw mulch shall be applied to all seeded areas at the rate of 2 tons per acre of Method 2.

#### BUILDING REMOVAL AND BACKFILL

Building Removal No. 1-5 shall include the removal and disposal of all obstructions bigger than 3 inches in any dimension such as fences, walls, foundations, footings, slabs, buildings, accumulations of rubbish of whatever nature and existing structures. Foundations, footings and slabs shall be removed in their entirety. Backfill shall be of select material approved by the engineer to an elevation 4" below existing grade at sites 1-2 and to an elevation 6" below existing grade at sites 3-5. The above work shall be included in the cost per Lump Sum for Building Removal No. 1-5

#### SITE CLEANUP

Site Cleanup Location No. 1 shall include the removal and disposal of all obstructions bigger than 3 inches in any dimension such as fences, posts, bollards, foundations, footings, slabs,

FAP 332 (US 45) Section Demolition Project FY 05 Saline County Contract 98891

and accumulations of rubbish of whatever nature. Foundations, footings, and slabs shall be removed in their entirety. Backfill shall be of select material approved by the engineer to an elevation 6" below existing grade. The above work shall be included in the cost per Lump Sum for Site Cleanup.

#### DRIVEWAY PAVEMENT REMOVAL

Driveway Pavement Removal shall include the removal and disposal of all parking blocks. This work shall be included in the price per square yard for Driveway Pavement Removal.

#### AGGREGATE BASE COURSE, TYPE B 6"

All disturbed areas at sites 3-5 shall be capped with 6" of rock. This work shall be paid for at the contract unit price per square yard for Aggregate Base Course, Type B 6".

#### FURNISHING AND PLACING TOPSOIL

All disturbed areas at sites 1-2 shall be capped with 4" of topsoil. This work shall be paid for at the contract unit price per square yard for Furnishing and Placing Topsoil.

#### EROSION AND SEDIMENT CONTROL DEFICIENCY DEDUCTION (BDE)

Effective: August 1, 2001

Revised: November 1, 2001

When the Engineer is notified or determines an erosion and/or sediment control deficiency(s) exists, he/she will direct the Contractor in writing to correct the deficiency. The Contractor shall then correct the deficiency within 24 hours. The deficiency may be any lack of repair, maintenance, or implementation of erosion and/or sediment control devices included in the contract, or any failure to comply with the conditions of the National Pollutant Discharge Elimination System (NPDES) Storm Water Permit for Construction Site Activities.

If the Contractor fails to correct the deficiency(s) within 24 hours, a daily monetary deduction will be imposed for each calendar day or fraction thereof the deficiency exists. The time period will begin with the initial written notification to the Contractor and end with the Engineer's acceptance of the corrected work. The per calendar day deduction will be either \$1000.00 or 0.05 percent of the awarded contract value, whichever is greater.

If the Contractor fails to respond, the Engineer may correct the deficiencies and deduct the cost from monies due or which may become due the Contractor. This corrective action shall in no way relieve the Contractor of his/her contractual requirements or responsibilities.

#### FLAGGER VESTS (BDE)

Effective: April 1, 2003

Revise the first sentence of Article 701.04(c)(1) of the Standard Specifications to read:

"The flagger shall be stationed to the satisfaction of the Engineer and be equipped with a fluorescent orange, fluorescent yellow/green or a combination of fluorescent orange and

fluorescent yellow/green vest meeting the requirements of the American National Standards Institute specification ANSI/ISEA 107-1999 for Conspicuity Class 2 garments and approved flagger traffic control signs conforming to Standard 702001 and Article 702.05(e)."

Revise Article 701.04(c)(6) of the Standard Specifications to read:

"(6) Nighttime Flagging. The flagger station shall be lit by additional overhead lighting other than streetlights. The flagger shall be equipped with a fluorescent orange or fluorescent orange and fluorescent yellow/green garment meeting the requirements of the American National Standards Institute specification ANSI/ISEA 107-1999 for Conspicuity Class 2 garments."

#### MULCHING SEEDED AREAS (BDE)

Effective: January 1, 2005

Delete Article 251.02(a) of the Standard Specifications.

Add the following to Article 251.02 of the Standard Specifications:

"(h) Compost ...... 1081.05(b)"

Delete Article 251.03(b)(1) of the Standard Specifications.

Add the following to Article 251.03 of the Standard Specifications:

"(d) Method 4. This method shall consist of applying compost combined with a performance additive designed to bind/stabilize the compost. The compost/performance additive mixture shall be applied to the surface of the slope using a pneumatic blower at a depth of 50 mm (2 in.)."

Revise the first sentence of the first paragraph of Article 251.06(b) of the Standard Specifications to read:

"Mulch Methods 1, 2, 3, and 4 will be measured for payment in hectares (acres) of surface area mulched."

Revise Article 251.07 of the Standard Specifications to read:

"251.07 Basis of Payment. This work will be paid for at the contract unit price per hectare (acre) for MULCH, METHOD 1; MULCH, METHOD 2; MULCH, METHOD 3; or MULCH, METHOD 4; and at the contract unit price per square meter (square yard) for EROSION CONTROL BLANKET or HEAVY DUTY EROSION CONTROL BLANKET."

Add the following after the second paragraph of Article 1081.05(b) of the Standard Specifications:

"Chemical Compost Binder. Chemical compost binder shall be a commercially available product specifically recommended by the manufacturer for use as a compost stabilizer.

The compost binder shall be nonstaining and nontoxic to vegetation and the environment. It shall disperse evenly and rapidly and remain in suspension when agitated in water.

FAP 332 (US 45) Section Demolition Project FY 05 Saline County Contract 98891

Prior to use of the compost binder, the Contractor shall submit a notarized certification by the manufacturer stating that it meets these requirements. Chemical compost binder shall be packaged, stored, and shipped according to the manufacturer's recommendations with the net quantity plainly shown on each package or container."

#### PARTIAL PAYMENTS (BDE)

Effective: September 1, 2003

Revise Article 109.07 of the Standard Specifications to read:

"**109.07 Partial Payments.** Partial payments will be made as follows:

(a) Progress Payments. At least once each month, the Engineer will make a written estimate of the amount of work performed in accordance with the contract, and the value thereof at the contract unit prices. The amount of the estimate approved as due for payment will be vouchered by the Department and presented to the State Comptroller for payment. No amount less than \$1000.00 will be approved for payment other than the final payment.

The failure to perform any requirement, obligation, or term of the contract by the Contractor shall be reason for withholding any progress payments until the Department determines that compliance has been achieved. Furthermore, progress payments may be reduced by liens filed pursuant to Section 23(c) of the Mechanics Lien Act, 770 ILCS 60/23(c).

(b) Material Allowances. At the discretion of the Department, payment may be made for materials, prior to their use in the work, when satisfactory evidence is presented by the Contractor. Satisfactory evidence includes justification for the allowance (to expedite the work, meet project schedules, regional or national material shortages, etc.), documentation of material and transportation costs, and evidence that such material is properly stored on the project or at a secure location acceptable and accessible to the Department.

Material allowances will be considered only for nonperishable materials when the cost, including transportation, exceeds \$10,000 and such materials are not expected to be utilized within 60 days of the request for the allowance. For contracts valued under \$500,000, the minimum \$10,000 requirement may be met by combining the principal (material) product of no more than two contract items. An exception to this two item limitation may be considered for any contract regardless of value for items in which material (products) are similar except for type and/or size.

Material allowances shall not exceed the value of the contract items in which used and shall not include the cost of installation or related markups. Amounts paid by the Department for material allowances will be deducted from estimates due the Contractor as the material is used. Two-sided copies of the Contractor's cancelled checks for materials and transportation must be furnished to the Department within 60 days of payment of the allowances or the amounts will be reclaimed by the Department."

#### PAYMENTS TO SUBCONTRACTORS (BDE)

Effective: June 1, 2000

Revised: September 1, 2003

Federal regulations found at 49 CFR §26.29 mandate the Department to establish a contract clause to require Contractors to pay subcontractors for satisfactory performance of their subcontracts no later than 30 days from the receipt of each payment made to the Contractor.

State law addresses the timing of payments to be made to subcontractors. Section 7 of the Prompt Payment Act, 30 ILCS 540/7, generally requires that when a Contractor receives any payment from the Department, the Contractor is required to make corresponding, proportional payments to each subcontractor performing work within 15 calendar days after receipt of the state payment. Section 7 of the State Prompt Payment Act further provides that interest in the amount of 2% per month, in addition to the payment due, shall be paid to any subcontractor by the Contractor if the payment required by the Act is withheld or delayed without reasonable cause. The Act also provides that the time for payment required and the calculation of any interest due applies to transactions between subcontractors and lower-tier subcontractors throughout the contracting chain.

This Special Provision establishes the required federal contract clause, and adopts the 15 calendar day requirement of the Act for purposes of compliance with the federal regulation regarding payments to subcontractors. This contract is subject to the following payment obligations.

As progress payments are made to the Contractor in accordance with Article 109.07 of the Standard Specifications for Road and Bridge Construction, the Contractor shall make a corresponding partial payment within 15 calendar days to each subcontractor in proportion to the work satisfactorily completed by each subcontractor. The proportionate amount of partial payment due to each subcontractor shall be determined by the quantities measured or otherwise determined as eligible for payment by the Department and included in the progress payment to the Contractor. Subcontractors shall be paid in full within 15 calendar days after the subcontractor's work has been satisfactorily completed. The Contractor shall hold no retainage from the subcontractors.

This Special Provision does not create any rights in favor of any subcontractor against the State of Illinois or authorize any cause of action against the State of Illinois on account of any payment, nonpayment, delayed payment or interest claimed by application of the State Prompt Payment Act. The Department will neither determine the reasonableness of any cause for delay of payment nor enforce any claim to payment, including interest. Moreover, the Department will not approve any delay or postponement of the 15 day requirement. State law creates remedies available to any subcontractor or material supplier, regardless of tier, who has not been paid for work properly performed or material furnished. These remedies are a lien against public funds set forth in Section 23(c) of the Mechanics Lien Act, 770 ILCS 60/23(c), and a recovery on the Contractor's payment bond in accordance with the Public Construction Bond Act, 30 ILCS 550.

#### PERSONAL PROTECTIVE EQUIPMENT (BDE)

Effective: July 1, 2004

All personnel, excluding flaggers, working outside of a vehicle (car or truck) within 7.6 m (25 ft) of pavement open to traffic shall wear a fluorescent orange, fluorescent yellow/green or a combination of fluorescent orange and fluorescent yellow/.green vest meeting the requirements of the American National Standards Institute specification ANSI/ISEA 107-1999 for Conspicuity

FAP 332 (US 45) Section Demolition Project FY 05 Saline County Contract 98891

Class 2 garments. Other types of garments may be substituted for the vest as long as the garments have manufacturers tags identifying them as meeting the ANSI Class 2 requirement.

#### WORK ZONE TRAFFIC CONTROL DEVICES (BDE)

Effective: January 1, 2003

Revised: November 1, 2004

Add the following to Article 702.01 of the Standard Specifications:

"All devices and combinations of devices shall meet the requirements of the National Cooperative Highway Research Program (NCHRP) Report 350 for their respective categories. The categories are as follows:

Category 1 includes small, lightweight, channelizing and delineating devices that have been in common use for many years and are known to be crashworthy by crash testing of similar devices or years of demonstrable safe performance. These include cones, tubular markers, flexible delineators and plastic drums with no attachments. Category 1 devices shall be crash tested and accepted or may be self-certified by the manufacturer.

Category 2 includes devices that are not expected to produce significant vehicular velocity change but may otherwise be hazardous. These include drums and vertical panels with lights, barricades and portable sign supports. Category 2 devices shall be crash tested and accepted for Test Level 3.

Category 3 includes devices that are expected to cause significant velocity changes or other potentially harmful reactions to impacting vehicles. These include crash cushions, truck mounted attenuators and other devices not meeting the definitions of Category 1 or 2. Category 3 devices shall be crash tested and accepted for either Test Level 3 or the test level specified.

Category 4 includes portable or trailer-mounted devices such as arrow boards, changeable message signs, temporary traffic signals and area lighting supports. Currently, there is no implementation date set for this category and it is exempt from the NCHRP 350 compliance requirement.

The Contractor shall provide a manufacturer's self-certification letter for each Category 1 device and an FHWA acceptance letter for each Category 2 and Category 3 device used on the contract. The letters shall state the device meets the NCHRP 350 requirements for its respective category and test level, and shall include a detail drawing of the device."

Delete the third, fourth and fifth paragraphs of Article 702.03(b) of the Standard Specifications.

Delete the third sentence of the first paragraph of Article 702.03(c) of the Standard Specifications.

Revise the first sentence of the first paragraph of Article 702.03(e) of the Standard Specifications to read:

"Drums shall be nonmetallic and have alternating reflectorized Type AA or Type AP fluorescent orange and reflectorized white horizontal, circumferential stripes."

Add the following to Article 702.03 of the Standard Specifications:

"(h) Vertical Barricades. Vertical barricades may be used in lieu of cones, drums or Type II barricades to channelize traffic."

Delete the fourth paragraph of Article 702.05(a) of the Standard Specifications.

Revise the sixth paragraph of Article 702.05(a) of the Standard Specifications to read:

"When the work operations exceed four days, all signs shall be post mounted unless the signs are located on the pavement or define a moving or intermittent operation. When approved by the Engineer, a temporary sign stand may be used to support a sign at 1.2 m (5 ft) minimum where posts are impractical. Longitudinal dimensions shown on the plans for the placement of signs may be increased up to 30 m (100 ft) to avoid obstacles, hazards or to improve sight distance, when approved by the Engineer. "ROAD CONSTRUCTION AHEAD" signs will also be required on side roads located within the limits of the mainline "ROAD CONSTRUCTION AHEAD" signs."

Delete all references to "Type 1A barricades" and "wing barricades" throughout Section 702 of the Standard Specifications.

#### WORKING DAYS (BDE)

Effective: January 1, 2002

The Contractor shall complete the work within 20 working days.

#### SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)

Effective: January 2, 2005

To account for the preparatory work and operations necessary for the movement of subcontractor personnel, equipment, supplies, and incidentals to the project site and for all other work or operations that must be performed or costs incurred when beginning work approved for subcontracting in accordance with Article 108.01 of the Standard Specifications, the Contractor shall make a mobilization payment to each subcontractor.

This mobilization payment shall be made at least 14 days prior to the subcontractor starting work. The amount paid shall be equal to 3 percent of the amount of the subcontract reported on form BC 260A submitted for the approval of the subcontractor's work.

This provision shall be incorporated directly or by reference into each subcontract approved by the Department.

#### BUILDING REMOVAL - CASE IV (NO ASBESTOS) (BDE)

Effective: September 1, 1990

Revised: August 1, 2001

BUILDING REMOVAL: This item shall consist of the removal and disposal of <u>4</u> buildings, together with all foundations, retaining walls, and piers, down to a plane 300 mm (1 ft.) below the ultimate or existing grade in the area and also all incidental and collateral work necessary to complete the removal of the building(s) in a manner approved by the Engineer. Any holes, such as basements, shall be filled with a suitable granular material. The building(s) are identified as follows:

<u>Bldg. No.</u>	Parcel <u>No.</u>	Location	Description
2	9031500	404 N. Commercial St. Harrisburg, IL	682 sq. ft. metal out building on concrete slab
3	9015098	620 N. Main St. Harrisburg, IL	7,361 sq. ft. one-story commercial building on concrete slab
4	9015098	620 N. Main St. Harrisburg, IL	1,707 sq. ft. metal pole building attached to Bldg. No. 5 by breezeway on concrete slab
5	9015098	620 N. Main St. Harrisburg, IL	3,402 sq. ft. metal pole building on concrete slab

Discontinuance of Utilities: The Contractor shall arrange for the discontinuance of all utility services that serve the building(s) according to the respective requirements and regulations of the City, County, or utility companies involved. The Contractor shall disconnect and seal, in an approved manner, all service outlets that serve any building(s) he/she is to remove.

Signs: Immediately upon execution of the contract and prior to the wrecking of any structures, the Contractor shall be required to paint or stencil, in contrasting colors of an oil base paint, on all four sides of each residence and two opposite sides of other structures, the following sign:

#### PROPERTY ACQUIRED FOR HIGHWAY CONSTRUCTION TO BE DEMOLISHED BY THE

## VANDALS WILL BE PROSECUTED

The signs shall be positioned in a prominent location on the structure so that they can be easily seen and read and at a sufficient height to prevent defacing. The Contractor shall not paint signs nor start demolition of any building(s) prior to the time that the State becomes the owner of the respective building(s).

Basis of Payment: This work will be paid for at the contract lump sum unit price for BUILDING REMOVAL, numbers as listed above, which price shall be payment in full for complete removal of the buildings and structures, including any necessary backfilling material as specified herein. The lump sum unit price(s) for this work shall represent the cost of demolition. Any salvage value shall be reflected in the contract unit price for this item.

Notifications: The "Demolition/Renovation Notice" form, which can be obtained from the IEPA office, shall be completed and submitted to the address listed below at least 10 days prior to commencement of any demolition activity.

Asbestos Demolition/Renovation Coordinator Illinois Environmental Protection Agency Division of Air Pollution Control P. O. Box 19276 Springfield, Illinois 62794-9276 (217)785-1743

Notices shall be updated if there is a change in the starting date or the amount of asbestos changes by more than 20 percent.

Submittals:

- A. All submittals and notices shall be made to the Engineer except where otherwise specified herein.
- B. Prior to starting work, the Contractor shall submit proof of written notification and compliance with the "Notifications" paragraph.

### BUILDING REMOVAL - CASE II (NON-FRIABLE ASBESTOS ABATEMENT) (BDE)

Effective: September 1, 1990

Revised: August 1, 2001

BUILDING REMOVAL: This item shall consist of the removal and disposal of <u>1</u> building, together with all foundations, retaining walls, and piers, down to a plane 300 mm (1 ft.) below the ultimate or existing grade in the area and also all incidental and collateral work necessary to complete the removal of the building(s) in a manner approved by the Engineer. Any holes, such as basements, shall be filled with a suitable granular material. The building(s) are identified as follows:

<u>Bldg. No.</u>	Parcel <u>No.</u>	Location	Description
1	9031500	404 N. Commercial St. Harrisburg, IL	6,748 sq. ft. single-story wood frame, commercial building on concrete slab

Discontinuance of Utilities: The Contractor shall arrange for the discontinuance of all utility services that serve the building(s) according to the respective requirements and regulations of the City, County, or utility companies involved. The Contractor shall disconnect and seal, in an approved manner, all service outlets that serve any building(s) he/she is to remove.

Signs: Immediately upon execution of the contract and prior to the wrecking of any structures, the Contractor shall be required to paint or stencil, in contrasting colors of an oil base paint, on all four sides of each residence and two opposite sides of other structures, the following sign:

#### PROPERTY ACQUIRED FOR HIGHWAY CONSTRUCTION TO BE DEMOLISHED BY THE

#### VANDALS WILL BE PROSECUTED

The signs shall be positioned in a prominent location on the structure so that they can be easily seen and read and at a sufficient height to prevent defacing. The Contractor shall not paint signs nor start demolition of any building(s) prior to the time that the State becomes the owner of the respective building(s).

The Contractor has the option of removing the non-friable asbestos prior to demolition or demolishing the building(s) with the non-friable asbestos in place. Refer to the Special Provisions titled "Asbestos Abatement (General Conditions)" and "Removal and Disposal of Non-Friable Asbestos Building No. <u>1</u>" contained herein.

Basis of Payment: This work will be paid for at the contract lump sum unit price for BUILDING REMOVAL, numbers as listed above, which price shall be payment in full for complete removal of the buildings and structures, including any necessary backfilling material as specified herein. The lump sum unit price(s) for this work shall represent the cost of demolition and disposal assuming all non-friable asbestos is removed prior to demolition. Any salvage value shall be reflected in the contract unit price for this item.

<u>EXPLANATION OF BIDDING TERMS</u>: Two separate contract unit price items have been established for the removal of each building. They are:

- 1. BUILDING REMOVAL NO. 1
- 2. REMOVAL AND DISPOSAL OF NON-FRIABLE ASBESTOS, BUILDING NO. 1

The Contractor shall have two options available for the removal and disposal of the non-friable asbestos.

The pay item for removal and disposal of non-friable asbestos will not be deleted regardless of the option chosen by the Contractor.

ASBESTOS ABATEMENT (GENERAL CONDITIONS): This work consists of the removal and disposal of non-friable asbestos from the building(s) to be demolished. All work shall be done according to the requirements of the U.S. Environmental Protection Agency (USEPA), the Illinois Environmental Protection Agency (IEPA), the Occupational Safety and Health Administration (OSHA), the Special Provision for "Removal and Disposal of Non-Friable Asbestos, Building No. <u>1</u>," and as outlined herein.

Sketches indicating the location of Asbestos Containing Material (ACM) are included in the proposal on page <u>18</u>. Also refer to the Materials Description Table on page <u>0</u> for a brief description and location of the various materials. Also included is a Materials Quantities Table on page <u>0</u>. This table states the ACM is non-friable and gives the approximate quantity. The quantities are given only for information and it shall be the Contractor's responsibility to determine the exact quantities prior to submitting his/her bid.

The work involved in the removal and disposal of non-friable asbestos if done prior to demolition, shall be performed by a Contractor or Sub-Contractor prequalified with the Illinois Capital Development Board.

The Contractor shall provide a shipping manifest, similar to the one shown on page <u>19</u>, to the Engineer for the disposal of all ACM wastes.

Permits: The Contractor shall apply for permit(s) in compliance with applicable regulations of the Illinois Environmental Protection Agency. Any and all other permits required by other federal, state, or local agencies for carrying on the work shall be the responsibility of the Contractor. Copies of the permit(s) shall be sent to the district office and the Engineer.

Notifications: The "Demolition/Renovation Notice" form, which can be obtained from the IEPA office, shall be completed and submitted to the address listed below at least 10 days prior to commencement of any asbestos removal or demolition activity. Separate notices shall be sent for the asbestos removal work and the building demolition if they are done as separate operations.

Asbestos Demolition/Renovation Coordinator Illinois Environmental Protection Agency Division of Air Pollution Control P. O. Box 19276 Springfield, Illinois 62794-9276 (217) 785-1743

Notices shall be updated if there is a change in the starting date or the amount of asbestos changes by more than 20 percent.

Submittals:

- A. All submittals and notices shall be made to the Engineer except where otherwise specified herein.
- B. Submittals that shall be made prior to start of work:
  - 1. Submittals required under Asbestos Abatement Experience.
  - 2. Submit documentation indicating that all employees have had medical examinations and instruction on the hazards of asbestos exposure, on use and fitting of respirators, on protective dress, on use of showers, on entry and exit from work areas, and on all aspects of work procedures and protective measures as specified in Worker Protection Procedures.
  - 3. Submit manufacturer's certification stating that vacuums, ventilation equipment, and other equipment required to contain airborne fibers conform to ANSI 29.2.
  - 4. Submit to the Engineer the brand name, manufacturer, and specification of all sealants or surfactants to be used. Testing under existing conditions will be required at the direction of the Engineer.
  - 5. Submit proof that all required permits, site locations, and arrangements for transport and disposal of asbestos-containing or asbestos-contaminated materials, supplies, and the like have been obtained (i.e., a letter of authorization to utilize designated landfill).
  - 6. Submit a list of penalties, including liquidated damages, incurred through noncompliance with asbestos abatement project specifications.

- 7. Submit a detailed plan of the procedures proposed for use in complying with the requirements of this specification. Include in the plan the location and layout of decontamination units, the sequencing of work, the respiratory protection plan to be used during this work, a site safety plan, a disposal plan including the location of an approved disposal site, and a detailed description of the methods to be used to control pollution. The plan shall be submitted to the Engineer prior to the start of work.
- 8. Submit proof of written notification and compliance with the "Notifications" paragraph.
- C. Submittals that shall be made upon completion of abatement work:
  - 1. Submit copies of all waste chain-of-custodies, trip tickets, and disposal receipts for all asbestos waste materials removed from the work area;
  - 2. Submit daily copies of work site entry logbooks with information on worker and visitor access;
  - 3. Submit logs documenting filter changes on respirators, HEPA vacuums, negative pressure ventilation units, and other engineering controls; and
  - 4. Submit results of any bulk material analysis and air sampling data collected during the course of the abatement including results of any on-site testing by any federal, state, or local agency.

Certificate of Insurance:

- A. The Contractor shall document general liability insurance for personal injury, occupational disease and sickness or death, and property damage.
- B. The Contractor shall document current Workmen's Compensation Insurance coverage.
- C. The Contractor shall supply insurance certificates as specified by the Department.

Asbestos Abatement Experience:

- A. Company Experience. Prior to starting work, the Contractor shall supply evidence that he/she has been prequalified with the Illinois Capital Development Board and that he/she has been included on the Illinois Department of Public Health's list of approved Contractors.
- B. Personnel Experience:
  - 1. For Superintendent, the Contractor shall supply:
    - a. Evidence of knowledge of applicable regulations in safety and environmental protection is required as well as training in asbestos abatement as evidenced by the successful completion of a training course in supervision of asbestos abatement as specified in 40 CFR 763, Subpart E, Appendix C, EPA Model Contractor Accreditation Plan. A copy of the certificate of successful completion shall be provided to the Engineer prior to the start of work.

- b. Documentation of experience with abatement work in a supervisory position as evidenced through supervising at least two asbestos abatement projects; provide names, contact, phone number, and locations of two projects in which the individual(s) has worked in a supervisory capacity.
- 2. For workers involved in the removal of asbestos, the Contractor shall provide training as evidenced by the participation and successful completion of an accredited training course for asbestos abatement workers as specified in 40 CFR 763, Subpart E, Appendix C, EPA Model Contractor Accreditation Plan. A copy of the certificate of successful completion shall be provided to all employees who will be working on this project.

ABATEMENT AIR MONITORING: The Contractor shall comply with the following:

- A. Personal Monitoring. All personal monitoring shall be conducted per specifications listed in OSHA regulation, Title 29, Code of Federal Regulation 1926.58. All area sampling shall be conducted according to 40 CFR Part 763.90. All air monitoring equipment shall be calibrated and maintained in proper operating condition. Excursion limits shall be monitored daily. Personal monitoring is the responsibility of the contractor. Additional personal samples may be required by the Engineer at any time during the project.
- B. Interior Non-Friable Asbestos-Containing Materials. The contractor shall perform personal air monitoring during removal of all non-friable Transite and floor tile removal operations. The Engineer will also have the option to require additional personal samples and/or clearance samples during this type of work.
- C. Exterior Non-Friable Asbestos-Containing Materials. The contractor shall perform personal air monitoring during removal of all non-friable cementitious panels, piping, roofing felts, and built up roofing materials that contain asbestos.

The contractor shall conduct down wind area sampling to monitor airborne fiber levels at a frequency of no less than three per day.

- D. Air Monitoring Professional
  - 1. All air sampling shall be conducted by a qualified Air Sampling Professional supplied by the contractor. The Air Sampling Professional shall submit documentation of successful completion of the National Institute for Occupational Safety and Health (NIOSH) course #582 "Sampling and Evaluating Airborne Asbestos Dust".
  - 2. Air sampling shall be conducted according to NIOSH Method 7400. The results of these tests shall be provided to the Engineer within 24 hours of the collection of air samples.

<u>REMOVAL AND DISPOSAL OF NON-FRIABLE ASBESTOS, BUILDING NO. 1</u>: The Contractor has the option of removing and disposing of the non-friable asbestos prior to demolition of the building(s) or demolishing the building(s) with the non-friable asbestos in place.

Option #1 - If the Contractor chooses to remove all non-friable asbestos prior to demolition, the work shall be done according to the Special Provision titled "Asbestos Abatement (General Conditions)".

Option #2 - If the Contractor chooses to demolish the building(s) with the non-friable asbestos in place, the following provisions shall apply:

- 1. Continuously wet all non-friable ACM and other building debris with water during demolition.
- 2. Dispose of all demolition debris as asbestos containing material by placing it in lined, covered transport haulers and placing it in an approved landfill.

This work will be paid for at the contract unit price per lump sum for REMOVAL AND DISPOSAL OF NON-FRIABLE ASBESTOS, BUILDING NO. <u>1</u>, as shown.

The cost for this work shall be determined as follows:

- Option #1 Actual cost of removal and disposal of non-friable asbestos.
- Option #2 The difference in cost between removing and disposing of the building if all nonfriable asbestos is left in place and removing and disposing of the building assuming all non-friable asbestos is removed prior to demolition.


The cost of removing and disposing of the building(s), assuming all non-friable asbestos is removed first, shall be represented by the pay item "BUILDING REMOVAL NO. \_".


Regardless of the option chosen by the Contractor, this pay item will not be deleted, nor will the pay item BUILDING REMOVAL NO. <u>1</u> be deleted.

FAP 332 (US 45) Section Demolition Project FY 05 Saline County Contract 98891

# ROOF DETAIL OF NON-FRIABLE ASBESTOS ABATEMENT

BUILDING REMOVAL NO. 1 CASE II NON-FRIABLE PARCEL NO. 9031500 404 N. COMMERCIAL ST. HARRISBURG, IL





18

SHIP	<b>PING MANI</b>	FEST				
	Generator					
1. Work Site Name and Mailing Address	Owner	's Name	Owner's			
		Teleph				
2. Operator's Name and Address			Operator's.			
			Telephone No			
3. Waste Disposal Site (WDS) Name			WDS			
Mailing Address, and Physical			Telephone No.			
Site Location						
4. Name and Address of Responsible Age	ency					
5. Description of Materials			······································			
6. Containers	No.	Туре				
0. Containers	140,	1,900				
7. Total Quantity	M <sup>3</sup>	(Yd <sup>3</sup> )				
7. Total equality		1 (1-2)				
8. Special Handling Instructions and Addit	tional Inform	nation				
9. OPERATOR'S CERTIFICATION: I her	eby declare	that the cont	tents of this			
consignment are fully and accurately de	escribed ab	ove by prope	r shippina			
name and are classified, packed, marke	ed, and lab	eled, and are	in all respects			
in proper condition for transport by high	way accord	ling to applica	able international			
and government regulations.	-	<b>–</b>				
Printed/Typed Name & Title	Sig	nature	Month Day Year			
	Transporter					
10. Transporter 1 (Acknowledgement of R	Receipt of M	aterials)				
Printed/Typed Name & Title	Sig	nature	Month Day Year			
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
Address and Telephone No.						
•						
11. Transporter 2 (Acknowledgement of R	Receipt of M	aterials)				
Printed/Typed Name & Title	Sig	nature	Month Day Year			
Address and Telephone No.			i			
	Disposal Site	e				
12. Discrepancy Indication Space						
13. Waste Disposal Site Owner or Operat	or: Certific	ation of Rece	ipt of Asbestos			
· · · ·	Materia	als Covered E	y This Manifest			
	Except	As Noted in				
Printed/Typed Name & Title	Sig	nature	Month Day Year			

## 19

. L

FAP 332 (US 45) Section Demolition Project FY 05 Saline County Contract 98891

APPENDIX D

# INSTRUCTIONS Waste Generator Section (Items 1-9) 1. Enter the name of the facility at which asbestos waste is generated and the address where the facility is located. In the appropriate spaces, also enter the name of the owner of the facility and the owner's phone number. 2. If a demolition or renovation, enter the name and address of the Company and authorized agent responsible for performing the asbestos removal. In the appropriate spaces, also enter the phone number of the operator. 3. Enter the name, address, and physical site location of the waste disposal site (WDS) that will be receiving the asbestos materials. In the appropriate spaces, also enter the phone number of the WDS. Enter "on-site" if the waste will be disposed of on the generator's property. 4. Provide the name and address of the local, State, or EPA Regional Office responsible for administering the asbestos NESHAP program. 5. Indicate the types of asbestos waste materials generated. If from a demolition or renovation, indicate the amount of asbestos that is Friable asbestos material Nonfriable asbestos material Enter the number of containers used to transport the asbestos materials listed in Item 5. Also enter one of the following container codes used in transporting each type of asbestos material (specify any other type of container used if not listed below): DM - Metal drums, barrels DP - Plastic drums, barrels BA - 6 mil plastic bags or wrapping 7. Enter the quantities of each type of asbestos material removed in units of cubic meters (cubic yards). 8. Use this space to indicate special transportation, treatment, storage or disposal or Bill of Lading information. If an alternate waste disposal site is designated, note it here. Emergency response telephone numbers or similar information may be included here. 9. The authorized agent of the waste generator shall read and then sign and date this certification. The date is the date of receipt by transporter.

NOTE: The waste generator shall retain a copy of this form.

#### APPENDIX D

#### INSTRUCTIONS

Transporter Section (Items 10 & 11)

10. & 11. Enter name, address, and telephone number of each transporter used, if applicable. Print or type the full name and title of person accepting responsibility and acknowledging receipt of materials as listed on this waste shipment record for transport.

NOTE: The transporter shall retain a copy of this form.

Disposal Site Section (Items 12 & 13)

- 12. The authorized representative of the WDS shall note in this space any discrepancy between waste described on this mainfest and waste actually received as well as any improperly enclosed or contained waste. Any rejected materials should be listed and destination of those materials provided. A site that converts asbestos-containing waste material to nonasbestos material is considered a WDS.
- 13. The signature (by hand) of the authorized WDS agent indicates acceptance and agreement with statements on this manifest except as noted in Item 12. The date is the date of signature and receipt of shipment.
- NOTE: The WDS shall retain a completed copy of this form. The WDS shall also send a completed copy to the operator listed in Item 2.

FAP 332 (US 45) Section Demolition Project FY 05 Saline County Contract 98891

#### Illinois Department Transportation

Storm Water Pollution Prevention Plan

Route _	FAP 322	Marked US 45
Section	DEMOLITION PROJECT FY 05	Project No.
County	Saline	

This plan has been prepared to comply with the provisions of the NPDES Permit Number ILR10, issued by the Illinois Environmental Protection Agency for storm water discharges from Construction Site Activities.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Laber lionature Titla

#### Site Description 1.

The following is a description of the construction activity which is the subject of this plan (use additional pages, a. as necessary):

Building demolitions, backfilling removed foundations and pavement removal, driveway pavement removal, and seeding and mulch.

The following is a description of the intended sequence of major activities which will disturb soils for major b. portions of the construction site, such as grubbing, excavation and grading (use additional pages, as necessary): Building demolitions, driveway pavement removal, and backfilling the removed foundations and pavement removal.

The total area of the construction site is estimated to be 1.65 C.

acres.

BDE 2342

FAP 332 (US 45) Section Demolition Project FY 05

Saline County The total area of the site that it is estimated will be disturbed by excavation, grading or other activities is acres.

- d. The estimated runoff coefficients of the various areas of the site after construction activities are completed are contained in the project drainage study which is hereby incorporated by reference in this plan. Information describing the soils at the site is contained either in the Soils Report for the project, which is hereby incorporated by reference, or in an attachment to this plan.
- e. The design/project report, hydraulic report, or plan documents, hereby incorporated by reference, contain site map(s) indicating drainage patterns and approximate slopes anticipated after major grading activities, areas of major soil disturbance, the location of major structural and nonstructural controls identified in the plan, the location of areas where stabilization practices are expected to occur, surface waters (including wetlands), and locations where storm water is discharged to a surface water.
- f. The names of receiving water(s) and area extent of wetland acreage at the site are in the design/project report or plan documents which are incorporated by reference as a part of this plan.

#### 2. Controls

This section of the plan addresses the various controls that will be implemented for each of the major construction activities described in 1.b. above. For each measure discussed, the contractor that will be responsible for its implementation is indicated. Each such contractor has signed the required certification on forms which are attached to, and a part of, this plan:

- a. Erosion and Sediment Controls
  - (i) Stabilization Practices. Provided below is a description of interim and permanent stabilization practices, including site-specific scheduling of the implementation of the practices. Site plans will ensure that existing vegetation is preserved where attainable and disturbed portions of the site will be stabilized. Stabilization practices may include: temporary seeding, permanent seeding, mulching, geotextiles, sod stabilization, vegetative buffer strips, protection of trees, preservation of mature vegetation, and other appropriate measures. Except as provided in 2.a.(i).(A) and 2.b., stabilization measures shall be initiated as soon as practicable in portions of the site where construction activities have temporarily or permanently ceased, but in no case more than 14 days after the construction activity in that portion of the site has temporarily or permanently ceased on all disturbed portions of the site where construction activity will not occur for a period of 21 or more calendar days.
    - (A) where the initiation of stabilization measures by the 14th day after construction activity temporarily or permanently ceases is precluded by snow cover, stabilization measures shall be initiated as soon as practicable thereafter.

Description of Stabilization Practices (use additional pages, as necessary): Temporary seeding, permanent seeding, and mulch will be used for stabilization.

#### FAP 332 (US 45) Section Demolition Project FY 05 Saline County

Structural Practices. Provided below is a description of structural practices that wilContract 96696, to the degree attainable, to divert flows from exposed soils, store flows or otherwise limit runoff and the discharge of pollutants from exposed areas of the site. Such practices may include silt fences, earth dikes, drainage swales, sediment traps, check dams, subsurface drains, pipe slope drains, level spreaders, storm drain inlet protection, rock outlet protection, reinforced soil retaining systems, gabions and temporary or permanent sediment basins. The installation of these devices may be subject to Section 404 of the Clean Water Act.

Description of Structural Practices (use additional pages, as necessary):

None. Disturbed sites are very small and will only require stabilization processes.

(ii)

FAP 332 (US 45) Section Demolition Project FY 05 Saline County Contract 98891

#### b. Storm Water Management

Provided below is a description of measures that will be installed during the construction process to control pollutants in storm water discharges that will occur after construction operations have been completed. The installation of these devices may be subject to Section 404 of the Clean Water Act.

(I) Such practices may include: storm water detention structures (including wet ponds); storm water retention structures; flow attenuation by use of open vegetated swales and natural depressions; infiltration of runoff on site; and sequential systems (which combine several practices). The practices selected for implementation were determined on the basis of the technical guidance in Section 10-300 (Design Considerations) in Chapter 10 (Erosion and Sedimentation Control) of the Illinois Department of Transportation Drainage Manual. If practices other than those discussed in Section 10-300 are selected for implementation or if practices are applied to situations different from those covered in Section 10-300, the technical basis for such decisions will be explained below.

Velocity dissipation devices will be placed at discharge locations and along the length of any outfall channel as necessary to provide a non-erosive velocity flow from the structure to a water course so that the natural physical and biological characteristics and functions are maintained and protected (e.g., maintenance of hydrologic conditions, such as the hydroperiod and hydrodynamics present prior to the initiation of construction activities).

Description of Storm Water Management Controls (use additional pages, as necessary):

None

(ii)

#### c. Other Controls

#### FAP 332 (US 45) Section Demolition Project FY 05 Saline County Contract 98891

- (i) Waste Disposal. No solid materials, including building materials, shall be discharged into Waters of the State, except as authorized by a Section 404 permit.
- (ii) The provisions of this plan shall ensure and demonstrate compliance with applicable State and/or local waste disposal, sanitary sewer or septic system regulations.

#### d. Approved State or Local Plans

The management practices, controls and provisions contained in this plan will be in accordance with IDOT specifications, which are at least as protective as the requirements contained in the Illinois Environmental Protection Agency's Illinois Urban Manual, 1995. Procedures and requirements specified in applicable sediment and erosion site plans or storm water management plans approved by local officials shall be described or incorporated by reference in the space provided below. Requirements specified in sediment and erosion site plans or storm water management site plans or site permits or storm water management site plans or site permits approved by local officials that are applicable to protecting surface water resources are, upon submittal of an NOI to be authorized to discharge under permit ILR10 incorporated by reference and are enforceable under this permit even if they are not specifically included in the plan.

Description of procedures and requirements specified in applicable sediment and erosion site plans or storm water management plans approved by local officials:

None

#### Page 5

#### FAP 332 (US 45) Section Demolition Project FY 05 Saline County Contract 98891

#### 3. Maintenance

The following is a description of procedures that will be used to maintain, in good and effective operating conditions, vegetation, erosion and sediment control measures and other protective measures identified in this plan (use additional pages, as necessary):

Regular maintenance will cut vegetation and re-vegetate as necessary.

#### 4. Inspections

C,

Qualified personnel shall inspect disturbed areas of the construction site which have not been finally stabilized, structural control measures, and locations where vehicles enter or exit the site. Such inspections shall be conducted at least once every seven (7) calendar days and within 24 hours of the end of a storm that is 0.5 inches or greater or equivalent snowfall.

a. Disturbed areas and areas used for storage of materials that are exposed to precipitation shall be inspected for evidence of, or the potential for, pollutants entering the drainage system. Erosion and sediment control measures identified in the plan shall be observed to ensure that they are operating correctly. Where discharge locations or points are accessible, they shall be inspected to ascertain whether erosion control measures are effective in preventing significant impacts to receiving waters. Locations where vehicles enter or exit the site shall be inspected for evidence of off site sediment tracking.

b. Based on the results of the inspection, the description of potential pollutant sources identified in section 1 above and pollution prevention measures identified in section 2 above shall be revised as appropriate as soon as practicable after such inspection. Any changes to this plan resulting from the required inspections shall be implemented within 7 calendar days following the inspection.

A report summarizing the scope of the inspection, name(s) and qualifications of personnel making the inspection, the date(s) of the inspection, major observations relating to the implementation of this storm water pollution prevention plan, and actions taken in accordance with section 4.b. shall be made and retained as part of the plan for at least three (3) years after the date of the inspection. The report shall be signed in accordance with Part VI. G of the general permit.

d. If any violation of the provisions of this plan is identified during the conduct of the construction work covered by this plan, the Resident Engineer or Resident Technician shall complete and file an "Incidence of Noncompliance" (ION) report for the identified violation. The Resident Engineer or Resident Technician shall use forms provided by the Illinois Environmental Protection Agency and shall include specific information on the cause of noncompliance, actions which were taken to prevent any further causes of noncompliance, and a statement detailing any environmental impact which may have resulted from the noncompliance. All reports of noncompliance shall be signed by a responsible authority in accordance with Part VI. G of the general permit.

FAP 332 (US 🥒 Section Demolition Project F

Saline Courr 1 Contract 9889

).

The report of noncompliance shall be mailed to the following address:

Illinois Environmental Protection Agency Division of Water Pollution Control Attn: Compliance Assurance Section 1021 North Grand East Post Office Box 19276 Springfield, Illinois 62794-9276

# Non-Storm Water Discharges

Except for flows from fire fighting activities, sources of non-storm water that is combined with storm water discert associated with the industrial activity addressed in this plan must be described below. Appropriate pollution measures, as described below, will be implemented for the non-storm water component(s) of the discharge. additional pages as necessary to describe non-storm water discharges and applicable pollution control measures rges ention

None

5.

28

Page 1



This certification statement is a part of the Storm Water Pollution Prevention Plan for the project described below, in accordance with NPDES Permit No. ILR10, issued by the Illinois Environmental Protection Agency on May 14, 1998.

Project.	Information:	
Route	FAP 322	Marked US 45
Section	DEMOLITION PROJECT FY 05	
County	Saline	_ Project No.
corfifu		
VPDES)	) permit (ILR 10) that authorizes the starm under	the general National Pollutant Discharge Elimination System scharges associated with industrial activity from the second
te identi	ified as part of this certification.	the general National Pollutant Discharge Elimination System scharges associated with industrial activity from the construction
•		
- <u>-</u>	Signature	<u> </u>
		Date
<u> </u>	Title	
	Name of Firm	
	· · ·	
	Street Address	
	· · ·	· · · ·
ty	State	
p Code		
p 0006		
	Telephone Number	
	· · ·	
	· · · ·	
	· · · ·	
	·	BDE 23422

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS PLANS FOR PROPOSED HIGHWAY FAP 332 (US 45) **DEMOLITION PROJECT FY 05** SALINE COUNTY

C-99-050-04

F RR CK 0 n ٥ ΎΤ

PROJECT ENGINEER: CHARLES STEIN

DESIGNER: VALERIE ROLLA

JULIE 1-800-892-0123

D-99-033-04

FAP 332 (US 45)

**CONTRACT #98891** SHEET 1 OF 9

SALINE CO.

**DEMOLITION PROJECT FY 05** 

LOCATION OF SECTION INDICATED THUS:

#### PROJECT LOCATION

FOR SIGNATURE SHEET, SEE SHEET NO. 2 FOR INDEX OF SHEETS, SEE SHEET NO. 3 FOR GENERAL NOTES, SEE SHEET NO. 4 FOR SUMMARY OF QUANTITIES, SEE SHEET NO. 5

#### TOWNSHIP: HARRISBURG

CONTRACT NO. 98891

FAP 332 (US 45) DEMOLITION PROJECT FY 05 SALINE CO. CONTRACT #98891 SHEET 2 OF 9

	SIGNATURE SHEET	
	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS	
SUBMITTED	October 29	20 0 4
	- Imas a Cum	
	DISTRICT	ENGINEER
PREPARED BY:	DISTRICT STUDIES & PLANS ENGINEER	
EXAMINED BY:	DISTRICT LANDACQUISTION ENGINEER	······································
EXAMINED BY:	N J	
EXAMINED BY:	DISTRICT OPERATIONS ENGINEER	<u> </u>
EXAMINED BY:	DISTRICT CONSTRUCTION ENGINEER	
EXAMINED BY:	Bruce W. Chebles une DISTRICT MATERIALS ENGINEER	
EXAMINED BY:	DISTRICT PROJECT IMPLEMENTATION ENGINEER	
	$\bigcirc$	
		· .
	· · · · · · · · · · · · · · · · · · ·	

FAP 332 (US 45) DEMOLITION PROJECT FY 05 SALINE CO. CONTRACT #98891 SHEET 3 OF 9

# **INDEX OF SHEETS**

## SHEET NO.

1

2

3

4

5

6

7-9

## DESCRIPTION

COVER SHEET SIGNATURE SHEET INDEX OF SHEETS & STANDARDS GENERAL NOTES SUMMARY OF QUANTITIES SEEDING SCHEDULE LOCATION MAPS

STANDARDS 701006-02 701101-01

FAP 332 (US 45) DEMOLITION PROJECT FY 05 SALINE CO. CONTRACT #98891 SHEET 4 OF 9

# **GENERAL NOTES**

ALL UNFINISHED DEMOLITION MUST BE PROTECTED WITH ORANGE CONSTRUCTION FENCING DURING NON-WORKING HOURS.

BACKFILL SHALL BE COMPACTED TO THE SASTIFACTION OF THE ENGINEER.

CONTRACTOR IS RESPONSIBLE FOR ANY FEES ASSOCIATED WITH THE IEPA NOTIFICATION FORM.

# **COMMITMENTS**

NONE

E S H SUMMARY OF QUANTIT

			SALINE CO.
CODE			URBAN
NUMBER	ITEM DESCRIPTION	UNIT	100 % STATE
	CONSTRUCTION TYPE CODE		Y004
21101615	FURNISH AND PLACE TOPSOIL, 4"	SQ YD	3,318
25000115	, CLASS 1B	ACRE	0.9
25000350	SEEDING, CLASS 7	ACRE	6*0
25000400	NITROGEN FERTILIZER NUTRIENIT	POUND	143
25000500	PHOSPHORUS FERTILIZER NUTRIENT	POUND	107
25000600	POTASSIUM FERTILIZER NUTRIENT	DOUND -	107
25000700	AGRICULTURAL GROUND LIMESTONE	TON	2
25100115		ACRE	1.8
28000250	TEMPORARY EROSION CONTROL SEEDING	DOUND	494
35101800	AGGREGATE BASE COURSE, TYPE B 6"	sq yd	2,809
44000200	DRIVEWAY PAVEMENT REMOVAL	sq YD	3,945
67100100	MOBILIZATION	L SUM	<b>4</b>
X0323415	SITE CLEANUP	L SUM	-
Z0007601	BUILDING REMOVAL NO. 1	L SUM	-
Z0007602	BUILDING REMOVAL NO. 2	L SUM	-
Z0007603	BUILDING REMOVAL NO. 3	L SUM	-
Z0007604	BUILDING REMOVAL NO. 4	L SUM	1
Z0007605	BUILDING REMOVAL NO. 5	L SUM	•
Z0049905	REMOVAL AND DISPOSAL OF NON-FRIABLE		
	ASBESTOS, BUILDING NO.5	L SUM	1

FAP 332 (US 45) DEMOLITION PROJECT FY 05 SALINE CO. CONTRACT #98891 SHEET 5 OF 9

•			TEMP					
	SEEDING, SEEDING,	SEEDING,	EROSION	NITROGEN FERTILIZER	PHOSPHORUS FERTILIZER	POTASSIUM FERTILIZER	AGG GR	MULCH,
	CLASS 1B CLASS 7	CLASS 7	SEEDING	NUTRIENT	NUTRIENT	NUTRIENT		
	ACRE	ACRE	POUND	DOUND		DOUND	TON	ACRE
BI 111 DING #1	0.20	0.20	58.0	30.9	23.2	23.2	0.4	0.4
BUILDING #2	0.02	0.02	6.1	3.3	2.4	2.4	0.04	0.04
	0.00	0.00	65.9	0.0	0	0	0	D
	00.0	0.0.0	15.3	0.0	0	0 -	0	0
	00.0	0.00	30.5	0.0	0	0	0	0
DARKING LOT RUII DING #1	0.68	0.68	203.2	108.4	81.3	81.3	1.35	1.35
PARKING I OT BUILDING #3-5	0.00	0.00	114.6	0.0	0	0	0	
TOTALS	0.9	0.9	493.6	142.6	106.9	106.9	1.8	1.8
								-


۰.


SEEDING SCHEDULE

FAP 332 (US 45) DEMOLITION PROJECT FY 05 SALINE CO. CONTRACT #98891 SHEET 6 OF 9

FAP 332 (US 45) DEMOLITION PROJECT FY 05 SALINE CO. CONTRACT #98891 SHEET 7 OF 9


# LOCATION MAP SALINE COUNTY FAP 332 (US 45)





...

FAP 332 (US 45) DEMOLITION PROJECT FY 05 SALINE CO. CONTRACT #98891 SHEET 9 OF 9



# BUILDING REMOVAL #3

### ILLINOIS DEPARTMENT OF LABOR

## PREVAILING WAGES FOR SALINE COUNTY EFFECTIVE DECEMBER 2004

The Prevailing rates of wages are included in the Contract proposals which are subject to Check Sheet #5 of the Supplemental Specifications and Recurring Special Provisions. The rates have been ascertained and certified by the Illinois Department of Labor for the locality in which the work is to be performed and for each craft or type of work or mechanic needed to execute the work of the Contract. As required by Prevailing Wage Act (820 ILCS 130/0.01, et seq.) and Check Sheet #5 of the Contract, not less than the rates of wages ascertained by the Illinois Department of Labor and as revised during the performance of a Contract shall be paid to all laborers, workers and mechanics performing work under the Contract. Post the scale of wages in a prominent and easily accessible place at the site of work.

If the Illinois Department of Labor revises the prevailing rates of wages to be paid as listed in the specification of rates, the contractor shall post the revised rates of wages and shall pay not less than the revised rates of wages. Current wage rate information shall be obtained by visiting the Illinois Department of Labor web site at <a href="http://www.state.il.us/agency/idol/">http://www.state.il.us/agency/idol/</a> or by calling 312-793-2814. It is the responsibility of the contractor to review the rates applicable to the work of the contract at regular intervals in order to insure the timely payment of current rates. Provision of this information to the contractor by means of the Illinois Department of Labor web site satisfies the notification of revisions by the Department to the contractor pursuant to the Act, and the contractor agrees that no additional notice is required. The contractor shall notify each of its subcontractors of the revised rates of wages.

# Saline County Prevailing Wage for December 2004

Trade Name	RG	TYP	С	Base	FRMAN *M-F>8	OSA	OSH	H/W	Pensn	Vac	Trng
=======================================	==	===	=								
ASBESTOS ABT-GEN		ALL		19.650	20.100 1.5	1.5	2.0	4.750	4.800	0.000	0.500
ASBESTOS ABT-MEC		BLD		20.800	0.000 2.0				2.300		
BOILERMAKER		BLD			29.500 1.5	1.5			10.21		
BRICK MASON		BLD			25.690 1.5	1.5			4.900		
CARPENTER		BLD			27.830 1.5				3.250		
CARPENTER		HWY			27.830 1.5				3.250		
CEMENT MASON		BLD			24.500 1.5				2.300		
CEMENT MASON		HWY			24.350 1.5				2.250		
CERAMIC TILE FNSHER		BLD		24.190	0.000 1.5				4.900		
ELECTRICIAN		ALL			32.230 1.5				5.400		
ELECTRONIC SYS TECH		BLD			23.380 1.5				2.850		
FLOOR LAYER		BLD			25.970 1.5				3.250		
GLAZIER		BLD		21.610	0.000 1.5	1.5			3.400		
HT/FROST INSULATOR		BLD			26.050 1.5	1.5			6.160		
IRON WORKER		ALL			24.750 1.5	1.5			6.000		
LABORER		BLD			20.100 1.5	1.5			4.800		
LABORER		HWY			20.100 1.5				4.600		
LABORER		0&C			15.190 1.5				4.600		
MACHINIST		BLD BLD			36.290 2.0 0.000 1.5				4.100 4.900		
MARBLE FINISHERS				24.190	25.690 1.5				4.900		
MARBLE MASON MILLWRIGHT		BLD BLD			27.830 1.5				4.900		
MILLWRIGHT		HWY			27.830 1.5				3.250		
OE RIVER 1			1	26.330	0.000 1.5				5.650		
OE RIVER 1 OE RIVER 2				24.800	0.000 1.5 0.000 1.5				5.650		
OPERATING ENGINEER					25.700 1.5				5.650		
OPERATING ENGINEER					25.700 1.5				5.650		
OPERATING ENGINEER					25.700 1.5				5.650		
OPERATING ENGINEER					25.700 1.5				5.650		
OPERATING ENGINEER					19.530 1.5				5.650		
OPERATING ENGINEER					19.530 1.5	1.5			5.650		
OPERATING ENGINEER					19.530 1.5	1.5			5.650		
OPERATING ENGINEER					19.530 1.5	1.5			5.650		
PAINTER		BLD	-		22.590 1.5				4.000		
PAINTER		HWY			26.890 1.5				4.000		
PAINTER OVER 30FT		BLD		22.590	23.590 1.5	1.5	2.0	4.480	4.000	0.000	0.250
PAINTER PWR EOMT		BLD		22.590	23.590 1.5	1.5	2.0	4.480	4.000	0.000	0.250
PAINTER PWR EQMT		HWY		26.890	27.890 1.5	1.5	2.0	4.480	4.000	0.000	0.250
PILEDRIVER		BLD			27.830 1.5				3.250		
PILEDRIVER		HWY		26.330	27.830 1.5	1.5	2.0	4.450	3.250	0.000	0.350
PIPEFITTER		BLD		28.000	30.250 1.5	1.5	2.0	5.000	6.600	0.000	0.300
PLASTERER		BLD		23.500	24.500 1.5	1.5	2.0	4.200	2.300	0.000	0.100
PLUMBER		BLD		28.000	30.250 1.5	1.5	2.0	5.000	6.600	0.000	0.300
ROOFER		BLD		18.250	19.050 1.5	1.5	2.0	4.150	3.500	0.000	0.000
SHEETMETAL WORKER		ALL		26.470	27.720 1.5	1.5	2.0	5.750	4.310	1.580	0.120
SPRINKLER FITTER		BLD		29.390	30.890 1.5	1.5	2.0	6.100	4.950	0.000	0.250
STONE MASON		BLD			25.690 1.5	1.5	2.0	5.250	4.900	0.000	0.425
TELECOM WORKER		ALL			23.400 1.5				2.650		
TERRAZZO FINISHER		BLD		24.190	0.000 1.5				4.900		
TERRAZZO MASON		BLD			28.800 1.5				2.950		
TRUCK DRIVER				23.620	0.000 1.5				3.450		
TRUCK DRIVER				24.020	0.000 1.5				3.450		
TRUCK DRIVER				24.220	0.000 1.5				3.450		
TRUCK DRIVER				24.470	0.000 1.5				3.450		
TRUCK DRIVER				25.220	0.000 1.5				3.450		
TRUCK DRIVER				19.000	0.000 1.5				4.550		
TRUCK DRIVER				15.400	0.000 1.5				4.550		
TRUCK DRIVER		0&C	3	15.900	0.000 1.5	1.5	2.0	3.750	4.550	0.000	0.000

M-F>8 (Overtime is required for any hour greater than 8 worked each day, Monday through Friday.

OSA (Overtime is required for every hour worked on Saturday)

OSH (Overtime is required for every hour worked on Sunday and Holidays)

H/W (Health & Welfare Insurance)

Pensn (Pension)

Vac (Vacation)

Trng (Training)

# **Explanations**

#### SALINE COUNTY

The following list is considered as those days for which holiday rates of wages for work performed apply: New Years Day, Memorial/Decoration Day, Fourth of July, Labor Day, Veterans Day, Thanksgiving Day, Christmas Day. Generally, any of these holidays which fall on a Sunday is celebrated on the following Monday. This then makes work performed on that Monday payable at the appropriate overtime rate for holiday pay. Common practice in a given local may alter certain days of celebration such as the day after Thanksgiving for Veterans Day. If in doubt, please check with IDOL.

Oil and chip resealing (O&C) means the application of road oils and liquid asphalt to coat an existing road surface, followed by application of aggregate chips or gravel to coated surface, and subsequent rolling of material to seal the surface.

#### EXPLANATION OF CLASSES

ASBESTOS - GENERAL - removal of asbestos material from any place in a building, including mechanical systems where those mechanical systems are to be removed. This includes the removal of asbestos materials from ductwork or pipes in a building when the building is to be demolished at the time or at some close future date.

ASBESTOS - MECHANICAL - removal of asbestos material from mechanical systems, such as pipes, ducts, and boilers, where the mechanical systems are to remain.

LABORER - OIL AND CHIP RESEALING ONLY

Hook and unhook chip box from aggregate truck; distribute material within chip box; perform flagging work related to oil and chip resealing; hand spray oil fluids; handle traffic control, including setting-up and maintaining barricades, drums, cones, delineators, signs and other such items, as well as laying-out and applying or removing temporary roadway markings used to control traffic in job site related to oil and chip resealing; and perform clean-up related to oil and chip resealing.

#### CERAMIC TILE FINISHER, MARBLE FINISHER, TERRAZZO FINISHER

Assisting, helping or supporting the tile, marble and terrazzo mechanic by performing their historic and traditional work assignments required to complete the proper installation of the work covered by said crafts. The term "Ceramic" is used for naming the classification only, and is in no a limitation of the product handled. Ceramic takes into consideration most hard tiles.

#### ELECTRONIC SYSTEMS TECHNICIAN

Installation, service and maintenance of low-voltage systems which utilizes the transmission and/or transference of voice, sound, vision, or digital for commercial, education, security and entertainment purposes for the following: TV monitoring and surveillance, background/foreground music, intercom and telephone interconnect, field programming, inventory control systems, microwave transmission, multi-media, multiplex, radio page, school, intercom and sound burglar alarms and low voltage master clock systems.

Excluded from this classification are energy management systems, life safety systems, supervisory controls and data acquisition systems not intrinsic with the above listed systems, fire alarm systems, nurse call systems and raceways exceeding fifteen feet in length.

TRUCK DRIVER - BUILDING, HEAVY AND HIGHWAY CONSTRUCTION Class 1. Drivers on 2 axle trucks hauling less than 9 ton. Air compressor and welding machines and brooms, including those pulled by separate units, truck driver helpers, warehouse employees, mechanic helpers, greasers and tiremen, pickup trucks when hauling materials, tools, or workers to and from and on-the-job site, and fork lifts up to 6,000 lb. capacity.

Class 2. Two or three axle trucks hauling more than 9 ton but hauling less than 16 ton. A-frame winch trucks, hydrolift trucks, vactor trucks or similar equipment when used for transportation purposes. Fork lifts over 6,000 lb. capacity, winch trucks, four axle combination units, and ticket writers.

Class 3. Two, three or four axle trucks hauling 16 ton or more. Drivers on water pulls, articulated dump trucks, mechanics and working forepersons, and dispatchers. Five axle or more combination units.

Class 4. Low Boy and Oil Distributors.

Class 5. Drivers who require special protective clothing while employed on hazardous waste work.

TRUCK DRIVER - O & C (Oil and Chip Resealing ONLY)

It involves driving of contractor or subcontractor owned, leased, or hired pickup, dump, service, or oil distributor trucks. Includes transporting materials and equipment (including, but not limited to oils, aggregate supplies, parts, machinery and tools) to or from the job site; distributing oil or liquid asphalt and aggregate; stock piling material; and maintaining trucks at job site related to oil and chip resealing.

Class 1. Distributors, liquid asphalt hauling and hauling of asphalt rubber-tired rollers.

Class 2. Stockpiling.

Class 3. Tandem hauling to job site.

OPERATING ENGINEERS - BUILDING, HEAVY AND HIGHWAY CONSTRUCTION

Class 1. APSCO or Equal Spreading Machine, Backhoe, Backfiller, Boom or Winch Cat, Bituminous Mixplane Machine, Blacksmith, Bituminous Surfacing Machine, Bull-Dozer, Crane, Shovel, Dragline, Truck Crane, Pile Driver, Concrete Breaker, Concrete or PumpCrete Pumps, Dinky or Standard Locomotives, Well or Caisson Drills, Elevating Grader, Fork Lifts, Flexplane, Gradeall, Hi-Lift Hoists, Guy-Derricks, Hysters, Mechanic Motor Patrol, Mixers-21 cu. ft. or over, Push Cats, Pulls and Scrapers, Two Well Point Pumps, Pulverizer or Tiller, PugMill, Rubber-Tired Farm Type Tractor with Bulldozer/Blade/Auger or hi-lift over 1/2 yd., Jersey Spreader, Tract-Air used with Drill or Hi-Lift, Trenching or Ditching Machines, Wood Chipper w/Tractor, Self-Propelled Roller w/Blade, Equipment Greaser, Self-Propelled Bump Grinder on Concrete pavement, Boat Operator, Skid-Loaders, Tuggers, Lazer Screed, and Self-Propelled Chip Spreader (when others run conveyors).

Class 2. Any type tractor pulling any type roller or disc, Two Air Compressors (220 cu. ft. capacity or over), Two AirTract Drills, Air-Track Drill w/Compressor, Automatic Bins or Scales w/Compressor or Generator, Pipeline Boring Machine, Bulk Cement Plant w/Separate Compressor, Power Operated Bull Float, Hydra-Lift w/Single Motor, Straw Mulcher Blower w/Spout, Self-Propelled Roller/Compactor, Back-End man on Bituminous Surfacing Machine, oiler on milling machine.

Class 3. Air Compressor w/Valve driving piling, Boom or Winch Type Truck, Two Conveyors, Self-Propelled Concrete Saw, Form Grader, Truck Crane Oiler, Self-Propelled Vibrator, Rubber Tired Farm Type Tractor w/Blade/Bulldozer/Auger/hi-lift - 1/2 yd. or less, Elevator Operator, Man Lift (scissor lift) when lifting materials.

Class 4. Air-Track Drill (one), Belt Drag Machine, Power Broom, Mechanical Plasterer Applicator, Trac-Air, Air Compressor (220 cu. ft. or over) One, Air Compressor (under 220 cu. ft) four, Automatic Bin, Bulk Cement Plant w/Built-in Compressor running off same motor or electric motor, Fireman or Switchman, Self-Propelled Form Tamper, Light Plants (4), Welding Machines (4), Pumps (4), or Combination of four (4) Pumps, Light Plants, Welding Machines, Air-Compressors (under 220 cu. ft.), Mudjacks or Wood Chipper, Mixers - less than 21 cu. ft. Mortar Mixer w/Skip or Pump, Pipeline Tract Jack. One Operating Engineer may operate and maintain any combination of the following pieces of equipment, not to exceed four (4) which shall be within a reasonable distance, such combination may include any equipment in this classification: (Compressors, Light Plants, Generators, Welding Machines, Pumps or Conveyors), One Well- Point Pump, Two Motor Driven Heaters, One Air Compressor (under 220 cu. ft.), One Engine-Driven Conveyor, One Motor Driven Heater, One Light Plant, One Pump, One Welding Machine, One Ulmac or Equal Spreader, Oilers, and one Generator 10 kw or greater.

OPERATING ENGINEER - 0 & C (Oil and Chip Resealing ONLY). Includes the operation of all motorized heavy equipment used in oil and chip rsealing, including but not limited to operating self-propelled chip spreaders, and all types of rollers (both hard and rubber tired); and other duties pertaining to the operation or maintenance of heavy equipment relatd to oil and chip resealing.

Class 1. See Class 1 above for types of equipment operated.

Class 2. See Class 2 above for types of equipment operated. Class 3. See Class 3 above for types of equipment operated. Class 4. See Class 4 above for types of equipment operated.

OPERATING ENGINEER RIVER WORK 1 - operate the following machines when working on River Work and Levee Work on the Mississippi and Ohio Rivers, Lakes and Tributaries: Crane, Shovel, Drageline, Scrapers, Dredge, Derrick, Pile-Driver, Push Boat, all power boat operators, Mechanic, Engineman on Dredge, Leverman on Dredge, All Bituminous Spreader machines, Backhoe, Backfiller, Boom, or Winch Cat, Bituminous Mixplane Machine, Blacksmith, Bituminous Surfacing Machine, Bulldozer, Truck Cranes, Hydraulic Truck Mounted Boom/Crane, Concrete Finishing Machine, or Spreader Machine, Concrete Breaker, Concrete or Pumpcrete Machines, Concrete Plant Operator, All Off Road Material Hauling Equipment, Dinky or Standard Locomotives, Well Drill, Elevating Grader, Fork-Lifts, Flexplane, Gradeall, Hi-Lift, Power Handblade Tugger type Hoist, Hoist Two Drum (or over one), Guyderrick, Hyster, Motor Patrol, Mixers - 21 Cu. Ft. or over, Push Cat, Pulls, & Scrapers, Pumps-Two Well Points, Equipment Greaser, P & H Pulverizer or Pulverizer equal to Pugmill, Pugmill, Rubber-Tired farm type tractor w/Bulldozer/Blade/Auger or Hi-Lift over ½ yard, Skimmer Scoops, Seaman Tiller, Jersey Spreader, Tract-Air used with Drill or Hi-Lift, Trenching or Ditching Machine, Wood Chipper w/Tractor, self-propelled roller w/Blade, Concrete Pumps and Small Equipment Operators.

OPERATING ENGINEER RIVER 2 - when working on River Work and Levee Work on the Mississippi and Ohio Rivers, Lakes and Tributaries shall be employed as the Oiler or Fireman on Crane, Dragline, Shovel, Dredge, Truck Crane, Pile Driver, Gradeall, Dinky or Standard Locomotive, Guy Derrick, Trenching Machine or Ditching Machine 80 H.P. and over, All Terrain (cherry-picker) with over 40 ton Lifting Capacity, Deck Oiler and Deckhands.

#### Other Classifications of Work:

For definitions of classifications not otherwise set out, the Department generally has on file such definitions which are available. If a task to be performed is not subject to one of the classifications of pay set out, the Department will upon being contacted state which neighboring county has such a classification and provide such rate, such rate being deemed to exist by reference in this document. If no neighboring county rate applies to the task, the Department shall undertake a special determination, such special determination being then deemed to have existed under this determination. If a project requires these, or any classification not listed, please contact IDOL at 618/993-7271 for wage rates or clarifications.

#### LANDSCAPING

Landscaping work falls under the existing classifications for laborer, operating engineer and truck driver. The work performed by landscape plantsman and landscape laborer is covered by the existing classification of laborer. The work performed by landscape operators (regardless of equipment used or its size) is covered by the classifications of operating engineer. The work performed by landscape truck drivers (regardless of size of truck driven) is covered by the classifications of truck driver.