

BASE WORK

35101100 AGGREGATE BASE COURSE, TYPE A, 12"

STATION	SO YD
0+00 TO 0+49	420
TOTAL =	420

40600275 BIT. MATERIAL, PRIME COAT

STATION	LBS
0+00 TO 0+49	1640
TOTAL =	1640

40800050 INCIDENTAL HMA SURFACING

STATION	TON
0+00 TO 0+49	173
TOTAL =	173

42300300 PCC DRIVEWAY PAVEMENT, 7"

STATION	SO YD
4+40 TO 4+62 RT	29
2+28 TO 2+59 RT	29
TOTAL =	58

42400800 DETECTABLE WARNINGS

STATION	SO FT
0+00.6 LT	15.7
0+27.3 LT	14.6
0+28.3 RT	15.1
0+76.0 RT	14.2
0+91.9 RT	14.2
0+92.0 LT	14.0
2+30.0 RT	15.2
2+60.0 RT	15.2
3+59.7 LT	14.0
3+59.9 RT	14.0
4+39.5 RT	14.0
4+63.1 RT	14.0
4+60.8 LT	14.0
5+12.4 LT	14.3
5+43.0 LT	14.0
5+43.9 RT	14.0
8+01.4 RT	10.0
8+35.4 RT	14.0
TOTAL =	254.5

44000100 PAVEMENT REMOVAL

STATION	SO YD
0+00 TO 0+49	229
TOTAL =	229

44000155 HOT-MIX ASPHALT SURFACE REMOVAL, 1 1/2"

STATION	SO YD
3+50 RT	82
4+85 LT	233
5+45 RT	50
8+20 RT	87
TOTAL =	412

44000200 DRIVEWAY PAVEMENT REMOVAL

STATION	SO YD
4+39 TO 4+80 RT	24
2+27 TO 2+60 RT	33
TOTAL =	57

44000500 COMBINATION CURB AND GUTTER REMOVAL

STATION	FOOT
0+00 TO 3+50 LT	333
0+00 TO 3+50 RT	306
3+50 TO 4+95 LT	211
3+50 TO 8+03 RT	434
TOTAL =	1284

44000600 SIDEWALK REMOVAL

STATION	SO FT
0+28 TO 3+50 LT	3421
0+17 TO 3+50 RT	1750
3+50 TO 5+19 LT	3124
3+50 TO 8+49 RT	3518
TOTAL =	11813

44201684 CLASS D PATCHES, TYPE IV, 3"

STATION	SO YD
3+60 LT	36
TOTAL =	36

44201709 CLASS D PATCHES, TYPE III, 5"

STATION	SO YD
0+62.6 TO 0+72.4	22
TOTAL =	22

50901760 PIPE HANDRAIL

STATION	FOOT
1+58.33, 38.49' RT	12.0
1+79.86, 32.23' LT	25.5
2+20.51, 33.26' LT	18.0
2+21.75, 33.40' RT	26.0
2+45.79, 33.34' LT	17.5
2+71.32, 33.25' LT	19.5
2+86.75, 34.24' RT	19.0
3+17.70, 34.67' RT	16.0
3+48.82, 33.22' LT	17.0
3+70.43, 32.07' LT	16.5
3+71.20, 41.76' LT	17.5
3+91.71, 55.69' LT	30.0
3+09.77, 33.23' LT	58.5
3+76.85, 29.42' RT	20.0
5+96.43, 29.48' RT	23.0
6+24.35, 29.27' RT	24.0
8+43.99, 29.28' RT	21.0
TOTAL =	382.0

56108200 ADJUSTING WATER VALVE, 6"

STATION	EACH
0+88.0 RT	1
TOTAL =	1

60260100 INLETS TO BE ADJUSTED

STATION	EACH
0+36 LT	1
2+65 RT	1
2+58 LT	1
4+10 LT	1
4+33 RT	1
7+90 RT	1
TOTAL =	6

60500060 REMOVING INLETS

STATION	EACH
0+97.0 RT	1
TOTAL =	1

60605000 COMBINATION CURB AND GUTTER TYPE B-6.24

STATION	FOOT
0+00 TO 3+50 LT	333.0
0+00 TO 3+50 RT	327.5
3+50 TO 4+95 LT	211.0
3+50 TO 8+03 RT	434.0
TOTAL =	1305.5

66900200 NON-SPECIAL WASTE DISPOSAL

STATION	CU YD
0+00 TO 0+49	60
TOTAL =	60

78005130 EPOXY PAVEMENT MARKING - LINE 6"

STATION	FOOT
0+15 LT	47.0
0+15 RT	61.0
0+90	87.0
3+39	93.0
4+85 LT	141.0
5+45 LT	82.0
8+20 RT	64.0
TOTAL =	595.0

78300100 PAVEMENT MARKING REMOVAL

STATION	SO FT
5+64 TO 5+71	42
TOTAL =	42

550A0050 STORM SEWERS, CLASS A, TYPE 1 - 12"

STATION	FOOT
0+95 TO 1+15 RT	20
TOTAL =	20

XX024100 EXPOSED AGGREGATE SURFACE

STATION	SO FT
0+30 TO 3+50 LT	306.4
0+75 TO 3+50 RT	253.4
3+50 TO 5+51 LT	602.8
3+50 TO 7+96 RT	375.4
TOTAL =	1538.0

X0320239 CONCRETE WALL REMOVAL

STATION	FOOT
2+78 TO 2+91 LT	18
TOTAL =	18

X0321690 BRICK WALL REMOVAL

STATION	FOOT
1+66 TO 1+88 RT	55
TOTAL =	56

X4403700 MEDIAN REMOVAL (SPECIAL)

STATION	SO FT
0+62 TO 1+13 RT	40
TOTAL =	40

X0326864 BRICK SIDEWALK REMOVAL

STATION	SO FT
0+00 TO 3+50 LT	1255
0+00 TO 3+50 RT	854
3+50 TO 4+95 LT	343
3+50 TO 8+03 RT	1504
TOTAL =	3956

X2800520 ABOVE GROUND INLET FILTERS

STATION	EACH
0+44.8 LT	1
0+97.1 RT	1
1+09.4 RT	1
2+57.8 LT	1
2+64.5 RT	1
4+01.9 LT	1
4+32.7 RT	1
TOTAL =	7

X6024240 INLET, SPECIAL

STATION	EACH
1+09.4 RT	1
TOTAL =	1

X6062500 PORTLAND CEMENT CONCRETE SIDEWALK ACCESSIBILITY RAMP, TYPE B, 5 INCH

STATION	SO FT
1+56.85, 43.42' RT	38.4
1+76.89, 45.04' LT	100.5
2+17.84, 42.07' LT	70.3
2+27.58, 39.99' RT	111.1
2+42.77, 40.60' LT	69.2
2+67.66, 41.78' LT	79.8
2+82.28, 34.25' RT	64.4
2+93.83, 42.84' LT & 3+21.43, 42.88' LT	281.7
3+14.22, 39.82' RT	58.9
3+46.30, 41.98' LT	67.1
3+67.00, 47.31' LT	89.5
3+68.30, 41.87' LT	53.8
3+93.00, 63.54' LT	114.0
5+72.63, 37.44' RT	78.5
6+00.47, 37.34' RT	77.6
6+18.28, 34.59' RT	77.8
6+39.95, 34.56' RT	63.4
TOTAL =	1476.0

X7240505 RELOCATE EXISTING SIGN PANEL AND POST

STATION	EACH
0+00.05, 34.37' LT	1
0+58.11, 47.34' RT	1
0+82.74, 40.25' RT	1
TOTAL =	3

X8360120 LIGHT POLE FOUNDATION, SPECIAL

STATION	EACH
0+84.97, 29.84' RT	1
TOTAL =	1

X8440110 RELOCATE EXISTING LIGHT POLE WITH LUMINAIRE

STATION	EACH
0+84.97, 29.84' RT	1
TOTAL =	1

Z0012450 CONCRETE STEPS

STATION	CU YD
1+79.86, 32.23' LT	0.5
2+20.51, 33.26' LT	0.3
2+21.75, 33.40' RT	0.2
2+45.79, 33.34' LT	0.3
2+71.32, 33.25' LT	0.3
2+82.28, 34.25' RT	0.3
3+17.70, 34.67' RT	0.2
3+48.82, 33.22' LT	0.2
3+70.43, 32.07' LT	0.2
3+71.20, 41.76' LT	0.2
3+91.71, 55.69' LT	0.7
3+09.77, 33.23' LT	1.9
3+76.85, 29.42' RT	0.2
5+96.43, 29.48' RT	0.4
6+24.35, 29.27' RT	0.2
8+43.99, 29.28' RT	0.2
TOTAL =	6.3

XZ127902 RETAINING WALL SPECIAL

STATION	SO FT
1+57.0 RT	64
1+80.0 LT	3
2+68.0 LT	119
3+21.0 LT	163
3+48.0 LT	38
4+12.0 LT	28
4+50.0 LT	12
3+68.0 LT	126
5+50.0 RT	24
6+44.0 RT	49
TOTAL =	626

XX003056 RAIL REMOVAL

STATION	FOOT
0+17 TO 0+45 LT	47.0
TOTAL =	47.0

X4240430 PCC SIDEWALK, 5", SPECIAL

STATION	SO FT
0+26 TO 3+50 LT	3755.3
0+17 TO 3+50 RT	2813.3
3+50 TO 5+51 LT	3301.9
3+50 TO 8+49 RT	4354.8
TOTAL =	14025.0