



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

February 13, 2026

SUBJECT FAP Route 104(IL-59)
Project NHPP- 9NAV(974)
Section 2025-2039-RS,SW
Lake County
Contract No. 80B75

Item No. 065, February 27th, 2026, Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised the Schedule of Prices.
2. Revised pages i-iii of the Table of Contents of the Special Provisions.
3. Revised pages 2-6 of the Special Provisions.
4. Revised sheet 6 of the Plans.

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

A handwritten signature in black ink, appearing to read 'Jack A. Elston'.

Jack A. Elston, P.E.
Bureau Chief, Design and Environment

MTS

TABLE OF CONTENTS

LOCATION OF PROJECT 1

DESCRIPTION OF PROJECT 1

MAINTENANCE OF ROADWAYS (D1) 2

CONSTRUCTION LAYOUT SPECIAL FOR RESURFACING WITH ADA AND STAND ALONE ADA (D1) . 6

PUBLIC CONVENIENCE AND SAFETY (D1) 8

HOT-MIX ASPHALT BINDER AND SURFACE COURSE (D1) 8

HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH 16

CLEANING EXISTING DRAINAGE STRUCTURES (D1) 17

GRADING AND SHAPING SHOULDERS (D1) 17

FRICTION AGGREGATE (D1)..... 18

HOT-MIX ASPHALT – MIXTURE DESIGN VERIFICATION AND PRODUCTION (D1) 21

ADJUSTMENTS AND RECONSTRUCTIONS (D1)..... 22

HEAVY-DUTY HANDHOLE TO BE ADJUSTED 23

CURB OR COMBINATION CURB AND GUTTER REMOVAL AND REPLACEMENT (D1)..... 24

PORTLAND CEMENT CONCRETE SURFACE REMOVAL (VARIABLE DEPTH)..... 25

ENGINEER’S FIELD OFFICE TYPE A (D1) 26

TRAFFIC CONTROL PLAN (D1) 26

TRAFFIC CONTROL AND PROTECTION STANDARD TC8..... 27

WORK RESTRICTIONS 28

TRAFFIC SIGNAL GENERAL REQUIREMENTS..... 28

RE-OPTIMIZE TRAFFIC SIGNAL SYSTEM..... 44

COILABLE NON-METALLIC CONDUIT 46

UNDERGROUND RACEWAYS 47

HANDHOLES 48

ELECTRIC CABLE..... 49

EMERGENCY VEHICLE PRIORITY SYSTEM LINE SENSOR CABLE, NO. 20 3/C 49

TRAFFIC SIGNAL POST 50

PEDESTRIAN SIGNAL POST 50

MAST ARM ASSEMBLY AND POLE 52

CONCRETE FOUNDATIONS..... 52

LIGHT EMITTING DIODE (LED) SIGNAL HEAD AND OPTICALLY PROGRAMMED LED SIGNAL HEAD
 53

LED SIGNAL FACE, LENS COVER 56

TRAFFIC SIGNAL BACKPLATE 57

DETECTOR LOOP 57

DETECTOR LOOP REPLACEMENT AND/OR INSTALLATION (ROADWAY GRINDING, RESURFACING,
 & PATCHING OPERATIONS)..... 60

VIDEO VEHICLE DETECTION SYSTEM..... 62

RELOCATE EXISTING EMERGENCY VEHICLE PRIORITY SYSTEM, DETECTOR UNIT 63

ACCESSIBLE PEDESTRIAN SIGNALS..... 64

REMOVE EXISTING TRAFFIC SIGNAL EQUIPMENT 68

REBUILD EXISTING HANDHOLE..... 69

RELOCATE EXISTING PTZ CAMERA..... 70

PRUNING FOR SAFETY AND EQUIPMENT CLEARANCE 70

TREE LIMB REMOVAL (4 TO 10 INCHES DIAMETER) 71

TREE LIMB REMOVAL (OVER 10 INCHES DIAMETER)..... 71

GENERAL REQUIREMENTS FOR WEED CONTROL SPRAYING 72

SELECTIVE CLEARING (UNITS)..... 75

TEMPORARY INFORMATION SIGNING 76

DRILLED SHAFTS 78

CONSTRUCTION REQUIREMENTS..... 80

BITUMINOUS MATERIALS COST ADJUSTMENTS (BDE)..... 88

CEMENT, FINELY DIVIDED MINERALS, ADMIXTURES, CONCRETE, AND MORTAR (BDE) 90

COMPENSABLE DELAY COSTS (BDE)..... 107

FUEL COST ADJUSTMENT (BDE) 110

HOT-MIX ASPHALT – LONGITUDINAL JOINT SEALANT (BDE) 113

PAVEMENT MARKING (BDE) 114

PAVEMENT PATCHING (BDE)..... 115

PERFORMANCE GRADED ASPHALT BINDER (BDE) 115

RAISED REFLECTIVE PAVEMENT MARKERS (BDE) 121

REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (BDE)..... 121

SHORT TERM AND TEMPORARY PAVEMENT MARKINGS (BDE)..... 123

SOURCE OF SUPPLY AND QUALITY REQUIREMENTS (BDE)..... 126

SUBCONTRACTOR AND DBE PAYMENT REPORTING (BDE) 128

SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)..... 128

SUBMISSION OF BIDDERS LIST INFORMATION (BDE)..... 129

SUBMISSION OF PAYROLL RECORDS (BDE)..... 129

SURFACE TESTING OF PAVEMENTS – IRI (BDE) 130

SURVEYING SERVICES (BDE)..... 137

TRAFFIC SIGNAL BACKPLATE (BDE)..... 137

TRAINING SPECIAL PROVISIONS (BDE)..... 137

IDOT TRAINING PROGRAM GRADUATE ON-THE-JOB TRAINING SPECIAL PROVISION 140
VEHICLE AND EQUIPMENT WARNING LIGHTS (BDE)..... 142
WORK ZONE TRAFFIC CONTROL DEVICES (BDE) 142
WORKING DAYS (BDE) 144

Pre-Stage: _____ Days Total Installation
Stage 1: _____ Days Total Installation
Stage 2: _____ Days Total Installation

The following contact information is what was used during the preparation of the plans as provided by the Agency/Company responsible for resolution of the conflict.

Agency/Company Responsible to Resolve Conflict	Name of contact	Phone	E-mail address
AT&T	Tom Laskowski	(630)-779-4722	tl7895@att.com

UTILITIES TO BE WATCHED AND PROTECTED. The areas of concern noted below have been identified by following the suggested staging plan included for the contract. The information provided is not a comprehensive list of all remaining utilities, but those which during coordination were identified as ones which might require the Department's contractor to take into consideration when making the determination of the means and methods that would be required to construct the proposed improvement. In some instances, the contractor will be responsible to notify the owner in advance of the work to take place so necessary staffing on the owner's part can be secured.

Pre-Stage

STAGE / LOCATION	TYPE	DESCRIPTION	OWNER
Project-Wide	Gas Main		Nicor Gas
Project-Wide	Overhead Distribution Electrical Facilities	Existing facilities within the limits of construction to be protected from damage by contractor. If excavation will be performed near poles or large equipment will be used near existing overhead lines, facility protection may be required. If facility protection is required, please call 1-800-334-7661 to create a ticket for line and/or pole protection as soon as possible.	ComEd
21+00 to 22+00	2" Duct Run	Existing facilities within the limits of construction to be protected from damage by contractor	Midwest Fiber Networks
Project-Wide	Gas Main	Existing facilities within the limits of construction to be protected from damage by contractor. Please contact a Nicor representative when working within 25' of the gas main, and contact Shannah Mustafa-Parker, Scheduler, at 224-370-8640 if Nicor Gas valve boxes require adjustment or the test connection posts need to be relocated	Nicor Gas
Project-Wide	Handholes & HDPE	Existing facilities within the limits of construction to be protected from damage by contractor	Verizon/MCI
Project-Wide	Chimney Seals	Existing facilities within the limits of construction to be protected from damage by contractor. Please contact LCPW Maintenance at 847-377-7174 for removal of any internal chimney seals encountered at least 1 week prior to adjustment of LCPW structures	Lake County Public Works

Stage 1

STAGE / LOCATION	TYPE	DESCRIPTION	OWNER

Stage 2

STAGE / LOCATION	TYPE	DESCRIPTION	OWNER

No facilities requiring extra consideration (or listed as noted above)

The following contact information is what was used during the preparation of the plans as provided by the owner of the facility.

Agency/Company Responsible to Resolve Conflict	Name of contact	Phone	E-mail address
Nicor Gas	Karey Johnson	O:(630)388 2923 C:(224)471 9356	Gasmaps@southernco.com CC: karejohn@southernco.com
ComEd	Bill Mitchell	(779)-231-1522	William.Mitchell@Comed.com
Midwest Fiber Networks	Gino Esposito	(262)-875-8315	gesposito@midwestfibernetworks.com
Nicor Gas	Hensley Gooden William Bell	(630)-514-7737 (312)-965-5068	hgooden@southernco.com wbell@southernco.com
Verizon/MCI	Joe B. Chaney Jr.	(312)-617-2131	Joe.Chaney@Verizon.com
Lale County Public Works	Jeremy Kim	(847)-377-7174	jkim@lakecountyil.gov

The above represents the best information available to the Department and is included for the convenience of the bidder. The days required for conflict resolution should be considered in the bid as this information has also been factored into the timeline identified for the project when setting the completion date. The applicable portions of the Standard Specifications for Road and Bridge Construction shall apply.

Estimated duration of time provided above for the first conflicts identified will begin on the date of the executed contract regardless of the status of the utility relocations. The responsible agencies will be working toward resolving subsequent conflicts in conjunction with contractor activities in the number of days noted.

The estimated relocation duration must be part of the progress schedule submitted by the contractor. A utility kickoff meeting will be scheduled between the Department, the Department's contractor, and the utility companies when necessary.

The contractor is responsible for contacting JULIE (or DIGGER within the City of Chicago) prior to any excavation work. Please note that IDOT electrical facilities are not part of the one-call locating services, such as JULIE or DIGGER.

If the contract requires the services of an electrical contractor, it is the contractor's responsibility, at their own expense, to locate existing IDOT electrical facilities before commencing work. For contracts that do not require an electrical contractor, the contractor may request one free locate of IDOT electrical facilities

by contacting the Department's Electrical Maintenance Contractor. Additional locate requests will be at the contractor's expense.

The Department's Electrical Maintenance Contractor must be notified at least 72 hours in advance of the work by calling 773-287-7600 or emailing dispatch@meade100.com to arrange for the locating of underground electrical facilities.

Please note, the marking of underground facilities does not absolve the contractor of their responsibility to repair or replace any facilities damaged during construction at their expense.

REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES

Description. This work shall consist of the removal and disposal of regulated substances according to Section 669 of the Standard Specifications as revised below.

Contract Specific Sites. The excavated soil and groundwater within the areas listed below shall be managed as either "uncontaminated soil", hazardous waste, special waste or non-special waste. For stationing, the lateral distance is measured from centerline and the farthest distance is the offset distance or construction limit, whichever is less.

Soil Disposal Analysis. When the waste material requires sampling for landfill disposal acceptance, the Contractor shall secure a written list of the specific analytical parameters and analytical methods required by the landfill. The Contractor shall collect and analyze the required number of samples for the parameters required by the landfill using the appropriate analytical procedures. A copy of the required parameters and analytical methods (from landfill email or on landfill letterhead) shall be provided as Attachment 4A of the BDE 2733 (Regulated Substances Final Construction Report). The price shall include all sampling materials and effort necessary for collection and management of the samples, including transportation of samples from the job site to the laboratory. The Contractor shall be responsible for determining the specific disposal facilities to be utilized; and collect and analyze any samples required for disposal facility acceptance using a NELAP certified analytical laboratory registered with the State of Illinois.

Intersection of IL 59 (N Grand Avenue) and Devlin Road, Ingleside, Lake County

- All excavation planned at the northeast quadrant, north island, and southeast quadrant at the intersection of IL 59 (N Grand Avenue) and Devlin Road. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL 59 (N Grand Avenue) and IL 132 (W Grand Avenue), Lake Villa, Lake County

- All excavation planned at the northwest quadrant, northeast quadrant, southwest quadrant and southeast quadrant at the intersection of IL 59 (N Grand Avenue) and IL 132 (W Grand Avenue). The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Work Zones. Three distinct OSHA HAZWOPER work zones (exclusion, decontamination, and support) shall apply to projects adjacent to or within sites with documented leaking underground storage tank (LUST) incidents, or sites under management in accordance with the requirements of the Site Remediation Program (SRP), Resource Conservation and Recovery Act (RCRA), or Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), or as

Revised 2-13-2026

deemed necessary. For this project, the work zones apply for the following ISGS PESA Sites:
None.



**CONSTRUCTION LAYOUT SPECIAL FOR RESURFACING WITH ADA AND STAND ALONE
ADA (D1)**

Effective: January 1, 2017

Revised: April 17, 2017

Description. This work shall consist of furnishing and placing construction layout stakes for the construction of ADA Ramps shown in the plans. The Contractor shall furnish and place stakes marking the locations and elevations of points indicated in the plans for ADA Ramp Construction.

The Contractor shall locate all reference points as shown on the plans and listed herein. Any additional control points required will be identified in the field by the Contractor and all field notes will be kept in the office of the Resident Engineer.

The Contractor shall provide field forces, equipment, and material to set all additional stakes for this project, which are needed to establish offset stakes, reference points, and any other horizontal and vertical controls necessary to secure a correct layout for the work.

Layout stakes shall be set to assure conformance to the ADA Ramp design shown on the plans and shall meet the approval of the Engineer.

The Contractor shall be responsible for having the finished work conform to the lines, grades, elevations, and dimensions called for in the plans. Any inspection or checking of the Contractor's layout by the Engineer and the acceptance of all or any part of it shall not relieve the Contractor of his/her responsibility to secure the proper dimensions, grades, and elevations of the work. The Contractor shall exercise care in the preservation of stakes and bench marks and shall have them reset when any are damaged, lost, displaced, removed or otherwise obliterated.