

GENERAL NOTES

INDEX OF SHEETS

- 1. COVER SHEET
- 2. INDEX OF SHEETS, STANDARDS AND GENERAL NOTES
- 3. SUMMARY OF QUANTITIES
- 4. EXISTING ROADWAY PLAN
- 5. RETAINING WALL DETAILS
- 5A. TRAFFIC CONTROL & PROTECTION FOR SIDE ROADS, INTERSECTION AND DRIVEWAYS (TC-10)
- 6. ARTERIAL ROAD INFORMATION SIGNING (TC-22)

BEFORE STARTING ANY EXCAVATION, THE CONTRACTOR SHALL CALL "JULIE" AT 800-892-0123 OR 811 FOR FIELD LOCATIONS OF BURIED ELECTRIC, TELEPHONE AND GAS FACILITIES. (48 HOUR NOTIFICATION IS REQUIRED).

THE CONTRACTOR SHALL COORDINATE CONSTRUCTION ACTIVITIES WITH UTILITY COMPANIES AND THE VILLAGE OF McCOOK.

THE CONTRACTOR WILL NOT BE ALLOWED TO SET UP A YARD OR FIELD OFFICE ON STATE PROPERTY WITHOUT WRITTEN PERMISSION FROM THE DEPARTMENT.

IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY ALL DIMENSIONS AND CONDITIONS EXISTING IN THE FIELD PRIOR TO CONSTRUCTION AND ORDERING OF MATERIALS.

THE CONTRACTOR SHALL CONTACT THE DISTRICT ONE TRAFFIC CONTROL SUPERVISOR AT kalpana.kannan-hosadurga@illinois.gov (72 HOURS IN ADVANCE OF BEGINNING WORK).

THESE PLANS HAVE BEEN PREPARED FROM NOTES RECEIVED FROM THE BUREAU OF MAINTENANCE BRIDGE INSPECTORS.

DO NOT SCALE PLANS FOR CONSTRUCTION DIMENSIONS.


INDEX OF SHEETS


- 280001-07 TEMPORARY EROSION CONTROL SYSTEM
- 701101-05 OFF-ROAD OPERATIONS, MULTILANE, 15' (4.5m) TO 24'' (600 mm) FROM PAVEMENT EDGE
- 701106-02 OFF-ROAD OPERATIONS, MULTILANE, MORE THEN 15' (4.5 m) AWAY
- 701421-08 LANE CLOSURE, MULTILANE, DAY OPERATIONS ONLY, FOR SPEEDS ≥ 45 MPH TO 55 MPH

USER NAME = abebawa	DESIGNED -	REVISED -		IL RTE. 171 AT S. OF IL RTE. 47th ST.					F.A.P BTE	SECTION	COUNTY	TOTAL SHEET	
	DRAWN - REVISED - STATE OF ILLINOIS	STATE OF ILLINOIS						372	2019-158-I	СООК	6 2		
PLOT SCALE = 100.0665 ' / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	INDEX OF SHEETS, STATE STANDARDS AND GENERAL NOTES						CONTRACT	T NO. 62K26		
PLOT DATE = 1/21/2020	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS	STA.	TO STA.		ILLINOIS FED. /	AID PROJECT	

SUMMARY OF QUANTITIES			Ť	CONSTRUCTION TYPE CODE							SUMMARY OF QUANTITIES					
	SUMMA	ANT OF QUANTITIES			100%				1			1	SUMM	ART UP UUAN	11115	
CODE NO		ITEM	UNIT	TOTAL QUANTITIES	STATE 0013						CODE	NO		ITEM		UNIT
25003210	INTERSEEDING,	CLASS 2A	ACRE	0.5	0.5						Z00155	50	DEBRIS REM	DVAL		CU YE
25100125	MULCH, METHOD) 3	ACRE	0.5	0.5		1.9 5.	2			Z00185	500	DRAINAGE S	TRUCTURES TO	BE CLEANED	EACH
44000400	GUTTER REMOVA		FOOT	100	100						Z00186	500	DRAINAGE S		BE RECONSTRUCTE	D EACH
		• -					. c.			-	200100					
50300300	PROTECTIVE CC	ТАТ	SQ YD	28	28						Z00308	850	TEMPORARY	INFORMATION S	IGNING	S0 F1
66900200	NON-SPECIAL W	WASTE DISPOSAL	CU YD	10	10						Z00648	800	SELECTIVE	CLEARING		UNIT
66900530	SOIL DISPOSAL	ANALYSIS	ЕАСН	1	1		~		0		if 4	-				
								0								
66901001	REGULATED SUE	STANCES PRE-CONSTRUCTION	LSUM	1	1		2	2								
	PLAN		5				-	-	*		10 x	_				
	1;						12	0			S - 5	-				
66901003	REGULATED SUE	STANCES FINAL CONSTRUCTION	LSUM	1	1						8 x	_				
				0					<u>/</u>			-				
66901006	REGULATED SUE	STANCES MONITORING	CAL DA	2	2		-				s a <u></u>					
67000400	ENGINEER'S FI	ELD OFFICE, TYPE A	CAL MO	3	3											
												-				
67100100	MOBILIZATION		L SUM	1	1		6 <u>.</u>			-		-				
70100310	TRAFFIC CONTR	ROL AND PROTECTION.	L SUM	1	1											
	STANDARD 7014	121														
			-				-			-						
x0322906	WEEP HOLES CO	DRED	EACH	124	124		-				18 - 3 1					
x6062400	CONCRETE GUTT	ER (SPECIAL)	FOOT	100	100							1				
											6 3					
ILE NAME =		USER NAME = abebawa (ices\District NProjects\Di30920\CADData\Design\Di30920-	DESIGNED -		REVISED REVISED			10		TATE OF		10				<u>,</u> ,
	agers moor condingnisviller (in	PLOT SCALE = 100,0000 '/ In.	CHECKED -		REVISED			п		ENT OF			ON		SUMM	ARY OF QUA
		PLOT DATE = 12/20/2019	DATE -		REVISED									SCALE:	SHEET NO. OF	SHEETS


				CO	NSTRUCTIO	N TYPE C	ODE	
IT	TOTAL QUANTITIES	100% STATE 0013						
YD	22	22						
			-					
Сн	3	3				1		
СН	1	1						
FT	51.4	51.4	1			5		
IT	22	22						
2						;		
						2		
ļ								
								Ĩ
ļ								
							ĺ	
							REV	MS
		, ,	2 71	F.A.P RTE.	SECTI 2019-1			DTAL SHEET EETS NO.
J ANTI sta.) STA.		372 FED. RO	2019-1 AD DIST. NO. 1 IL		CONTRACT N	6 3 0.62K26





	ROAD CONSTRUCTION AHEAD 15 (380) 21 (530) U U U U U U U U U U U U U
	ROAD CONSTRUCTION AHEAD
	NOTES:
	1. SIDE ROAD WITH A SPEED LIMIT OF 40 MPH (60 km/h) OR LESS AS SHOWN ON THE DRAWING AND AS DIRECTED BY THE ENGINEER:
	a) ONE "ROAD CONSTRUCTION AHEAD" SIGN 36 x 36 (900x900) WITH A FLASHER MOUNTED ON IT APPROXIMATELY 200' (60 m) IN ADVANCE OF THE MAIN ROUTE.
	b) THE CLOSED PORTION OF THE MAIN ROUTE SHALL BE PROTECTED BY BLOCKING WITH TYPE I, TYPE II OR TYPE III BARRICADES, 1/3 OF THE CROSS SECTION OF THE CLOSED PORTION.
	2. SIDE ROAD WITH A SPEED LIMIT GREATER THAN 40 MPH (60 km/h) AS SHOWN ON THE DRAWING AND AS DIRECTED BY THE ENGINEER:
	a) ONE "ROAD CONSTRUCTION AHEAD" SIGN 48 x 48 (1.2 m x 1.2 m) WITH A FLASHER MOUNTED ON IT APPROXIMATELY 500' (150 m) IN ADVANCE OF THE MAIN ROUTE.
	THE CLOSED PORTION OF THE MAIN ROUTE SHALL BE PROTECTED BY b) BLOCKING WITH TYPE III BARRICADES, 1/2 OF THE CROSS SECTION OF THE CLOSED PORTION.
	3. CONES MAY BE SUBSTITUTED FOR BARRICADES OR DRUMS AT HALF THE SPACING DURING DAY OPERATIONS. CONES SHALL BE A MINIMUM OF 28 (710) IN HEIGHT.
	WHEN THE SIDE ROAD LIES BETWEEN THE BEGINNING OF THE MAINLINE 4. SIGNING AND THE WORK ZONE, A SINGLE HEADED ARROW (M6-1) SHALL BE USED IN LIEU OF THE DOUBLE HEADED ARROW (M6-4).
ATE OF	ILLINOIS TRAFFIC CONTROL AND PROTECTIO


USER NAME = abebawa	DESIGNED L.H.A.	REVISED - A. HOUSEH 10-15-96		TRAFFIC CONTROL AND PROTECTION FOR	F.A.P BTE	SECTION	COUNTY TOTAL SHEET	
	DRAWN -	REVISED T. RAMMACHER 01-06-00	STATE OF ILLINOIS		372	2019-158-1	COOK 5A 6	
PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED - A. SCHUETZE 07-01-13	DEPARTMENT OF TRANSPORTATION	SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS		TC-10	CONTRACT NO. 62K26	
PLOT DATE = 12/20/2019	DATE - 06-89	REVISED A SCHUETZE 09-15-16		SCALE NONE SHEET 1 OF 1 SHEETS STA. TO STA.		ILLINOIS FED. /	, AID PROJECT	



5. WHEN WORK IS BEING PERFORMED ON A SIDE ROAD OR DRIVEWAY, FOLLOW THE APPLICABLE STANDARD(S). THE DIRECTIONAL ARROW (M6-1 OR M6-4) SHALL BE COVERED OR REMOVED WHEN NO LONGER CONSISTENT WITH THE TRAFFIC CONTROL SET UP.

- 6. ADVANCE WARNING SIGNS ARE TO BE OMITTED ON DRIVEWAYS UNLESS OTHERWISE SPECIFIED IN THE PLANS OR BY THE ENGINEER.
- 7. THE TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS SHALL BE INCLUDED IN THE COST OF SPECIFIED TRAFFIC CONTROL STANDARDS OR ITEMS.

All dimensions are in inches (millimeters	5)
unless otherwise shown.	



	USER NAME = abebawa	DESIGNED -	REVISED - R. MIRS 09-15-97			ARTERIAL ROA	F.A. P RTE.	SECTION	COUNTY TOTAL SHEET	L SHEET TS NO.	
		DRAWN -	REVISED - R. MIRS 12-11-97	STATE OF ILLINOIS	INFORMATION SIGN				2019–158–I	СООК 6	6
	PLOT SCALE = 100.0264 ' / in.	CHECKED -	REVISED -T. RAMMACHER 02-02-99	DEPARTMENT OF TRANSPORTATION				TC-22		CONTRACT NO.	62K26
	PLOT DATE = 12/9/2019	DATE -	REVISED - C. JUCIUS 01-31-07		SCALE: NONE	SHEET 1 OF 1 SHEETS S	STA. TO STA.		ILLINOIS FED. AID PROJECT		