



# Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

February 20, 2024

SUBJECT: FAU 0002 (Diggins Street)  
Section 21-00068-00-RS (Harvard)  
McHenry County  
Contract No. 61K14  
Item 004  
March 8, 2024 Letting  
Addendum (A)

## NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

- 1. Revised the Schedule of Prices**
- 2. Revised Plan Sheets 3, 6, 11, 12, 13, & 14**
- 3. Revised Special Provision Index**
- 4. Revised page 5 of the Special Provisions**

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

A handwritten signature in black ink, appearing to read 'Jack A. Elston'.

Jack A. Elston, P.E.  
Bureau Chief, Design and Environment

**INDEX OF SPECIAL PROVISIONS**

LOCATION OF PROJECT ..... 1  
PROJECT DESCRIPTION..... 1  
STATUS OF UTILITIES (D-1)..... 2  
MIXTURE FOR CRACKS, JOINTS AND FLANGEWAYS ..... 5  
~~POLYMERIZED HOT MIX ASPHALT BINDER COURSE, IL 9.5, N50 ..... 5~~  
CLASS D PATCHES..... 6  
REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (SPECIFIC PROJECT)..... 7  
GRADING AND SHAPING (SPECIAL)..... 9  
FRAMES AND LIDS TO BE ADJUSTED (SPECIAL) ..... 10  
TRAFFIC CONTROL IN THE VICINITY OF A RAILROAD GRADE CROSSING..... 11  
ADJUSTMENTS AND RECONSTRUCTIONS (D-1) ..... 12  
DRAINAGE AND INLET PROTECTION UNDER TRAFFIC (D-1) ..... 14  
FRICTION AGGREGATE (D-1)..... 16  
HOT-MIX ASPHALT – MIXTURE DESIGN VERIFICATION AND PRODUCTION (D-1)..... 20  
HOT-MIX ASPHALT BINDER AND SURFACE COURSE (D-1)..... 22  
MAINTENANCE OF ROADWAYS (D-1) ..... 28  
PUBLIC CONVENIENCE AND SAFETY (D-1) ..... 29  
TEMPORARY INFORMATION SIGNING (D-1)..... 30  
TRAFFIC CONTROL PLAN (D-1)..... 32  
AVAILABLE REPORTS ..... 34  
LR 107-4.....35  
LR 1030-2..... 36  
IEPA LPC-663..... 38  
UPRR MCL & FLAGGER POLICY.....40

**MIXTURE FOR CRACKS, JOINTS AND FLANGEWAYS**

Description. This work shall be completed in accordance with Section 406 of the Standard Specifications and as follows.

Construction Requirements. In addition to the requirements of Section 406 of the Standard Specifications, the work shall also include the cleaning of joints with a high-power blower prior to applying the mixture.

Method of Measurement and Basis of Payment. This work will be measured and paid for at the at the contract unit price per ton for MIXTURES FOR CRACKS, JOINTS AND FLANGEWAYS.

**POLYMERIZED HOT-MIX ASPHALT BINDER COURSE, IL-9.5, N50**

Description. This work shall be completed in accordance with Section 406 of the Standard Specifications and as follows.

Construction Requirements. The minimum course thickness shall be 1”.

Method of Measurement and Basis of Payment. This work will be measured and paid for at the at the contract unit price per ton for POLYMERIZED HOT-MIX ASPHALT BINDER COURSE, IL-9.5, N50.