

PAVING SCHEDULE

| STATION TO STATION | LENGTH | PAVEMENT WIDTH | AREA | BITUMINOUS MATERIALS (PRIME COAT) | AGGREGATE (PRIME COAT) | HMA SURFACE COURSE, MIX "D", N90 | LEVELING BINDER (MACHINE METHOD), N90 | HOT-MIX ASPHALT SHOULDERS, 2 1/4 | HMA SURFACE REMOVAL - BUTT JOINT | HMA SURFACE REMOVAL, 1/2 | HMA SURFACE REMOVAL, 2 1/4 | HMA SURFACE REMOVAL, VARIABLE DEPTH | AGGREGATE SHOULDERS, TYPE B | TEMPORARY RAMP (SPECIAL) | TEMPORARY RAMP |
|--------------------------|--------|----------------|--------|-----------------------------------|------------------------|----------------------------------|---------------------------------------|----------------------------------|----------------------------------|--------------------------|----------------------------|-------------------------------------|-----------------------------|--------------------------|----------------|
| | | | | | | | | | | | | | | | |
| 68+76.00 TO 67+21.00 | 155.0 | 26.5 | 456.4 | 45.6 | 0.9 | 38.3 | 19.2 | - | - | 456.4 | - | - | 10.5 | - | - |
| 67+21.00 TO 56+95.00 | 1026.0 | 36.0 | 4104.0 | 410.4 | 8.2 | 229.8 | 114.9 | 1368.0 | - | 4104.0 | - | - | 69.3 | - | - |
| 56+95.00 TO 56+38.00 | 57.0 | 75.0 | 475.0 | 47.5 | 1.0 | 29.3 | 14.6 | 25.3 | 150.0 | 475.0 | - | - | 3.8 | - | 41.7 |
| 56+38.00 TO 55+13.00 | 125.0 | 53.0 | 736.1 | 73.6 | 1.5 | 52.5 | 26.3 | 111.1 | - | 736.1 | - | - | 8.4 | - | - |
| 55+13.00 TO 53+95.00 | 118.0 | 48.0 | 629.3 | 62.9 | 1.3 | 39.6 | 19.8 | 157.3 | - | 629.3 | - | - | 8.0 | - | - |
| 53+95.00 TO 44+57.00 | 938.0 | 36.0 | 3752.0 | 375.2 | 7.5 | 210.1 | 105.1 | 1250.7 | - | 3752.0 | - | - | 63.3 | - | - |
| 44+57.00 TO 44+21.00 | 36.0 | 53.0 | 212.0 | 21.2 | 0.4 | 15.1 | 7.6 | 32.0 | - | 212.0 | - | - | 2.4 | - | - |
| 44+21.00 TO 43+57.00 | 64.0 | 88.0 | 625.8 | 62.6 | 1.3 | 52.6 | 26.3 | - | 180.0 | 625.8 | - | - | 4.3 | - | 50.0 |
| 43+57.00 TO 40+90.00 | 267.0 | 48.0 | 1424.0 | 142.4 | 2.8 | 89.7 | 44.9 | 356.0 | - | 1424.0 | - | - | 18.0 | - | - |
| 40+90.00 TO 28+77.00 | 1213.0 | 36.0 | 4852.0 | 485.2 | 9.7 | 271.7 | 135.9 | 1617.3 | - | 4852.0 | - | - | 81.9 | - | - |
| 28+77.00 TO 28+00.00 | 77.0 | 45.0 | 385.0 | 38.5 | 0.8 | 32.3 | 16.2 | - | - | 385.0 | - | - | 0.8 | - | - |
| 28+00.00 TO 26+05.00 | 195.0 | 48.0 | 1040.0 | 104.0 | 2.1 | 65.5 | 32.8 | 260.0 | - | 1040.0 | - | - | 13.2 | - | - |
| 26+05.00 TO 24+78.00 | 127.0 | 42.0 | 592.7 | 59.3 | 1.2 | 35.6 | 17.8 | 169.3 | - | 592.7 | - | - | 4.6 | - | - |
| 24+78.00 TO 21+50.00 | 328.0 | 36.0 | 1312.0 | 131.2 | 2.6 | 73.5 | 36.7 | 437.3 | - | 1312.0 | - | - | 18.5 | - | - |
| 1292+98.00 TO 1296+10.00 | 312.0 | 36.0 | 1248.0 | 124.8 | 2.5 | 69.9 | 34.9 | 416.0 | - | 1248.0 | - | - | 21.1 | - | - |
| 1296+10.00 TO 1296+65.00 | 55.0 | 40.0 | 244.4 | 24.4 | 0.5 | 12.3 | 6.2 | 97.8 | - | 244.4 | - | - | 3.7 | - | - |
| 1296+65.00 TO 1297+24.50 | 59.5 | 55.0 | 363.6 | 36.4 | 0.7 | 25.0 | 12.5 | 66.1 | - | 363.6 | - | - | 3.1 | - | - |
| 1297+24.50 TO 1299+24.50 | 200.0 | 50.0 | 1111.1 | 111.1 | 2.2 | 67.2 | 33.6 | 355.6 | - | 1111.1 | - | - | 13.5 | - | - |
| 1299+24.50 TO 1301+15.00 | 190.5 | 46.0 | 973.7 | 97.4 | 1.9 | 53.3 | 26.7 | 338.7 | - | 973.7 | - | - | 12.9 | - | - |
| 1301+15.00 TO 1312+10.00 | 1095.0 | 40.0 | 4866.7 | 486.7 | 9.7 | 245.3 | 122.6 | 1946.7 | - | 4866.7 | - | - | 73.9 | - | - |
| 1312+10.00 TO 1312+75.60 | 65.6 | 55.0 | 400.9 | 40.1 | 0.8 | 27.6 | 13.8 | 72.9 | - | 400.9 | - | - | 2.2 | - | - |
| 1312+75.60 TO 1314+75.60 | 200.0 | 52.0 | 1155.6 | 115.6 | 2.3 | 67.2 | 33.6 | 355.6 | - | 1155.6 | - | - | 10.9 | - | - |
| 1314+75.60 TO 1316+65.00 | 189.4 | 49.0 | 1031.2 | 103.1 | 2.1 | 53.0 | 26.5 | 336.7 | - | 1031.2 | - | - | 12.8 | - | - |
| 1316+65.00 TO 1325+76.00 | 911.0 | 40.0 | 4048.9 | 404.9 | 8.1 | 204.1 | 102.0 | 1619.6 | - | 4048.9 | - | - | 54.5 | - | - |
| 1325+76.00 TO 1326+36.60 | 60.6 | 55.0 | 370.3 | 37.0 | 0.7 | 25.5 | 12.7 | 67.3 | - | 370.3 | - | - | 4.1 | - | - |
| 1326+36.60 TO 1328+56.60 | 220.0 | 52.0 | 1271.1 | 127.1 | 2.5 | 73.9 | 37.0 | 391.1 | - | 1271.1 | - | - | 14.9 | - | - |
| 1328+56.60 TO 1330+26.00 | 169.4 | 46.0 | 865.8 | 86.6 | 1.7 | 47.4 | 23.7 | 301.2 | - | 865.8 | - | - | 11.4 | - | - |
| 1330+26.00 TO 1338+80.00 | 854.0 | 40.0 | 3795.6 | 379.6 | 7.6 | 191.3 | 95.6 | 1518.2 | - | 3795.6 | - | - | 55.7 | - | - |
| 1338+80.00 TO 1339+49.50 | 69.5 | 55.0 | 424.7 | 42.5 | 0.8 | 29.2 | 14.6 | 77.2 | - | 424.7 | - | - | 3.8 | - | - |
| 1339+49.50 TO 1341+49.50 | 200.0 | 52.0 | 1155.6 | 115.6 | 2.3 | 67.2 | 33.6 | 355.6 | - | 1155.6 | - | - | 12.3 | - | - |
| 1341+49.50 TO 1343+40.00 | 190.5 | 46.0 | 973.7 | 97.4 | 1.9 | 53.3 | 26.7 | 338.7 | - | 973.7 | - | - | 12.9 | - | - |
| 1343+40.00 TO 1353+56.00 | 1016.0 | 40.0 | 4515.6 | 451.6 | 9.0 | 227.6 | 113.8 | 1806.2 | - | 4515.6 | - | - | 68.6 | - | - |
| 1353+56.00 TO 1354+24.50 | 68.5 | 55.0 | 418.6 | 41.9 | 0.8 | 28.8 | 14.4 | 76.1 | - | 418.6 | - | - | 2.6 | - | - |
| 1354+24.50 TO 1356+24.50 | 200.0 | 52.0 | 1155.6 | 115.6 | 2.3 | 67.2 | 33.6 | 355.6 | - | 1155.6 | - | - | 12.1 | - | - |
| 1356+24.50 TO 1358+18.00 | 193.5 | 46.0 | 989.0 | 98.9 | 2.0 | 54.2 | 27.1 | 344.0 | - | 989.0 | - | - | 12.2 | - | - |
| 1358+18.00 TO 1368+81.00 | 1063.0 | 40.0 | 4724.4 | 472.4 | 9.4 | 238.1 | 119.1 | 1889.8 | - | 4724.4 | - | - | 70.5 | - | - |
| 1368+81.00 TO 1369+56.00 | 75.0 | 59.0 | 491.7 | 49.2 | 1.0 | 32.9 | 16.5 | 106.7 | - | 491.7 | - | - | 5.1 | - | - |
| 1369+56.00 TO 1369+98.00 | 42.0 | 143.0 | 667.3 | 66.7 | 1.3 | 53.7 | 26.9 | 101.3 | 225.0 | 667.3 | - | - | 2.8 | - | 62.5 |
| 1369+98.00 TO 1370+62.00 | 64.0 | 100.0 | 711.1 | 71.1 | 1.4 | 56.1 | 28.1 | 65.3 | - | 711.1 | - | - | 4.3 | - | - |
| 1370+62.00 TO 1371+17.00 | 55.0 | 65.0 | 397.2 | 39.7 | 0.8 | 25.2 | 12.6 | 97.8 | - | 397.2 | - | - | 3.7 | - | - |
| 1371+17.00 TO 1373+98.00 | 281.0 | 52.0 | 1623.6 | 162.4 | 3.2 | 94.4 | 47.2 | 499.6 | - | 1623.6 | - | - | 19.0 | - | - |
| 1373+98.00 TO 1375+50.00 | 152.0 | 46.0 | 776.9 | 77.7 | 1.6 | 42.6 | 21.3 | 270.2 | - | 776.9 | - | - | 10.3 | - | - |
| 1375+50.00 TO 1379+14.00 | 364.0 | 40.0 | 1617.8 | 161.8 | 3.2 | 81.5 | 40.8 | 647.1 | - | 1617.8 | - | - | 27.6 | - | - |
| 1379+14.00 TO 1379+59.00 | 45.0 | 40.0 | 200.0 | 20.0 | 0.4 | 10.1 | 5.0 | 80.0 | - | - | - | 200.0 | - | - | - |
| 1379+59.00 TO 1380+19.00 | 60.0 | 55.0 | 366.7 | 36.7 | 0.7 | 24.1 | 12.0 | 84.0 | - | - | 366.7 | - | - | - | - |
| 1380+19.00 TO 1381+15.00 | 96.0 | 78.0 | 832.0 | 83.2 | 1.3 | 54.4 | 27.2 | 0.0 | - | - | 647.1 | - | - | - | 174.5 |
| 1381+15.00 TO 1381+89.00 | 74.0 | 52.0 | 427.6 | 42.8 | 0.6 | 25.3 | 12.7 | 0.0 | - | - | 261.0 | - | - | - | 26.0 |
| 1381+89.00 TO 1382+62.00 | 73.0 | 36.0 | 292.0 | 29.2 | 0.6 | 24.5 | 12.3 | 0.0 | - | - | 292.0 | - | - | - | - |
| 1382+62.00 TO 1383+92.00 | 130.0 | 30.0 | 433.3 | 43.3 | 0.9 | 36.4 | 18.2 | 0.0 | - | - | 433.3 | - | - | - | - |
| TOTALS | 13820 | 2509 | 65537 | 6523 | 130 | 3726 | 1863 | 20863 | 555 | 62986 | 2000 | 200 | 869 | 0 | 355 |