



# Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

April 9, 2026

SUBJECT FAP Route 341(IL 72)  
Project NHPP-NXAU(209)  
Section 2025-2000-RS  
Cook County  
Contract No. 80B21  
Item No. 020, April 24th, 2026, Letting  
Addendum B

## NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised page ii of the Table of Contents to the Special Provisions.
2. Added pages 129 and 130 to the Special Provisions.

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

A handwritten signature in black ink, appearing to read "Jack A. Elston".

Jack A. Elston, P.E.  
Bureau Chief, Design and Environment

MTS

WASHOUT BASIN ..... 64

HIGH-EARLY-STRENGTH PORTLAND CEMENT CONCRETE PAVEMENT,14" (JOINTED) ..... 66

COMBINATION CONCRETE CURB AND GUTTER, (TYPE SPECIFIED) (SPECIAL) ..... 66

WORK RESTRICTIONS ..... 67

CONTRACTOR COOPERATION ..... 67

REMOVING AND RE-ERECTING EXISITING RAILING ..... 68

AGGREGATE SUBGRADE IMPROVEMENT (BDE)..... 69

BITUMINOUS MATERIALS COST ADJUSTMENTS (BDE)..... 71

CEMENT, FINELY DIVIDED MINERALS, ADMIXTURES, CONCRETE, AND MORTAR (BDE) ..... 73

COMPENSABLE DELAY COSTS (BDE)..... 89

CONSTRUCTION AIR QUALITY – DIESEL RETROFIT (BDE) ..... 93

FUEL COST ADJUSTMENT (BDE) ..... 95

GUARDRAIL (BDE)..... 97

HOT-MIX ASPHALT – LONGITUDINAL JOINT SEALANT (BDE) ..... 98

INLET FILTERS..... 99

LONGITUDINAL TINING (BDE)..... 101

PAVEMENT MARKING (BDE) ..... 102

PAVEMENT PATCHING (BDE) ..... 102

PERFORMANCE GRADED ASPHALT BINDER (BDE) ..... 103

PREFORMED PLASTIC PAVEMENT MARKING (BDE) ..... 108

RAISED REFLECTIVE PAVEMENT MARKERS (BDE) ..... 109

REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (BDE)..... 110

SHORT TERM AND TEMPORARY PAVEMENT MARKINGS (BDE)..... 111

SIGN PANELS AND APPURTENANCES (BDE) ..... 115

SOURCE OF SUPPLY AND QUALITY REQUIREMENTS (BDE) ..... 116

SUBCONTRACTOR AND DBE PAYMENT REPORTING (BDE) ..... 117

SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)..... 118

SUBMISSION OF BIDDERS LIST INFORMATION (BDE)..... 118

SUBMISSION OF PAYROLL RECORDS – FEDERAL AID CONTRACT (BDE) ..... 118

SURVEYING SERVICES (BDE) ..... 120

TRAINING SPECIAL PROVISIONS (BDE)..... 121

IDOT TRAINING PROGRAM GRADUATE ON-THE-JOB TRAINING SPECIAL PROVISION ..... 124

VEHICLE AND EQUIPMENT WARNING LIGHTS (BDE)..... 126

WORK ZONE TRAFFIC CONTROL DEVICES (BDE) ..... 126

REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (PROJECT SPECIFIC) ..... 129

## REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (PROJECT SPECIFIC)

**Description.** This work shall consist of the removal and disposal of regulated substances according to Section 669 of the Standard Specifications as revised below.

**Contract Specific Sites.** The excavated soil and groundwater within the areas listed below shall be managed as either “uncontaminated soil”, hazardous waste, special waste or non-special waste. For stationing, the lateral distance is measured from centerline and the farthest distance is the offset distance or construction limit, whichever is less.

**Soil Disposal Analysis.** When the waste material requires sampling for landfill disposal acceptance, the Contractor shall secure a written list of the specific analytical parameters and analytical methods required by the landfill. The Contractor shall collect and analyze the required number of samples for the parameters required by the landfill using the appropriate analytical procedures. A copy of the required parameters and analytical methods (from landfill email or on landfill letterhead) shall be provided as Attachment 4A of the BDE 2733 (Regulated Substances Final Construction Report). The price shall include all sampling materials and effort necessary for collection and management of the samples, including transportation of samples from the job site to the laboratory. The Contractor shall be responsible for determining the specific disposal facilities to be utilized; and collect and analyze any samples required for disposal facility acceptance using a NELAP certified analytical laboratory registered with the State of Illinois.

### IL-72 Higgins Road at I-290 Overpass, Schaumburg, Cook County

- Station 58+20 IL to Station 60+20 (CL IL 72), 0 feet to 120 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(2). Contaminants of concern sampling parameters: Arsenic.
- Station 60+20 to Station 62+75 (CL IL 72), 0 feet to 120 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(5). Contaminants of concern sampling parameters: Arsenic.
- Station 62+75 to Station 65+00 (CL IL 72), 0 feet to 120 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(3). Contaminants of concern sampling parameters: Benzo(a)pyrene and Arsenic.
- Station 65+00 to Station 66+90 (CL IL 72), 0 feet to 120 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: Lead and Benzo(a)pyrene.
- Station 58+20 to Station 60+40 (CL IL 72), 0 feet to 125 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(5). Contaminants of concern sampling parameters: Arsenic and Manganese.
- Station 63+10 to Station 65+20 (CL IL 72), 0 feet to 125 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(3). Contaminants of concern sampling parameters: Benzo(a)pyrene.
- Station 65+20 to Station 66+70 (CL IL 72), 0 feet to 125 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(5). Contaminants of concern sampling parameters: Arsenic, Benzo(a)pyrene.

Intersection of IL 72 (Higgins Road) and Martingale Road, Schaumburg, Cook County

- Station 48+50 IL to Station 51+00 (CL IL 72), 120 feet LT to 150 RT for all excavation planned for ADA sidewalk improvements. The Engineer has determined that these materials meet the criteria of and shall be managed in accordance with Article 669.05(a)(5). Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

IL-58 Golf Road at I-290 Overpass, Schaumburg, Cook County

- Station 123+45 to Station 125+05 (CL IL 58), 0 feet to 50 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: Lead and Benzo(a)pyrene.
- Station 121+05 to Station 123+10 (CL IL 58), 0 feet to 50 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(5). Contaminants of concern sampling parameters: Arsenic and Benzo(a)pyrene.
- Station 123+10 to Station 124+95 (CL IL 58), 10 feet to 50 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(2). Contaminants of concern sampling parameters: Arsenic.

**Work Zones**

Three distinct OSHA HAZWOPER work zones (exclusion, decontamination, and support) shall apply to projects adjacent to or within sites with documented leaking underground storage tank (LUST) incidents, or sites under management in accordance with the requirements of the Site Remediation Program (SRP), Resource Conservation and Recovery Act (RCRA), or Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), or as deemed necessary. For this project, the work zones apply for the following ISGS PESA Sites:

**None**