



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

April 9, 2026

SUBJECT FAP Route 577 (IL 171 (Archer Ave))
Project NHPP-3AA9(224)
Section 2025-2106-RS
Cook County
Contract No. 80C49
Item No. 035, April 24th, 2026, Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised Schedule of Prices.
2. Revised the Table of Contents to the Special Provisions.
3. Revised pages 50 and 51 of the Special Provisions.
4. Added page 154-156 to the Special Provisions.
5. Revised sheets 4-6 of the Plans.

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

A handwritten signature in black ink, appearing to read "Jack A. Elston".

Jack A. Elston, P.E.
Bureau Chief, Design and Environment

MTS

TABLE OF CONTENTS

LOCATION OF PROJECT	1
DESCRIPTION OF PROJECT	1
MAINTENANCE OF ROADWAYS (D1)	2
STATUS OF UTILITIES (D-1)	2
COMPLETION DATE PLUS WORKING DAYS (D1)	6
CONSTRUCTION LAYOUT SPECIAL FOR RESURFACING WITH ADA AND STAND ALONE ADA (D1) .	6
PUBLIC CONVENIENCE AND SAFETY (D1)	8
HOT-MIX ASPHALT BINDER AND SURFACE COURSE (D1)	8
GRADING AND SHAPING SHOULDERS (D1)	16
CLEANING EXISTING DRAINAGE STRUCTURES (D1)	16
ADJUSTMENTS AND RECONSTRUCTIONS (D1).....	17
CURB OR COMBINATION CURB AND GUTTER REMOVAL AND REPLACEMENT (D1).....	18
MINERALIZED CARBON DIOXIDE CONCRETE (D-1)	19
ENGINEER'S FIELD OFFICE TYPE A (D1)	21
KEEPING ARTERIAL ROADWAYS OPEN TO TRAFFIC (LANE CLOSURES ONLY)	21
TRAFFIC CONTROL PLAN (D1)	22
FRICTION AGGREGATE (D1).....	23
HOT-MIX ASPHALT – MIXTURE DESIGN VERIFICATION AND PRODUCTION (D1)	26
TEMPORARY RAMP (SPECIAL)	27
CONTRACTOR COOPERATION	28
GENERAL REQUIREMENTS FOR WEED CONTROL SPRAYING	28
TREE REMOVAL AND FORESTRY WORK REQUIREMENTS AND RESTRICTIONS	31
WEED CONTROL, BASAL TREATMENT	32
WEED CONTROL, TEASEL.....	34
WEED CONTROL, NATIVE LANDSCAPE ENHANCEMENT	35
MULCH PLACEMENT FOR EXISTING WOODY PLANTS.....	43
PRUNING FOR SAFETY AND EQUIPMENT CLEARANCE	44
TREE REMOVAL, ACRES (SPECIAL)	45
WOODY PLANT CARE.....	47
SELECTIVE CLEARING	49
VERTICAL ADJUSTMENT OF GUARDRAIL.....	50
TEMPORARY INFORMATION SIGNING	52
TRAFFIC SIGNAL GENERAL REQUIREMENTS.....	53
RE-OPTIMIZE TRAFFIC SIGNAL SYSTEM.....	69
COILABLE NON-METALLIC CONDUIT	72

UNDERGROUND RACEWAYS 73
 HANDHOLES 73
 ELECTRIC CABLE..... 75
 PEDESTRIAN SIGNAL POST 75
 DETECTOR LOOP 77
 DETECTOR LOOP REPLACEMENT AND/OR INSTALLATION (ROADWAY GRINDING, RESURFACING,
 & PATCHING OPERATIONS) 79
 ACCESSIBLE PEDESTRIAN SIGNALS 82
 AGGREGATE SUBGRADE IMPROVEMENT (BDE)..... 86
 BITUMINOUS MATERIALS COST ADJUSTMENTS (BDE) 88
 CEMENT, FINELY DIVIDED MINERALS, ADMIXTURES, CONCRETE, AND MORTAR (BDE) 90
 COMPENSABLE DELAY COSTS (BDE) 106
 CONSTRUCTION AIR QUALITY – DIESEL RETROFIT (BDE) 110
 EROSION CONTROL BLANKET (BDE)..... 112
 FUEL COST ADJUSTMENT (BDE) 115
 GUARDRAIL (BDE)..... 117
 HOT-MIX ASPHALT – LONGITUDINAL JOINT SEALANT (BDE) 118
 PAVEMENT MARKING (BDE) 119
 PAVEMENT PATCHING (BDE) 119
 PERFORMANCE GRADED ASPHALT BINDER (BDE) 120
 RAISED REFLECTIVE PAVEMENT MARKERS (BDE) 125
 REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (BDE)..... 126
 SEEDING (BDE) 127
 SHORT TERM AND TEMPORARY PAVEMENT MARKINGS (BDE) 132
 SOURCE OF SUPPLY AND QUALITY REQUIREMENTS (BDE) 135
 SUBCONTRACTOR AND DBE PAYMENT REPORTING (BDE) 137
 SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)..... 137
 SUBMISSION OF BIDDERS LIST INFORMATION (BDE) 138
 SUBMISSION OF PAYROLL RECORDS – FEDERAL AID CONTRACT (BDE) 138
 SURFACE TESTING OF PAVEMENTS – IRI (BDE) 140
 SURVEYING SERVICES (BDE) 146
 TRAINING SPECIAL PROVISIONS (BDE)..... 146
 IDOT TRAINING PROGRAM GRADUATE ON-THE-JOB TRAINING SPECIAL PROVISION 149
 VEHICLE AND EQUIPMENT WARNING LIGHTS (BDE)..... 151
 WORK ZONE TRAFFIC CONTROL DEVICES (BDE) 151
 REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (PROJECT SPECIFIC) 154

VERTICAL ADJUSTMENT OF GUARDRAIL

This work shall consist of raising existing guardrail to the proper height as shown in the standard for Steel Plate Beam Guardrail. The work shall be performed in accordance with the applicable portions of Section 630 and 633 of the Standard Specifications, as shown in the plans, and as specified herein. This pay item is needed to transition existing guardrail height to match the new terminal end section height.

Vertical adjustment of the guardrail shall be done by mechanical means as approved by the Engineer. The existing steel block-outs will be replaced with wooden block-outs or plastic block-outs during the vertical adjustment of steel plate beam guardrail. Any damage to the rail, posts, or hardware caused by the Contractor's operations shall be repaired or replaced at the Contractor's expense. Replacement material shall meet the requirements of Section 630.02 of the Standard Specifications. Any disturbance to the shoulder or slope resulting from the guardrail adjustment shall be restored to its original condition as directed by the Engineer.

Basis of Payment: This work will be paid for at the contract unit price per foot for VERTICAL ADJUSTMENT OF GUARDRAIL. Payment for the replacement of the existing block-outs with new wood block-outs or plastic block-outs and the modification of the existing steel posts or new replacement posts will not be paid for separately but will be included in the contract unit price per foot for VERTICAL ADJUSTMENT OF GUARDRAIL.

Revised 4/9/2026

This page intentionally left blank

Revised 4/9/2026

REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (PROJECT SPECIFIC)

Description. This work shall consist of the removal and disposal of regulated substances according to Section 669 of the Standard Specifications as revised below.

Contract Specific Sites. The excavated soil and groundwater within the areas listed below shall be managed as either “uncontaminated soil”, hazardous waste, special waste or non-special waste. For stationing, the lateral distance is measured from centerline and the farthest distance is the offset distance or construction limit, whichever is less.

Soil Disposal Analysis. When the waste material requires sampling for landfill disposal acceptance, the Contractor shall secure a written list of the specific analytical parameters and analytical methods required by the landfill. The Contractor shall collect and analyze the required number of samples for the parameters required by the landfill using the appropriate analytical procedures. A copy of the required parameters and analytical methods (from landfill email or on landfill letterhead) shall be provided as Attachment 4A of the BDE 2733 (Regulated Substances Final Construction Report). The price shall include all sampling materials and effort necessary for collection and management of the samples, including transportation of samples from the job site to the laboratory. The Contractor shall be responsible for determining the specific disposal facilities to be utilized; and collect and analyze any samples required for disposal facility acceptance using a NELAP certified analytical laboratory registered with the State of Illinois.

Intersection of IL 171 (Archer Avenue) and State Street, Lemont, Cook County

- Station 24+50 to Station 29+30 (CL IL 171), 15 to 140 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 30+00 to Station 33+05 (CL IL 171), 15 to 175 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 36+55 to Station 38+75 (CL IL 171), 10 to 30 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 24+00 to Station 27+75 (CL IL 171), 20 to 160 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 38+70 to Station 40+60 (CL IL 171), 10 to 30 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL 171 (Archer Avenue) and Melissa Drive, Lemont, Cook County

- Station 40+25 to Station 54+55 (CL IL 171), 10 to 45 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 40+85 to Station 56+00 (CL IL 171), 10 to 30 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL 171 (Archer Avenue) and Ravine Drive, Lemont, Cook County

- All excavation planned for ADA sidewalk improvements at the northwest quadrant and northeast quadrant at the intersection of IL 171 (Archer Avenue) and Ravine Drive. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL 171 (Archer Avenue) and Marble Street, Lemont, Cook County

- Station 73+70 to Station 88+15 (CL IL 171), 10 to 25 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 77+85 to Station 87+25 (CL IL 171), 10 to 25 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL 171 (Archer Avenue) and Woodland Drive, Lemont, Cook County

- Station 91+85 to Station 92+75 (CL IL 171), 30 to 40 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL 171 (Archer Avenue) and Crossing Creek Drive, Lemont, Cook County

- Station 102+20 to Station 113+15 (CL IL 171), 10 to 75 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 102+35 to Station 110+50 (CL IL 171), 10 to 40 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL 171 (Archer Avenue) and Mirta Circle, Lemont, Cook County

- Station 115+20 to Station 118+20 (CL IL 171), 15 to 45 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL 171 (Archer Avenue) and Castlewood Drive, Lemont, Cook County

- All excavation planned at the northwest quadrant and northeast quadrant at the intersection of IL 171 (Archer Avenue) and Castlewood Drive. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 125+90 to Station 140+35 (CL IL 171), 10 to 30 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 124+00 to Station 140+00 (CL IL 171), 10 to 30 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL 171 (Archer Avenue) and Derby Road, Lemont, Cook County

- All excavation planned at the northeast quadrant at the intersection of IL 171 (Archer Avenue) and Derby Road. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(5). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- All excavation planned at the northwest quadrant at the intersection of IL 171 (Archer Avenue) and Derby Road. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 144+40 to Station 144+65 (CL IL 171), 20 to 30 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 146+00 to Station 146+50 (CL IL 171), 20 to 50 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 142+40 to Station 144+55 (CL IL 171), 15 to 30 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Work Zones

Three distinct OSHA HAZWOPER work zones (exclusion, decontamination, and support) shall apply to projects adjacent to or within sites with documented leaking underground storage tank (LUST) incidents, or sites under management in accordance with the requirements of the Site Remediation Program (SRP), Resource Conservation and Recovery Act (RCRA), or Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), or as deemed necessary. For this project, the work zones apply for the following ISGS PESA Sites:

None