

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS

**PROPOSED  
IMPROVEMENTS**

VARIOUS ROUTES  
SECTION D6 LIGHTING 2026-1  
SIGNAL & LIGHTING MAINTENANCE




VARIOUS COUNTIES

C-96-070-12

FOR INDEX OF SHEETS, SEE SHEET NO. 2

RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
VAR.	D6 LIGHTING 2026-1	VARIOUS	3	1
		ILLINOIS	CONTRACT NO. 72F52	

D-96-070-12



FULL SIZE PLANS HAVE BEEN PREPARED USING STANDARD ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

J.U.L.I.E.  
JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION  
1-800-892-0123  
OR 811

PROJECT ENGINEER : MIKE HAMBY - (217)524-7765  
PROJECT MANAGER : TIM SHARP - (217)524-9160

CONTRACT NO. 72F52

LOCATION MAP

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS

SUBMITTED January 29, 20 26  
*Teresa C. Price*  
REGIONAL ENGINEER

March 20, 20 26  
*[Signature]*  
ENGINEER OF DESIGN AND ENVIRONMENT

March 20, 20 26  
*[Signature]*  
DIRECTOR OF HIGHWAYS PROJECT IMPLEMENTATION




PRINTED BY THE AUTHORITY  
OF THE STATE OF ILLINOIS

**INDEX OF SHEETS**

1. COVER
2. INDEX OF SHEETS AND HIGHWAY STANDARDS
3. SUMMARY OF QUANTITIES AND GENERAL NOTES

**HIGHWAY STANDARDS**

- 701001-02 OFF-RD OPERATIONS, 2L, 2W, MORE THAN 15' AWAY FROM EDGE OF PAVEMENT
- 701006-05 OFF-RD OPERATIONS, 2L, 2W, 15' TO 24" FROM PAVEMENT EDGE
- 701011-04 OFF-RD MOVING OPERATION, 2L, 2W, DAY ONLY
- 701101-05 OFF-RD OPERATIONS, MULTILANE, 15' TO 24" FROM PAVEMENT EDGE
- 701106-02 OFF RD OPERATIONS, MULTILANE, MORE THAN 15' AWAY
- 701201-05 LANE CLOSURE, 2L, 2W, DAY ONLY, FOR SPEEDS  $\geq$  45 MPH
- 701206-05 LANE CLOSURE, 2L, 2W, NIGHT ONLY, FOR SPEEDS  $\geq$  45 MPH
- 701301-04 LANE CLOSURE, 2L, 2W, SHORT TIME OPERATIONS
- 701306-04 LANE CLOSURE, 2L, 2W, SLOW MOVING OPERATIONS DAY ONLY, FOR SPEED  $\geq$  45 MPH
- 701311-03 LANE CLOSURE, 2L, 2W, MOVING OPERATIONS - DAY ONLY
- 701400-12 APPROACH TO LANE CLOSURE, FREEWAY/EXPRESSWAY
- 701406-13 LANE CLOSURE, FREEWAY/EXPRESSWAY, DAY OPERATIONS ONLY
- 701411-09 LANE CLOSURE, MULTILANE, AT ENTRANCE OR EXIT RAMP, FOR SPEEDS  $\geq$  45 MPH
- 701421-08 LANE CLOSURE, MULTILANE, DAY OPERATIONS ONLY, OR SPEEDS  $\geq$  45 MPH TO 55 MPH
- 701422-10 LANE CLOSURE, MULTILANE, FOR SPEEDS  $>$  45 MPH TO 55 MPH
- 701426-09 LANE CLOSURE, MULTILANE, INTERMITTENT OR MOVING OPER., FOR SPEEDS  $>$  45 MPH
- 701427-05 LANE CLOSURE, MULTILANE, INTERMITTENT OR MOVING OPER., FOR SPEEDS  $<$  40 MPH
- 701428-01 TRAFFIC CONTROL SETUP AND REMOVAL, FREEWAY/EXPRESSWAY
- 701446-11 TWO LANE CLOSURE FREEWAY/EXPRESSWAY
- 701451-05 RAMP CLOSURE FREEWAY/EXPRESSWAY
- 701456-05 PARTIAL EXIT RAMP CLOSURE FREEWAY/EXPRESSWAY
- 701501-06 URBAN LANE CLOSURE, 2L, 2W, UNDIVIDED
- 701502-09 URBAN LANE CLOSURE, 2L, 2W, WITH BIDIRECTIONAL LEFT TURN LANE
- 701601-09 URBAN LANE CLOSURE, MULTILANE, 1W OR 2W WITH NONTRAVERSABLE MEDIAN
- 701602-10 URBAN LANE CLOSURE, MULTILANE, 2W WITH BIDIRECTIONAL LEFT TURN LANE
- 701701-10 URBAN LANE CLOSURE, MULTILANE INTERSECTION
- 701801-06 SIDEWALK, CORNER OR CROSSWALK CLOSURE
- 701901-11 TRAFFIC CONTROL DEVICES
- 000001-09 STANDARD SYMBOLS, ABBREVIATIONS AND PATTERNS

<b>STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS DISTRICT 6</b>	
EXAMINED	February 6, 20 26
 ENGINEER OF OPERATIONS	
EXAMINED	February 6, 20 26
 ENGINEER OF PROJECT IMPLEMENTATION	
EXAMINED	February 6, 20 26
 ENGINEER OF PROGRAM DEVELOPMENT	

Only the District 6 engineer assigned to the project, the RE or RT, will move the signals to manual flash condition and return the signals to "normal" operation. This shall not be delegated. In doing so, the RE or RT will have full responsibility for function of those signals and any issue that may arise from his/her actions.

The RE or RT shall notify by email:

byron.fry@illinois.gov, dale.hebenstreit@illinois.gov or michael.hamby@illinois.gov at least the day prior to the planned traffic signal flash condition.

The contractor shall not have access to the signal cabinet.

If you have any questions or require additional information, please call Michael Hamby at 217-556-4643.

REV - MS

FILE NAME :	USER NAME : Timothy.Sharp	DESIGNED -	REVISED -	<b>STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION</b>	<b>INDEX OF SHEETS AND HIGHWAY STANDARDS</b>	RT.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
pw://idot-pu.bentley.com/VIDOT/Documents/IDOT Offices/District 6/ORD Projects/72F5/000001-09/000001-09.dwg	DATE: 1/29/2026	CHECKED -	REVISED -			VAR.	D6 LIGHTING 2026-1	VARIOUS	3	2	
Default	PLOT DATE : 1/29/2026	DATE -	REVISED -			CONTRACT NO. 72F52		ILLINOIS FED. AID PROJECT			
						SCALE:	SHEET	OF	SHEETS	STA.	TO

CODE NO.	ITEM	UNIT	QUANTITY	6-01600-9950	6-00361-9950
				CONSTR. CODE	CONSTR. CODE
				TOTAL QUANTITY	TOTAL QUANTITY
				100% MCHD	100% STATE
				0021	0021
				RURAL	RURAL
82110007	LUMINAIRE, LED, ROADWAY, OUTPUT DESIGNATION G	EACH	60	39	21
83060830	LIGHT POLE, GALVANIZED STEEL, 45 FT. M.H., TENON MOUNT	EACH	4	3	1
83060850	LIGHT POLE, GALVANIZED STEEL, 55 FT. M.H., TENON MOUNT	EACH	2	1	1
X1400035	150W HPS LAMP/INON CYCLING	EACH	25	16	9
X1400036	250W HPS LAMP/INON CYCLING	EACH	50	33	17
X1400037	400W HPS LAMP/INON CYCLING	EACH	15	11	4
X1400039	150W-240V HPS TRANSFORMER KIT	EACH	10	7	3
X1400040	250W-240V HPS TRANSFORMER KIT (GE)	EACH	20	13	7
X1400041	250W-480V HPS TRANSFORMER KIT (GE)	EACH	10	7	3
X1400042	250W-480V HPS TRANSFORMER KIT (HOLOPHANE)	EACH	10	7	3
X1400043	12" SIGNAL HEAD W/O VISOR (POLYCARBONATE)	EACH	6	4	2
X1400044	12" SIGNAL HEAD VISOR (POLYCARBONATE)	EACH	6	4	2
X1400045	ELASTIMOLD FUSE HOLDER	EACH	10	7	3
X1400046	RED MARKING PAINT	EACH	15	11	4
X1400047	SOLID STATE NEMA FLASHER	EACH	10	7	3
X1400048	SOLID STATE NEMA LOAD SWITCH	EACH	15	11	4
X1400049	12" LED MODULE (GREEN)	EACH	10	7	3
X1400050	12" LED MODULE (YELLOW)	EACH	10	7	3
X1400051	12" LED MODULE (RED)	EACH	10	7	3
X1400052	250W-240V HPS TRANSFORMER KIT (HOLOPHANE)	EACH	10	7	3
X1400054	150W-480V HPS TRANSFORMER KIT	EACH	10	7	3
X1400055	400W-240V HPS TRANSFORMER KIT	EACH	10	7	3
X1400056	400W-480V HPS TRANSFORMER KIT	EACH	10	7	3
X1400057	FNM 10 BUSS FUSE	EACH	50	33	17
X1400058	10 AMP CONTROL FUSE	EACH	40	26	14
X1400063	#6 USE WIRE	FOOT	800	520	280
X1400064	#10 USE WIRE	FOOT	1500	975	525
X1400066	SURRESTOR	EACH	15	11	4
X1400067	SET 4 BREAKAWAY COUPLERS (TRANSP0 4100)	EACH	6	4	2
X1400070	50' ALUMINUM 15' DAVIT ARM POLE	EACH	1	1	0
X1400071	50' ALUMINUM 15' DUAL DAVIT ARM POLE	EACH	1	0	1
X1400074	BUS INTERFACE UNIT	EACH	10	7	3
X1400076	COBALT CONTROLLER	EACH	2	1	1
X1400209	45' ALUMINUM LIGHT POLE WITH 15' DAVIT ARM	EACH	2	1	1
X1400361	1-PORT MOXA GIGABIT ETHERNET MODULE "SFP-1GLXLC-T"	EACH	2	1	1
X1400362	AUTOSCOPE VISON COMM MANAGER	EACH	2	1	1
X1400363	MOXA "ADS-510E-3GTXSFP-T" ETHERNET SWITCH WITH DIN RAIL POWER SUPPLY	EACH	2	1	1
X1400364	AXIS MODEL 05042-E DOME CAMERA ASSEMBLY	EACH	2	1	1
X8210402	LUMINAIRE MOUNTING BRACKET (SPECIAL)	EACH	60	40	20
X8250230	PHOTOCELL	EACH	25	17	8
XP000001	JOURNEYMAN ELECTRICIAN	HOUR	400	264	136
XP000003	JOURNEYMAN ELECTRICIAN (WEEKLY OVERTIME RATE)	HOUR	40	26	14
XP000004	JOURNEYMAN ELECTRICIAN (SATURDAY OVERTIME RATE)	HOUR	20	13	7
XP000005	JOURNEYMAN ELECTRICIAN (SUNDAY AND HOLIDAY OVERTIME RATE)	HOUR	20	13	7
XP000009	PICK-UP TRUCK	HOUR	200	130	70
XP000010	BUCKET TRUCK (LENGTH LESS THAN 35 FEET)	HOUR	60	39	21
XP000011	BUCKET TRUCK (LENGTH 35 TO 65 FEET)	HOUR	200	130	70

**GENERAL NOTES**

This work is located on various routes in Adams, Brown, Hancock, Pike and Schuyler counties all located within Region 4, District 6. The work included in this section consists of maintaining and repairing the electrical systems and all other work necessary to complete this section.

The locations of the repair areas shall be determined by the engineer.

All work is to be replaced in kind or, as indicated on the contract plans or provisions.

Removal of damaged materials will include dismantling, loading, hauling, and disposal.

Any necessary traffic control will be provided by the contractor; appropriate standards are listed on Sheet No. 2. Traffic control shall not be paid for as separate pay items, but shall be considered a part of the contract.

The work site shall be left in a safe and orderly condition.

No material should be left on or near the roadway during non-working hours.

All excavated material, which includes digging or grading of any soil or fill material, with the exception of aggregate fills, must be left on, or incorporated within, the IDOT right-of-way due to environmental documentation requirements.

Any work order may be cancelled at the engineer's discretion.

English units of measurement shall govern over and supersede any metric units in this contract. Where included, metric units are for information only.

Electronic files and/or electronic survey information including CADD files will not be available for this project to the contractor.

No overnight lane closures will be allowed, unless emergency conditions exist.

Any reference to a standard in these plans shall be interpreted to mean the edition as indicated by the subnumber shown in the list of standards or the copy included in these plans.

FILE NAME :	USER NAME : Timothy.Sharp	DESIGNED -	REVISED -	<b>STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION</b>	<b>SUMMARY OF QUANTITIES AND GENERAL NOTES</b>				RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
pwt://idot-pub.bentley.com/PVIDOT/Document/IDOT Offices/District 6/ORD Projects/72F52/DRAWING/CADD/sheets/72F52 - sht - 3 - S00	DRWING/CADD/sheets/72F52 - sht - 3 - S00	CHECKED -	REVISED -						VAR.	D6 LIGHTING 2026-1	VARIOUS	3	3
SHT_PLAN	PLOT DATE : 1/7/2026	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS	STA.	TO STA.	ILLINOIS FED. AID PROJECT		
											CONTRACT NO. 72F52		