

CODE NO.	ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE	
				80 / 20	50 / 50
				FED/STATE ROADWAY	CITY/STATE ROADWAY
				0005 RURAL	0005 RURAL
20300100	CHANNEL EXCAVATION	CU YD	20	20	
20800150	TRENCH BACKFILL	CU YD	364	364	1
28100109	STONE RIPRAP, CLASS A5	SQ YD	677	677	
28200200	FILTER FABRIC	SQ YD	833	833	
31100910	SUBBASE GRANULAR MATERIAL, TYPE A 12"	SQ YD	264	264	
31101000	SUBBASE GRANULAR MATERIAL, TYPE B	TON	15	15	
40600275	BITUMINOUS MATERIALS (PRIME COAT)	POUND	594	594	
40600290	BITUMINOUS MATERIALS (TACK COAT)	POUND	92333	90465	1868
40600982	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT	SQ YD	98	98	2
40600985	PORTLAND CEMENT CONCRETE SURFACE REMOVAL - BUTT JOINT	SQ YD	5	5	
40600990	TEMPORARY RAMP	SQ YD	1007	1007	
40603085	HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N70	TON	13479	13479	
40604062	HOT-MIX ASPHALT SURFACE COURSE, IL-9.5, MIX "D", N70	TON	7817	7352	465
40604162	POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, IL-9.5, MIX "D", N70	TON	1732	1732	

CODE NO.	ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE	
				80 / 20	50 / 50
				FED/STATE ROADWAY	CITY/STATE ROADWAY
				0005 RURAL	0005 RURAL
40700100	BITUMINOUS MATERIALS (TACK COAT)	POUND	119	119	
40701841	HOT-MIX ASPHALT PAVEMENT (FULL-DEPTH), 8"	SQ YD	264	264	
42000400	PORTLAND CEMENT CONCRETE PAVEMENT 9"	SQ YD	64	64	
42400100	PORTLAND CEMENT CONCRETE SIDEWALK 4 INCH	SQ FT	2204	2204	
42400800	DETECTABLE WARNINGS	SQ FT	402	402	
44000100	PAVEMENT REMOVAL	SQ YD	356	356	
44000157	HOT-MIX ASPHALT SURFACE REMOVAL, 2"	SQ YD	4313	160	4153
44000164	HOT-MIX ASPHALT SURFACE REMOVAL, 3 3/4"	SQ YD	132555	132555	2
44000200	DRIVEWAY PAVEMENT REMOVAL	SQ YD	17	17	
44000300	CURB REMOVAL	FOOT	47	47	
44000500	COMBINATION CURB AND GUTTER REMOVAL	FOOT	1105	1105	
44000600	SIDEWALK REMOVAL	SQ FT	6523	6523	
44003100	MEDIAN REMOVAL	SQ FT	710	710	
44004250	PAVED SHOULDER REMOVAL	SQ YD	806.2	806.2	

2 REV. 6-3-2020

1 REV. 5-29-2020

FILE NAME =	USER NAME = FREIMUTHPD	DESIGNED -	REVISED -
4:\plnroom.dot\illinois.gov\PIDOT\Documents\DOT Offices\District 8\Projects\0876J71\Drawings\CADsheets\0876J71-sh1-500.dgn		REVISED -	REVISED -
	PLOT SCALE = 100.0000' / in.	CHECKED -	REVISED -
	PLOT DATE = 1/28/2020	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

SUMMARY OF QUANTITIES

SCALE: SHEET 1 OF 6 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
312	(70,71,72)RS-4	RANDOLPH	102	3
CONTRACT NO. 76J71			ILLINOIS FED. AID PROJECT	

CODE NO.	ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE		
				80 / 20	50 / 50	
				FED/STATE	CITY/STATE	
				ROADWAY	ROADWAY	
				0005	0005	
				RURAL	RURAL	
44200176	PAVEMENT PATCHING, TYPE I, 15 INCH	SQ YD	52.8	52.8		
44200180	PAVEMENT PATCHING, TYPE II, 15 INCH	SQ YD	528	528		
44200184	PAVEMENT PATCHING, TYPE III, 15 INCH	SQ YD	410.7	410.7		
44200186	PAVEMENT PATCHING, TYPE IV, 15 INCH	SQ YD	781.3	781.3		
48102100	AGGREGATE WEDGE SHOULDER, TYPE B	TON	1222	1222		△2
48203029	HOT-MIX ASPHALT SHOULDERS, 8"	SQ YD	806.2	806.2		
48203100	HOT-MIX ASPHALT SHOULDERS	TON	5560	5560		△2
50100300	REMOVAL OF EXISTING STRUCTURES NO. 1	EACH	1	1		
50100400	REMOVAL OF EXISTING STRUCTURES NO. 2	EACH	1	1		
50100500	REMOVAL OF EXISTING STRUCTURES NO. 3	EACH	1	1		
50200100	STRUCTURE EXCAVATION	CU YD	399	399		
50300225	CONCRETE STRUCTURES	CU YD	67	67		△1
50800105	REINFORCEMENT BARS	POUND	120	120		
50800205	REINFORCEMENT BARS, EPOXY COATED	POUND	4850	4850		

CODE NO.	ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE		
				80 / 20	50 / 50	
				FED/STATE	CITY/STATE	
				ROADWAY	ROADWAY	
				0005	0005	
				RURAL	RURAL	
50900805	PEDESTRIAN RAILING	FOOT	21	21		
50901760	PIPE HANDRAIL	FOOT	131	131		
52200900	CONCRETE STRUCTURES (RETAINING WALL)	CU YD	67	67		
54213657	PRECAST REINFORCED CONCRETE FLARED END SECTIONS 12"	EACH	1	1		△1
54248510	CONCRETE COLLAR	CU YD	1.5	1.5		
550A0050	STORM SEWERS, CLASS A, TYPE 1 12"	FOOT	124.9	124.9		
550A0090	STORM SEWERS, CLASS A, TYPE 1 18"	FOOT	43.8	43.8		
550A0120	STORM SEWERS, CLASS A, TYPE 1 24"	FOOT	22.4	22.4		
55100400	STORM SEWER REMOVAL 10"	FOOT	82	82		
55100500	STORM SEWER REMOVAL 12"	FOOT	20	20		
58600101	GRANULAR BACKFILL FOR STRUCTURES	CU YD	27.3	27.3		
58700300	CONCRETE SEALER	SQ FT	662	662		
59100100	GEOCOMPOSITE WALL DRAIN	SQ YD	10.7	10.7		
60218400	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, CLOSED LID	EACH	1	1		
60219200	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 10 FRAME AND GRATE	EACH	1	1		

△2 REV. 6-3-2020 △1 REV. 5-29-2020

FILE NAME =	USER NAME = FREIMUTHPD	DESIGNED -	REVISED -
p:\plnroom.dot\illinois.gov\IDOT\Documents\IDOT Offices\District 8\Projects\0876J71\Drawings\CADsheets\0876J71-sh1-500.dgn		REVISOR -	REVISED -
	PLOT SCALE = 100.0000' / 1in.	CHECKED -	REVISED -
	PLOT DATE = 1/28/2020	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

SUMMARY OF QUANTITIES

SCALE: SHEET 2 OF 6 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
312	(70,71,72)RS-4	RANDOLPH	102	4
			CONTRACT NO. 76J71	
ILLINOIS FED. AID PROJECT				

CODE NO.	ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE		
				80 / 20	50 / 50	
				FED/STATE	CITY/STATE	
				ROADWAY	ROADWAY	
				0005	0005	
				RURAL	RURAL	
* 78200005	GUARDRAIL REFLECTORS, TYPE A	EACH	8	8		
* 78200020	CURB REFLECTORS	EACH	13	13		
78300200	RAISED REFLECTIVE PAVEMENT MARKER REMOVAL	EACH	702	702		
X0324058	OUTLET SPECIAL	EACH	2	2		
X0324450	SEGMENTAL CONCRETE BLOCK WALL, SPECIAL	SQ FT	18	18		
X0325299	INLET MODIFICATION	EACH	1	1		
X0326351	CONCRETE APRON FOR MEDIAN INLET	EACH	1	1		
X4240420	PORTLAND CEMENT CONCRETE SIDEWALK 4 INCH, SPECIAL	SQ FT	4608	4608		
X4240440	PORTLAND CEMENT CONCRETE SIDEWALK 6 INCH, SPECIAL	SQ FT	34	34		
X4400100	PORTLAND CEMENT CONCRETE SURFACE REMOVAL (VARIABLE DEPTH)	SQ YD	7	7		
X4401198	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH	SQ YD	1591	1591		
X5430100	INSERTION CULVERT LINER (SPECIAL)	FOOT	60	60		
X6060068	COMBINATION CONCRETE CURB AND GUTTER, TYPE B (SPECIAL) (ABUTTING EXISTING PAVEMENT)	FOOT	395	395		
* X6330725	STEEL PLATE BEAM GUARDRAIL (SHORT RADIUS)	FOOT	26	26		

CODE NO.	ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE		
				80 / 20	50 / 50	
				FED/STATE	CITY/STATE	
				ROADWAY	ROADWAY	
				0005	0005	
				RURAL	RURAL	
X6660445	RIGHT OF WAY AND PROPERTY CORNERS	EACH	49	49		
X7011800	TRAFFIC CONTROL AND PROTECTION, STANDARD BLR 21	L SUM	1	1		
X7030005	TEMPORARY PAVEMENT MARKING REMOVAL	SQ FT	40311	40311		
* X7800100	PAINT PAVEMENT MARKING - RAISED MEDIAN	SQ FT	64	64		
* X7800200	PAINT PAVEMENT MARKING CURB	FOOT	69	69		
Z0007430	TEMPORARY SIDEWALK	SQ FT	976	976		
Z0012450	CONCRETE STEPS	CU YD	0.3	0.3		
Z0013798	CONSTRUCTION LAYOUT	L SUM	1	1		
Z0016702	DETOUR SIGNING	L SUM	1	1		
Z0033700	LONGITUDINAL JOINT SEALANT	FOOT	41266	41266		
Z0034105	MATERIAL TRANSFER DEVICE	TON	23028	23028		
Z0056612	STORM SEWER (WATER MAIN REQUIREMENTS) 18 INCH	FOOT	31.9	31.9		
Z0056620	STORM SEWER (WATER MAIN REQUIREMENTS) 30 INCH	FOOT	125.6	125.6		
Z0056622	STORM SEWER (WATER MAIN REQUIREMENTS) 36 INCH	FOOT	33.8	33.8		
Z0056624	STORM SEWER (WATER MAIN REQUIREMENTS) 42 INCH	FOOT	4.5	4.5		

* SPECIALTY ITEM

REV. 6-3-2020 REV. 5-29-2020

FILE NAME =	USER NAME = FREIMUTHPD	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SUMMARY OF QUANTITIES	F.A.P. RFE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
p:\planroom\dot.illinois.gov\PIDOT\Documents\IDOT Offices\District 8\Projects\0876J71\Drawings\CAD\Sheets\0876J71-sh1-500.dgn						REVISED -	312	(70,71,72)RS-4	RANDOLPH	102	7
PLOT SCALE = 100.0000' / 1in.						CHECKED -	CONTRACT NO. 76J71				
PLOT DATE = 1/28/2020						DATE -	ILLINOIS FED. AID PROJECT				

SCALE: SHEET 5 OF 6 SHEETS STA. TO STA.

MAINLINE RESURFACING SCHEDULE											
LOCATION			HMA SURFACE REMOVAL, 3 3/4"	HMA SURFACE REMOVAL, 2"	BIT. MAT'L (TACK COAT) 1ST PASS	BIT. MAT'L (TACK COAT) 2ND PASS	HMA BINDER, IL-19.0, N70	POLYMERIZED HMA SURFACE COURSE, IL-9.5, MIX D, N70	HMA SURFACE COURSE, IL-9.5, MIX D, N70	LONGITUDINAL JOINT SEALANT	
			(SQ YD)	(SQ YD)	(POUND)	(POUND)	(TON)	(TON)	(TON)	(TON)	(FOOT)
STA.	TO	STA.									
1028+36.80	TO	1127+62.00	24261.6		10917.7	5458.9	3057.0		2038.0	9925.2	
BRIDGE OMISSION											
1130+18.00	TO	1149+80.31	4796.8		2158.5	1079.3	604.4		402.9	1962.3	
BRIDGE OMISSION											
1151+17.52	TO	1272+07.00	29552.1		13298.4	6649.2	3723.6		2482.4	12089.5	
1272+07.00	TO	1272+37.00	80.0		36.0	18.0	10.1		6.7	30.0	
1272+37.00	TO	1274+47.00	700.0		315.0	157.5	88.2	58.8		210.0	
1274+47.00	TO	1286+87.00	4960.0		2232.0	1116.0	625.0	416.6		1240.0	
1286+87.00	TO	1287+31.00	180.9		81.4	40.7	22.8	15.2		44.0	
1287+31.00	TO	1306+09.00	7929.3		3568.2	1784.1	999.1	666.1		1878.0	
1306+09.00	TO	1324+14.00	4813.3	2807.8	3429.5	1083.0	606.5	404.3	314.5	1805.0	
1324+14.00	TO	1326+32.00	581.3	436.0	457.8	130.8	73.2	48.8		218.0	
INTERSECTION OMISSION											
1328+96.50	TO	1334+41.50	1453.3	908.3	1062.8	327.0	183.1	122.1	101.7	545.0	
1334+41.50	TO	1358+86.92	5977.7		2690.0	1345.0	753.2		502.1	2445.4	
BRIDGE OMISSION											
1360+09.09	TO	1448+82.00	21689.3		9760.2	4880.1	2732.9		1821.9	8872.9	
SUBTOTAL											
TOTAL			106976	4153	74077	24069.5	13479	1732	7720	41266	

SHOULDER SCHEDULE								
LOCATION			HMA SURFACE REMOVAL, 3 3/4"	HMA SURFACE REMOVAL, VARIABLE DEPTH	AGGREGATE WEDGE SHOULDER, TYPE B	BIT. MAT'L (TACK COAT) 1ST PASS	BIT. MAT'L (TACK COAT) 2ND PASS	HOT-MIX ASPHALT SHOULDERS
			(SQ YD)	(SQ YD)	(TON)	(POUND)	(POUND)	(TON)
STA.	TO	STA.						
1028+36.80	TO	1041+90.00	790.47		46.11	355.71	177.86	166.00
1041+90.00	TO	1042+50.00	20.00		2.33	36.00	18.00	16.80
1042+50.00	TO	1046+75.00		780.00	15.17	351.00	175.50	163.80
1046+75.00	TO	1055+95.32	571.88		33.36	257.35	128.67	120.09
1055+95.32	TO	1063+00.00	782.98		27.40	352.34	176.17	164.43
1063+00.00	TO	1124+31.50	4064.33		237.07	1828.95	914.48	853.51
1124+31.50	TO	1127+62.00	484.17		11.30	217.88	108.94	101.68
BRIDGE OMISSION								
1130+18.00	TO	1133+84.50	610.83		14.25	274.88	137.44	128.28
1133+84.50	TO	1149+80.31	1063.87		62.06	478.74	239.37	223.41
BRIDGE OMISSION								
1151+17.52	TO	1263+50.00	7409.99		432.22	3334.49	1667.25	1556.10
1263+50.00	TO	1272+07.00	571.33		33.33	257.10	128.55	119.98
1272+07.00	TO	1272+37.00			1.17			
1272+37.00	TO	1334+41.50						
1334+41.50	TO	1349+96.50	1642.78			739.25	369.63	344.98
1349+96.50	TO	1350+58.50	68.89			31.00	15.50	14.47
1350+58.50	TO	1355+00.00	490.56			220.75	110.38	103.02
1355+00.00	TO	1358+86.92	429.91		15.05	193.46	96.73	90.28
BRIDGE OMISSION								
1360+09.09	TO	1363+00.00	323.23		11.31	145.46	72.73	67.88
1363+00.00	TO	1367+26.50	308.39			138.78	69.39	64.76
1367+26.50	TO	1375+60.50	860.00		15.05	387.00	193.50	180.60
1375+60.50	TO	1378+33.50	394.33		5.31	177.45	88.73	82.81
1378+33.50	TO	1381+46.50	333.67		5.31	150.15	75.08	70.07
1381+46.50	TO	1394+50.00	803.00		46.84	361.35	180.68	168.63
1394+50.00	TO	1448+82.00	3553.67		207.29	1599.15	799.58	746.27
TOTAL			25579	840	1222	17832		5548



TEMPORARY RAMP SCHEDULE						
LOCATION	LT/RT	TEMP RAMP*			TEMPORARY RAMP	COMMENTS
		LENGTH	WIDTH	AREA		
STATION				SQ YD	SQ YD	
MAINLINE						
1028+36.80		7.5	22.00	18.3	18.3	BEGINNING OF PROJECT
1149+80.31		7.5	22.00	18.3	18.3	BRIDGE OMISSION
1151+17.52		7.5	22.00	18.3	18.3	BRIDGE OMISSION
1127+62.00		7.5	22.00	18.3	18.3	BRIDGE OMISSION
1130+18.00		7.5	22.00	18.3	18.3	BRIDGE OMISSION
1326+32.00		7.5	24.00	20.0	20.0	CONCRETE INTERSECTION
1328+96.50		7.5	24.00	20.0	20.0	CONCRETE INTERSECTION
1358+86.92		7.5	22.00	18.3	18.3	BRIDGE OMISSION
1360+09.09		7.5	22.00	18.3	18.3	BRIDGE OMISSION
1448+82.00		7.5	22.00	18.3	18.3	END OF PROJECT
SIDE ROADS						
1035+00.00	LT	2	70.00	15.6	15.6	IL 155 TURN
1036+20.00	LT	2	35.00	7.8	7.8	IL 155 TURN
1037+30.00	LT	2	115.00	25.6	25.6	IL 155 TURN
1040+15.00	LT	2	50.00	11.1	11.1	1ST STREET
1040+15.00	RT	2	65	14.4	14.4	1ST STREET
1043+80.00	LT	2	40	8.9	8.9	2ND STREET
1043+80.00	RT	2	30	6.7	6.7	2ND STREET
1046+80.00	LT	2	55	12.2	12.2	MILL STREET
1046+80.00	RT	2	70	15.6	15.6	MILL STREET
1113+45.00	LT	2	70	15.6	15.6	WAGNER LANE
1127+05.00	LT	2	80	17.8	17.8	HORSE CREEK ROAD
1180+90.00	RT	2	75	16.7	16.7	RICHFIELD ROAD
1260+85.00	RT	2	70	15.6	15.6	OHLWINE ROAD
1260+95.00	LT	2	90	20.0	20.0	BLACKJACK ROAD
1274+25.00	LT	2	25	5.6	5.6	LOIS LANE
1280+05.00	LT	2	80	17.8	17.8	KASKASKIA DRIVE
1287+30.00	LT	2	70	15.6	15.6	SHILOH DRIVE
1287+30.00	RT	2	60	13.3	13.3	SHILOH DRIVE
1293+15.00	LT	2	55	12.2	12.2	FIELD DRIVE
1293+15.00	RT	2	55	12.2	12.2	FIELD DRIVE
1295+70.00	LT	2	40	8.9	8.9	SUMMIT STREET
1299+00.00	LT	2	60	13.3	13.3	BRAND AVENUE
1304+00.00	LT	2	40	8.9	8.9	OAK STREET
1306+25.00	LT	2	45	10.0	10.0	6TH STREET
1306+25.00	RT	2	60	13.3	13.3	6TH STREET
1310+75.00	LT	2	55	12.2	12.2	5TH STREET
1310+75.00	RT	2	55	12.2	12.2	5TH STREET
1314+20.00	LT	2	50	11.1	11.1	4TH STREET
1314+20.00	RT	2	50	11.1	11.1	4TH STREET
1316+05.00	LT	2	50	11.1	11.1	3RD STREET
1316+05.00	RT	2	50	11.1	11.1	3RD STREET
1320+85.00	LT	2	45	10.0	10.0	2ND STREET
1320+85.00	RT	2	50	11.1	11.1	2ND STREET
1314+15.00	LT	2	45	10.0	10.0	1ST STREET
1314+15.00	RT	2	45	10.0	10.0	1ST STREET
1329+85.00	LT	2	45	10.0	10.0	OAK STREET
1329+85.00	RT	2	25	5.6	5.6	OAK STREET
1332+05.00	LT	2	50	11.1	11.1	LOCUST STREET
1334+40.00	LT	2	50	11.1	11.1	SPRING STREET
1334+40.00	RT	2	50	11.1	11.1	MADISON STREET
1336+75.00	LT	2	50	11.1	11.1	ROCK STREET
1336+75.00	RT	2	45	10.0	10.0	PARK PLAZA DRIVE
1337+75.00	LT	2	48	10.7	10.7	HAN-DEE MART
1339+00.00	LT	2	55	12.2	12.2	LENN STREET
1342+20.00	RT	2	30	6.7	6.7	RATZ MEMORIAL PARK
1350+00.00	RT	2	30	6.7	6.7	RATZ MEMORIAL PARK
1358+00.00	RT	2	40	8.9	8.9	BROOKVIEW DRIVE
1364+00.00	LT	2	60	13.3	13.3	PARK DRIVE
1367+50.00	LT	2	60	13.3	13.3	CLARENCE DRIVE
1367+50.00	RT	2	60	13.3	13.3	POWELL ROAD
1378+40.00	LT	2	80	17.8	17.8	COUNTRY CLUB DRIVE
1385+00.00	RT	2	48	10.7	10.7	SHEMWELL MC
1389+00.00	RT	2	80	17.8	17.8	CATHERINE DRIVE
1390+80.00	RT	2	50	11.1	11.1	VIOLET DRIVE
1393+65.00	LT	2	70	15.6	15.6	HUNTFIELD ROAD
1413+00.00	LT	2	203	45.1	45.1	WEIR PARTS CENTER
TOTAL					904	

* TEMPORARY RAMPS FOR SIDE ROADS ARE LIMITED TO 2' LENGTH TO AVOID MAINLINE TRAFFIC.

ISLAND REPAIR SCHEDULE								
LOCATION	MEDIAN REMOVAL	COMBINATION CURB & GUTTER, TYPE B-6.24	CONCRETE MEDIAN, TYPE SB-6.24	CONCRETE MEDIAN SURFACE, 4 INCH	INLETS TO BE ADJUSTED	PAINT PAVEMENT MARKING CURB	PAINT PAVEMENT MARKING - RAISED MEDAIN	CURB REFLECTORS (CRYSTAL)
	SQ FT	FOOT	SQ FT	SQ FT	EACH	FOOT	SQ FT	EACH
IL 155 ISLAND	710	69	152	349	1	69	64	13
TOTAL	710	69	152	349	1	69	64	13

FILE NAME : pw:\planroom\dot.illinois.gov\PIWIDOT\Documents\DOT Offices\District 8\Projects\0876J71\DWG\CAD\ sheets\0876J71-sh1-schedule.dwg

USER NAME : fremuthpd DESIGNED - 6/3/2020 P.D.F. REVISED -

PLOT SCALE = 100.0000' / in. CHECKED - REVISED -

PLOT DATE = 6/3/2020 DATE - REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SCHEDULE OF QUANTITIES

SCALE: SHEET OF SHEETS STA. TO STA.

F.A.P. RE. SECTION COUNTY TOTAL SHEETS SHEET NO.
312 (70,71,72)RS-4 RANDOLPH 102 18
CONTRACT NO. 76J71
ILLINOIS FED. AID PROJECT