

SAW CUTTING*				LENGTH (FOOT)
LOCATION				
<b>SECTION A:</b>				
<b>W.B.</b>				
LT STA.	59+00	TO	80+00	2,100
LT STA.	83+29	TO	99+00	1,571
LT STA.	100+72	TO	109+07	835
LT STA.	110+80	TO	134+00	2,320
<b>SECTION B:</b>				
<b>W.B.</b>				
LT STA.	10+00	TO	59+77	4,977
LT STA.	63+29	TO	91+27	2,798
LT STA.	91+52	TO	142+05	5,053
<b>TOTAL</b>				<b>19,654</b>

\* SAW CUTTING SHALL BE PERFORMED AT THE EDGE OF EXISTING SHOULDER TO PROVIDE A CLEAN EDGE. EXISTING SHOULDERS ARE APPROXIMATELY 10" THICK. NO ADDITIONAL COMPENSATIONS WILL BE ALLOWED FOR VARIATION THICKNESSES

HOT MIX ASPHALT SHOULDER 10"						
LOCATION		LENGTH (FOOT)	WIDTH (FOOT)	AREA (SQ YD)		
<b>SECTION A:</b>						
<b>W.B.</b>						
<b>4' WIDE</b>						
LT STA.	125+67	TO	134+00	833	4	370
<b>6' WIDE</b>						
LT STA.	59+00	TO	80+00	2100	6	1,400
LT STA.	83+29	TO	99+00	1571	6	1,047
LT STA.	100+72	TO	109+07	835	6	557
LT STA.	110+80	TO	125+67	1487	6	991
<b>SECTION B:</b>						
<b>W.B.</b>						
<b>4' WIDE</b>						
LT STA.	10+00	TO	65+07	5507	4	2,448
<b>6' WIDE</b>						
LT STA.	65+07	TO	139+84	7477	6	4,985
<b>4' WIDE</b>						
LT STA.	139+84	TO	142+05	221	4	98
<b>TOTAL</b>						<b>11,896</b>

EXCAVATION AND GRADING EXISTING SHOULDER*						
LOCATION		CUT (CU YD)	FILL (CU YD)	QUANTITIES (UNIT)		
<b>SECTION A:</b>						
<b>W.B.</b>						
LT STA.	58+50	TO	69+50	79	80	11
LT STA.	69+50	TO	83+00	145	138	14
LT STA.	83+00	TO	94+00	181	113	11
LT STA.	94+00	TO	106+00	162	85	12
LT STA.	106+00	TO	118+00	177	80	12
LT STA.	118+00	TO	129+00	196	71	11
LT STA.	129+00	TO	134+00	46	46	5
<b>SECTION B:</b>						
<b>W.B.</b>						
LT STA.	10+00	TO	45+47	485	551	35
LT STA.	45+47	TO	81+56	1422	404	36
LT STA.	81+56	TO	117+57	1842	419	36
LT STA.	117+57	TO	142+03	1801	701	24
<b>SUB-TOTAL</b>				<b>6,536.00</b>	<b>2,688</b>	
<b>TOTAL</b>						<b>208</b>

\*CROSS SECTIONS ARE FOR INFORMATION ONLY, ALL EARTH WORK NECESSARY TO CONSTRUCT SHOULDER WIDENING IS PAID FOR AS "EXCAVATING AND GRADING EXISTING SHOULDER"

SEEDING, CLASS 2 (SPECIAL)						
LOCATION		LENGTH (FOOT)	AVERAGE WIDTH (FOOT)	AREA (ACRES)		
<b>SECTION A:</b>						
<b>W.B.</b>						
LT STA.	58+50	TO	69+50	1100.0	8	0.20
LT STA.	69+50	TO	83+00	1350.0	8	0.25
LT STA.	83+00	TO	94+00	1100.0	8	0.20
LT STA.	94+00	TO	106+00	1200.0	8	0.22
LT STA.	106+00	TO	118+00	1200.0	8	0.22
LT STA.	118+00	TO	129+00	1100.0	8	0.20
LT STA.	129+00	TO	134+00	500.0	8	0.09
<b>SECTION B:</b>						
<b>W.B.</b>						
LT STA.	10+00	TO	45+47	485	8	0.09
LT STA.	45+47	TO	81+56	1422	8	0.26
LT STA.	81+56	TO	117+57	1842	8	0.34
LT STA.	117+57	TO	142+03	1801	8	0.33
<b>TOTAL</b>				<b>13,100.00</b>		<b>2.41</b>

PERIMETER EROSION BARRIER		QUANTITIES (EACH)
LOCATION		
<b>SECTION A &amp; B:</b>		
<b>W.B.</b>		
		50.00
<b>TOTAL</b>		<b>50.00</b>