



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

July 13, 2021

SUBJECT FAP Route 557 (IL72)
Project NHPP-K46S(549)
Section32R-DR-1
Kane County
Contract No.62G11
Item No. 67, July 30, 2021 Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised the Schedule of Prices
2. Revised pages 69-72 of the Special Provisions
3. Revised sheet 11 of the Plans

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

A handwritten signature in black ink, appearing to read "Jack A. Elston".

Jack A. Elston, P.E.
Bureau Chief, Design and Environment

MTS

Add the following to Article 670.07 Basis of Payment.

The building or buildings, fully equipped, will be paid for at the contract unit price per calendar month or fraction thereof for ENGINEER'S FIELD OFFICE, TYPE A (SPECIAL).

REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (PROJECT SPECIFIC)

Description. This work shall consist of the removal and disposal of regulated substances according to Section 669 of the Standard Specifications as revised below.

Contract Specific Sites. The excavated soil and groundwater within the areas listed below shall be managed as either "uncontaminated soil", hazardous waste, special waste or non-special waste. For stationing, the lateral distance is measured from centerline and the farthest distance is the offset distance or construction limit, whichever is less.

Soil Disposal Analysis. When the waste material requires sampling for landfill disposal acceptance, the Contractor shall secure a written list of the specific analytical parameters and analytical methods required by the landfill. The Contractor shall collect and analyze the required number of samples for the parameters required by the landfill using the appropriate analytical procedures. A copy of the required parameters and analytical methods (from landfill email or on landfill letterhead) shall be provided as Attachment 4A of the BDE 2733 (Regulated Substances Final Construction Report). The price shall include all sampling materials and effort necessary for collection and management of the samples, including transportation of samples from the job site to the laboratory. The Contractor shall be responsible for determining the specific disposal facilities to be utilized; and collect and analyze any samples required for disposal facility acceptance using a NELAP certified analytical laboratory registered with the State of Illinois.

Site 2412V2-3: Commercial Building, 135 W. Oak Knoll Drive, Hampshire, Kane County

- Station 491+65 to 493+60 (CL IL Route 72), 0 to 50 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(2). Contaminants of concern sampling parameter: Manganese.

Site 2412V2-4: Hampshire Commons; 101, 103, 105, 107, 11A, 115, 117, 119, 121, 123, 125, 127, 131 W Oak Knoll Drive, Hampshire, Kane County

- Station 493+60 to 497+40 (CL IL Route 72), 0 to 50 feet. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(2). Contaminants of concern sampling parameters: Lead, and Manganese.

Revised 7/13/2021

Site 2412V2-5: Commercial Building; 120 W. Oak Knoll Drive, Hampshire, Kane County

- Station 495+25 to 496+00 (CL IL Route 72), 0 to 40 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(5). Contaminants of concern sampling parameters: Benzo(a)pyrene, Lead, and Manganese.
- Station 496+00 to 496+90 (CL IL Route 72), 0 to 40 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(1). Contaminants of concern sampling parameter: Manganese.
- Station 496+90 to 497+20 (CL IL Route 72), 0 to 40 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(2). Contaminants of concern sampling parameter: Manganese.

Site 2412V2-6: Residence; 116 W. Oak Knoll Drive, Hampshire, Kane County

- Station 497+20 to 497+90 (CL IL Route 72), 0 to 40 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(2). Contaminants of concern sampling parameter: Manganese.
- Station 497+90 to 498+10 (CL IL Route 72), 0 to 40 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(1). Contaminants of concern sampling parameter: Lead.

Site 2412V2-7: Residences; 981 S. State Street, 130 Duchess Lane, 133 Duchess Lane; Vacant Lot, 900 block of S. State Street, Hampshire, Kane County

- Station 202+20 to 204+00 (CL S State St), 0 to 30 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(3). Contaminants of concern sampling parameters: Benzo(a)pyrene, and Manganese.
- Station 202+80 to 204+00 (CL S State St), 0 to 30 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(3). Contaminants of concern sampling parameters: Benzo(a)pyrene, Lead, and Manganese.

Site 2412V2-9: Residence; 987 S. State Street, Hampshire, Kane County

- Station 201+90 to 202+80 (CL S. State St), 0 to 100 feet. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(3). Contaminants of concern sampling parameters: Benzo(a)pyrene, Lead, and Manganese.

Site 2412V2-11: Mixed Use Building; 978-982 S. State Street, Hampshire, Kane County

- Station 201+55 to 202+20 (CL S State St), 0 to 30 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(3). Contaminants of concern sampling parameter: Benzo(a)pyrene.

Site 2412V2-12: Commercial Building; 100 W. Oak Knoll Drive and 990 S. State Street, Hampshire, Kane County

- Station 200+70 to 201+55 (CL S. State St.), 0 to 30 feet. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(3). Contaminants of concern sampling parameters: Benzo(a)pyrene, and Manganese.
- Station 200+00 to 200+70 (CL S State St), 0 to 80 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(2). Contaminants of concern sampling parameter: Manganese.
- Station 499+30 to 500+00 (CL IL Route 72), 0 to 40 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(2). Contaminants of concern sampling parameter: Manganese.
- Station 498+10 to 499+30 (CL IL Route 72), 0 to 40 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(1). Contaminants of concern sampling parameters: Benzo(a)pyrene, Lead, and Manganese.

Revised 7/13/2021

Site 2412V2-13: Chick 'n Dip; 995 S. State Street, Hampshire, Kane County

- Station 200+70 to 201+90 (CL S. State St.), 0 to 110 feet. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(3). Contaminants of concern sampling parameters: Benzo(a)pyrene, and Manganese.
- Station 500+00 to 501+10 (CL IL Route 72), 0 to 70 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(1). Contaminants of concern sampling parameter: Manganese.
- Station 501+10 to 502+30 (CL IL Route 72), 0 to 80 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(2). Contaminants of concern sampling parameter: Manganese.
- Station 502+30 to 502+40 (CL IL Route 72), 0 to 40 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(3). Contaminants of concern sampling parameters: Benzo(a)pyrene, Lead, and Manganese.

Site 2412V2-15: Commercial Building; 1000 and 1000-A S. State Street, Hampshire, Kane County

- Station 497+40 to 498+50 (CL IL Route 72), 0 to 50 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(2). Contaminants of concern sampling parameter: Manganese.
- Station 498+50 to 500+00 (CL IL Route 72), 0 to 50 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(1). Contaminants of concern sampling parameter: Manganese.
- Station 199+20 to 200+00 (CL Getzelman Road), 0 to 30 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(1). Contaminants of concern sampling parameter: Manganese.

Site 2412V2-16: Hampshire Memorial Park; 1000 block of Getzelman Road, Hampshire, Kane County

- Station 500+00 to 500+90 (CL IL Route 72), 0 to 75 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(1). Contaminants of concern sampling parameter: Manganese.
- Station 500+90 to 502+10 (CL IL Route 72), 0 to 75 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(2). Contaminants of concern sampling parameter: Lead, and Manganese.

Site 2412V2-19: Vacant Lot; 100 block of E. Oak Knoll Drive, Hampshire, Kane County

- Station 502+10 to 502+90 (CL IL Route 72), 0 to 40 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(2). Contaminants of concern sampling parameter: Manganese.
- Station 502+90 to 503+90 (CL IL Route 72), 0 to 40 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(1). Contaminants of concern sampling parameter: Manganese.
- Station 503+90 to 504+80 (CL IL Route 72), 0 to 40 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(2). Contaminants of concern sampling parameter: Manganese.

Site 2412V2-20: Commercial Building; 118 E. Oak Knoll Drive, Hampshire, Kane County

- Station 502+40 to 503+40 (CL IL Route 72), 0 to 40 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(3). Contaminants of concern sampling parameter: Benzo(a)pyrene, Lead, and Manganese.
- Station 503+40 to 504+10 (CL IL Route 72), 0 to 40 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(1). Contaminants of concern sampling parameters: Benzo(a)pyrene, Benzo(b)fluoranthene, and Lead.

Revised 7/13/2021

Site 2412V2-21: Psychic; 124 E. Oak Knoll Drive, Hampshire, Kane County

- Station 504+10 to 504+80 (CL IL Route 72), 0 to 40 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05 (a)(3). Contaminants of concern sampling parameters: Benzo(a)pyrene, Lead, and Manganese.

Work Zones

Three distinct OSHA HAZWOPER work zones (exclusion, decontamination, and support) shall apply to projects adjacent to or within sites with documented leaking underground storage tank (LUST) incidents, or sites under management in accordance with the requirements of the Site Remediation Program (SRP), Resource Conservation and Recovery Act (RCRA), or Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), or as deemed necessary. For this project, the work zones apply for the following ISGS PESA Sites:
None

TRAFFIC CONTROL PLAN

Effective: September 30, 1985
Revised: January 1, 2007

Traffic Control shall be according to the applicable sections of the Standard Specifications, the Supplemental Specifications, the "Illinois Manual on Uniform Traffic Control Devices for Streets and Highways", any special details and Highway Standards contained in the plans, and the Special Provisions contained herein.

Special attention is called to Article 107.09 of the Standard Specifications and the following Highway Standards, Details, Quality Standard for Work Zone Traffic Control Devices, Recurring Special Provisions and Special Provisions contained herein, relating to traffic control.

The Contractor shall contact the District One Bureau of Traffic at least 72 hours in advance of beginning work.

Revised 7/13/2021