

SUMMARY OF QUANTITIES			TOTAL QUANTITIES		CONSTRUCTION TYPE CODE				
CODE NO	ITEM	UNIT	URBAN	80% FED 20% STATE 0005					
20201200	REMOVAL AND DISPOSAL OF UNSUITABLE MATERIAL	CU YD	2665	2665					
21101615	TOPSOIL FURNISH AND PLACE, 4"	SO YD	25	25					
25200110	SODDING, SALT TOLERANT	SO YD	25	25					
35501308	HOT-MIX ASPHALT BASE COURSE, 6"	SO YD	240	240					
35501316	HOT-MIX ASPHALT BASE COURSE, 8"	SO YD	175	175					
40600290	BITUMINOUS MATERIALS (TACK COAT)	POUND	102000	102000					△
40600400	MIXTURE FOR CRACKS, JOINTS, AND FLANGEWAYS	TON	210	210					△
40600982	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT	SO YD	900	900					△
40603200	POLYMERIZED HOT-MIX ASPHALT BINDER COURSE, IL-4.75, N50	TON	5800	5800					△
40604060	HOT-MIX ASPHALT SURFACE COURSE, IL-9.5, MIX "D", N50	TON	50	50					
40604172	POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, IL-9.5, MIX "E", N70	TON	13850	13850					△
42001300	PROTECTIVE COAT	SO YD	34	34					
44000100	PAVEMENT REMOVAL	SO YD	2750	2750					△

SUMMARY OF QUANTITIES			TOTAL QUANTITIES		CONSTRUCTION TYPE CODE				
CODE NO	ITEM	UNIT	URBAN	80% FED 20% STATE 0005					
44000159	HOT-MIX ASPHALT SURFACE REMOVAL, 2 1/2"	SO YD	150000	150000					△
44000200	DRIVEWAY PAVEMENT REMOVAL	SO YD	15	15					
44004250	PAVED SHOULDER REMOVAL	SO YD	850	850					△
44201863	CLASS D PATCHES, TYPE II, 18 INCH	SO YD	2500	2500					
44201867	CLASS D PATCHES, TYPE III, 18 INCH	SO YD	600	600					
44201869	CLASS D PATCHES, TYPE IV, 18 INCH	SO YD	1000	1000					
48203029	HOT-MIX ASPHALT SHOULDERS, 8"	SO YD	12250	12250					△
60300105	FRAMES AND GRATES TO BE ADJUSTED	EACH	3	3					
60300305	FRAMES AND LIDS TO BE ADJUSTED	EACH	2	2					
60406000	FRAMES AND LIDS, TYPE 1, OPEN LID	EACH	2	2					
60406100	FRAMES AND LIDS, TYPE 1, CLOSED LID	EACH	2	2					
64200108	SHOULDER RUMBLE STRIPS, 8 INCH	FOOT	65000	65000					
67000400	ENGINEER'S FIELD OFFICE, TYPE A	CAL MO	9	9					
67100100	MOBILIZATION	L SUM	1	1					
* = SPECIALTY ITEMS									

FILE NAME =	USER NAME = doasia	DESIGNED -	REVISED -
pw:\planroom\dtd\illinois\gov\PI001\Documents\VDOT\Offices\District\Projects\0123120\CADD\Design\0123120-s-		DRAWN -	REVISED -
		CHECKED -	REVISED -
		DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

SUMMARY OF QUANTITIES			
SCALE:	SHEET NO.	OF SHEETS	STA. TO STA.


F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
535	2019-018-R5	LAKE	41	3
CONTRACT NO. 62J32				
FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT				

△ REVISED SHEET 7/21/2020

SUMMARY OF QUANTITIES				CONSTRUCTION TYPE CODE				SUMMARY OF QUANTITIES				CONSTRUCTION TYPE CODE			
CODE NO	ITEM	UNIT	TOTAL QUANTITIES URBAN	80% FED 20% STATE 0005				CODE NO	ITEM	UNIT	TOTAL QUANTITIES URBAN	80% FED 20% STATE 0005			
70100460	TRAFFIC CONTROL AND PROTECTION, STANDARD 701306	L SUM	1	1				70300260	TEMPORARY PAVEMENT MARKING - LINE 12"	FOOT	4400	4400			
70100600	TRAFFIC CONTROL AND PROTECTION, STANDARD 701336	L SUM	1	1				70300280	TEMPORARY PAVEMENT MARKING - LINE 24"	FOOT	650	650			
70102620	TRAFFIC CONTROL AND PROTECTION, STANDARD 701501	L SUM	1	1				70300520	PAVEMENT MARKING TAPE, TYPE III 4"	FOOT	15000	15000			
70102622	TRAFFIC CONTROL AND PROTECTION, STANDARD 701502	L SUM	1	1			*	78000100	THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SO FT	1250	1250			
70102625	TRAFFIC CONTROL AND PROTECTION, STANDARD 701606	L SUM	1	1			*	78000200	THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	138000	138000			⚠
70102635	TRAFFIC CONTROL AND PROTECTION, STANDARD 701701	L SUM	1	1			*	78000400	THERMOPLASTIC PAVEMENT MARKING - LINE 6"	FOOT	16900	16900			
70300100	SHORT TERM PAVEMENT MARKING	FOOT	30000	30000			*	78000500	THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	3750	3750			
70300150	SHORT TERM PAVEMENT MARKING REMOVAL	SO FT	10000	10000			*	78000600	THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	4400	4400			
70300210	TEMPORARY PAVEMENT MARKING LETTERS AND SYMBOLS	SO FT	1250	1250			*	78000650	THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	650	650			
70300220	TEMPORARY PAVEMENT MARKING - LINE 4"	FOOT	138000	138000			*	78100100	RAISED REFLECTIVE PAVEMENT MARKER	EACH	1650	1650			
70300240	TEMPORARY PAVEMENT MARKING - LINE 6"	FOOT	16900	16900				78300200	RAISED REFLECTIVE PAVEMENT MARKER REMOVAL	EACH	1650	1650			
70300250	TEMPORARY PAVEMENT MARKING - LINE 8"	FOOT	3750	3750			*	88600600	DETECTOR LOOP REPLACEMENT	FOOT	3500	3500			
* = SPECIALTY ITEMS															


⚠ REVISED SHEET 7/21/2020

IL. RTE. 60/83



IL 6083
EXISTING TYPICAL SECTION

STA. 112+39 TO STA. 237+15
STA. 258+00 TO STA. 426+80



IL 6083
PROPOSED TYPICAL SECTION

STA. 112+39 TO STA. 237+15
STA. 258+00 TO STA. 426+80

NOTE: LOCATIONS OF NEW HMA SHOULDERS ARE SHOWN ON THE ROADWAY AND PAVEMENT MARKING PLANS OR WILL BE DETERMINED BY THE ENGINEER

NOTE: EXISTING AGGREGATE SHOULDERS SHALL ONLY BE REMOVED IN AREAS WHERE NEW HMA SHOULDERS ARE PLACED. AGGREGATE SHOULDER REMOVAL SHALL BE PAID FOR AS REMOVAL AND DISPOSAL OF UNSUITABLE MATERIAL.

LEGEND

- ① EXISTING P.C.C. PAVEMENT ±9"
- ② EXISTING HMA PAVEMENT ±11"
- ③ EXISTING HMA SHOULDER, 8"
- ④ EXISTING AGGREGATE SHOULDER, 8"
- ⑤ EXISTING COMBINATION CONCRETE CURB & GUTTER, TYPE B-6.24
- ⑥ PROPOSED HMA SURFACE REMOVAL, 2 1/2 "
- ⑦ PROPOSED POLY. HMA BINDER COURSE IL-4.75 , N50, 3/4"
- ⑧ PROPOSED POLY. HMA SURFACE COURSE, MIX "E", IL-9.5, N70, 1 3/4 "
- ⑨ PROPOSED HMA SHOULDER, 8"

NOTES:

- 1. THE CONTRACTOR SHALL MILL FIRST BEFORE PATCHING.
- 2. MAINTAIN A MINIMUM OF 3' SHOULDER WIDTH OUTSIDE SHOULDER RUMBLE STRIPE. SEE RUMBLE STRIPE DETAIL.
- 3. LONGITUDINAL JOINT SEALANT SHALL BE PLACED OVER THE POLY HMA BINDER IL- 4.75, N50.

HMA MIXTURE REQUIREMENTS			
MIXTURE USES	MIXTURE TYPE	AIR VOIDS @ Ndes	QUALITY MANAGEMENT PROGRAM (QMP)
PAVEMENT RESURFACING	POLYMERIZED HMA SURFACE COURSE, MIX "E", N70 (IL 9.5 mm); 1 3/4"	4% @ 70 GYR.	PFP
	POLYMERIZED HMA BINDER COURSE, IL- 4.75, N50; 3/4"	3.5% @ 50 GYR.	OCP
SHOULDER RECONSTRUCTION (HMA SHOULDERS, 8")	HMA SURFACE COURSE, MIX "D", N70 (IL 9.5 mm); 1 3/4"	4% @ 70 GYR.	QC/OA
	HMA BASE COURSE, (HMA BINDER IL-19 mm); 6/4"	4% @ 70 GYR.	QC/OA
DRIVEWAYS	HMA SURFACE COURSE, MIX "D", N50, (IL-9.5); 2"	4% @ 50 GYR.	QC/OA
	HMA BASE COURSE, (HMA BINDER IL-19 mm); PE - 6" (HMA BINDER IL-19 mm); CE - 8"	4% @ 50 GYR.	QC/OA
PATCHING	CLASS D PATCHES (HMA BINDER IL-19.0 mm)	4% @ 70 GYR	QC/OA

QMP DESIGNATION: QUALITY CONTROL/QUALITY ASSURANCE (QC/OA); QUALITY CONTROL FOR PERFORMANCE (OCP)

NOTE : SHOULDER RUMBLE STRIPS ARE TO BE PLACED ON ALL ASPHALT SHOULDERS THAT ARE 4' OR GREATER IN WIDTH.

NOTE : THE UNIT WEIGHT USED TO CALCULATE ALL HMA SURFACE MIXTURE QUANTITIES IS 112 LBS/SO YD/IN.

NOTE : THE "AC TYPE" FOR POLYMERIZED HMA MIXES SHALL BE "SBS/SBR PG 76-22" AND FOR NON-POLYMERIZED HMA, THE "AC TYPE" SHALL BE "PG 64-22" UNLESS MODIFIED BY DISTRICT ONE SPECIAL PROVISIONS.

NOTE : FOR USE OF RECYCLED MATERIALS SEE DISTRICT ONE SPECIAL PROVISIONS.

NOTE : QUALITY MANAGEMENT PROGRAM (QMP) IDENTIFIES THE PARTICULAR QUALITY CONTROL SPECIFICATION THAT APPLIES TO THE HMA MIXTURE.

1 REVISED SHEET 7/21/2020

MODEL: Default
FILE NAME: P:\highwayroom.dat\illinois.gov\PWIDOT\Documents\DOT - Offices\District 1\Projects\123120\CADD\data\Design\123120-shs-rty-csa.dgn

USER NAME = daasia	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 7/20/2020	DATE -	REVISED -


STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

EXISTING AND PROPOSED TYPICAL SECTIONS
IL ROUTE 60 (IL. ROUTE 120 - IL. ROUTE 176)

SCALE: SHEET OF SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
535	2019-018-R5	LAKE	41	6
CONTRACT NO. 62J32				
ILLINOIS		FED. AID PROJECT		

IL. RTE. 60/83



**IL 60/83
EXISTING TYPICAL SECTION**

STA. 237+15 TO STA. 258+00
STA. 426+80 TO STA. 453+04

STA 252+20 TO STA 254+60
STA 258+50 TO STA 260+30
STA 329+70 TO STA 330+50
STA 424+80 TO STA 426+20
STA 430+90 TO STA 434+00
STA 442+20 TO STA 446+00
STA 447+60 TO STA 453+04


STA 252+20 TO STA 254+60
STA 264+00 TO STA 265+60
STA 278+00 TO STA 280+00
STA 447+60 TO STA 453+04

LEGEND



- ① EXISTING P.C.C. PAVEMENT ±9"
- ② EXISTING HMA PAVEMENT ±11"
- ③ EXISTING HMA SHOULDER, 8"
- ④ EXISTING AGGREGATE SHOULDER, 8"
- ⑤ EXISTING COMBINATION CONCRETE CURB & GUTTER, TYPE B-6.24
- ⑥ PROPOSED HMA SURFACE REMOVAL, 2 1/2 "
- ⑦ PROPOSED POLY. HMA BINDER COURSE IL-4.75 , N50, 3/4"
- ⑧ PROPOSED POLY. HMA SURFACE COURSE, MIX "E", IL-9.5, N70, 1 3/4 "
- ⑨ PROPOSED HMA SHOULDER, 8"

NOTES:

1. THE CONTRACTOR SHALL MILL FIRST BEFORE PATCHING.
2. MAINTAIN A MINIMUM OF 3' SHOULDER WIDTH OUTSIDE SHOULDER RUMBLE STRIPE. SEE RUMBLE STRIPE DETAIL.
3. LONGITUDINAL JOINT SEALANT SHALL BE PLACED OVER THE POLY HMA BINDER IL- 4.75, N50.



IL. RTE. 60/83



PROPOSED TYPICAL SECTION

STA. 237+15 TO STA. 258+00
STA. 426+80 TO STA. 453+04

NOTE: LOCATIONS OF NEW HMA SHOULDERS ARE SHOWN ON THE ROADWAY AND PAVEMENT MARKING PLANS OR WILL BE DETERMINED BY THE ENGINEER

NOTE: EXISTING AGGREGATE SHOULDERS SHALL ONLY BE REMOVED IN AREAS WHERE NEW HMA SHOULDERS ARE PLACED. AGGREGATE SHOULDER REMOVAL SHALL BE PAID FOR AS REMOVAL AND DISPOSAL OF UNSUITABLE MATERIAL.

⚠️ REVISED SHEET 7/22/2020

MODEL: Default
FILE: h:\mhc\pub\haronom.dwg\illinois.gov\PWIDOT\Documents\DOT_Offices\Draftsct_1\Projects\ID123120\CADD\Drawings\ID123120-sh-ty-typcal.dwg


USER NAME = daasia	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 7/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**


**EXISTING AND PROPOSED TYPICAL SECTIONS
IL ROUTE 60 (IL ROUTE 120 - IL ROUTE 176)**

SCALE: SHEET OF SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
535	2019-018-R5	LAKE	41	7
CONTRACT NO. 62J32				
ILLINOIS FED. AID PROJECT				



- ① THPL PAVT MK LINE 4", DOUBLE SOLID YELLOW CENTERLINE
- ② HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" DOUBLE SOLID YELLOW CENTERLINE, 2 @ 11" C-C (TYP.)
- ③ HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" SOLID WHITE EDGE LINE (TYP.)
- ④ THPL PAVT MK LINE 4", SKIP DASH WHITE LANE LINE, 10' DASH - 30' SKIP
- ⑤ THPL PAVT MK LINE 6", SKIP DASH WHITE LANE LINE, 2' DASH - 6' SKIP
- ⑥ THPL PAVT MK LINE 6", SOLID WHITE LINE
- ⑦ THPL PAVT MK LINE 6", SOLID WHITE DIAGONAL, 45°
- ⑧ THPL PAVT MK LINE 8", SOLID WHITE LINE
- ⑨ THPL PAVT MK LINE 12", SOLID YELLOW DIAGONAL, 45°
- ⑩ THPL PAVT MK LINE 12", SOLID WHITE LINE
- ⑪ THPL PAVT MK LINE 12", SOLID WHITE DIAGONAL, 45°
- ⑫ THPL PAVT MK LINE 24", SOLID WHITE STOP BAR
- ⑬ THPL PAVT MK, LETTERS AND SYMBOLS
- ⑭ LIMIT OF RESURFACING - BUTT JOINT
- ⑮ THPL PAVT MK LINE 4", SOLID WHITE LINE



MODEL: Default
 FILE: \\s:\p\pub\baronm.d\at\illroads\pwr\DOT\Documents\DOT_Offices\Drawings\1\Projects\123120\RoadData\Design\123120-sh-c-lan.dwg

USER NAME = daasia	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100,0000' / in.	CHECKED -	REVISED -
PLOT DATE = 7/20/2020	DATE -	REVISED -


STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

ROADWAY PLAN			
IL. ROUTE 60 (IL. ROUTE 120 - IL. ROUTE 176)			
SCALE: 1"=50'	SHEET	OF SHEETS	STA. TO STA.

F.A.P. RTE. 535	SECTION 2019-018-R5	COUNTY LAKE	TOTAL SHEETS 41	SHEET NO. 8
CONTRACT NO. 62J32				
ILLINOIS FED. AID PROJECT				


① REVISED SHEET 7/22/2020

IL. ROUTE 60



- ① THPL PAVT MK LINE 4", DOUBLE SOLID YELLOW CENTERLINE
- ② HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" DOUBLE SOLID YELLOW CENTERLINE, 2 @ 11" C-C (TYP.)
- ③ HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" SOLID WHITE EDGE LINE (TYP.)
- ④ THPL PAVT MK LINE 4", SKIP DASH WHITE LANE LINE, 10' DASH - 30' SKIP
- ⑤ THPL PAVT MK LINE 6", SKIP DASH WHITE LANE LINE, 2' DASH - 6' SKIP
- ⑥ THPL PAVT MK LINE 6", SOLID WHITE LINE
- ⑦ THPL PAVT MK LINE 6", SOLID WHITE DIAGONAL, 45°
- ⑧ THPL PAVT MK LINE 8", SOLID WHITE LINE
- ⑨ THPL PAVT MK LINE 12", SOLID YELLOW DIAGONAL, 45°
- ⑩ THPL PAVT MK LINE 12", SOLID WHITE LINE
- ⑪ THPL PAVT MK LINE 12", SOLID WHITE DIAGONAL, 45°
- ⑫ THPL PAVT MK LINE 24", SOLID WHITE STOP BAR
- ⑬ THPL PAVT MK, LETTERS AND SYMBOLS
- ⑭ LIMIT OF RESURFACING - BUTT JOINT
- ⑮ THPL PAVT MK LINE 4", SOLID WHITE LINE

IL. ROUTE 60



MODEL: Default
 FILE: h:\m\p\pub\barroom.dwg
 PROJECT: 123120\CaddData\Design\123120-sh-rl-bar.dgn
 OFFICE: \Public\barroom.dwg
 DATE: 7/20/2020


① REVISED SHEET 7/22/2020

USER NAME = daasia	DESIGNED -	REVISED -
PLOT SCALE = 100,0000 ' / in.	DRAWN -	REVISED -
PLOT DATE = 7/20/2020	CHECKED -	REVISED -
	DATE -	REVISED -


**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

ROADWAY PLAN	
IL. ROUTE 60 (IL. ROUTE 120 - IL. ROUTE 176)	
SCALE: 1"=50'	SHEET OF SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
535	2019-018-R5	LAKE	41	9
CONTRACT NO. 62J32				
ILLINOIS FED. AID PROJECT				



- ① THPL PAVT MK LINE 4", DOUBLE SOLID YELLOW CENTERLINE
- ② HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" DOUBLE SOLID YELLOW CENTERLINE, 2 @ 11" C-C (TYP.)
- ③ HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" SOLID WHITE EDGE LINE (TYP.)
- ④ THPL PAVT MK LINE 4", SKIP DASH WHITE LANE LINE, 10' DASH - 30' SKIP
- ⑤ THPL PAVT MK LINE 6", SKIP DASH WHITE LANE LINE, 2' DASH - 6' SKIP
- ⑥ THPL PAVT MK LINE 6", SOLID WHITE LINE
- ⑦ THPL PAVT MK LINE 6", SOLID WHITE DIAGONAL, 45°
- ⑧ THPL PAVT MK LINE 8", SOLID WHITE LINE
- ⑨ THPL PAVT MK LINE 12", SOLID YELLOW DIAGONAL, 45°
- ⑩ THPL PAVT MK LINE 12", SOLID WHITE LINE
- ⑪ THPL PAVT MK LINE 12", SOLID WHITE DIAGONAL, 45°
- ⑫ THPL PAVT MK LINE 24", SOLID WHITE STOP BAR
- ⑬ THPL PAVT MK, LETTERS AND SYMBOLS
- ⑭ LIMIT OF RESURFACING - BUTT JOINT
- ⑮ THPL PAVT MK LINE 4", SOLID WHITE LINE



MODEL: Default
 FILE: h:\a\c\p\pub\barroom.dwg
 PROJECT: 123120\CD\DATA\Design\123120-sh-1-bar.dgn


① REVISED SHEET 7/22/2020

USER NAME = daasia	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 7/20/2020	DATE -	REVISED -


STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

ROADWAY PLAN			
IL. ROUTE 60 (IL. ROUTE 120 - IL. ROUTE 176)			
SCALE: 1"=50'	SHEET	OF SHEETS	STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
535	2019-018-R5	LAKE	41	10
CONTRACT NO. 62J32				
ILLINOIS FED. AID PROJECT				



- ① THPL PAVT MK LINE 4", DOUBLE SOLID YELLOW CENTERLINE
- ② HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" DOUBLE SOLID YELLOW CENTERLINE, 2" & 11" C-C (TYP.)
- ③ HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" SOLID WHITE EDGE LINE (TYP.)
- ④ THPL PAVT MK LINE 4", SKIP DASH WHITE LANE LINE, 10' DASH - 30' SKIP
- ⑤ THPL PAVT MK LINE 6", SKIP DASH WHITE LANE LINE, 2' DASH - 6' SKIP
- ⑥ THPL PAVT MK LINE 6", SOLID WHITE LINE
- ⑦ THPL PAVT MK LINE 6", SOLID WHITE DIAGONAL, 45°
- ⑧ THPL PAVT MK LINE 8", SOLID WHITE LINE
- ⑨ THPL PAVT MK LINE 12", SOLID YELLOW DIAGONAL, 45°
- ⑩ THPL PAVT MK LINE 12", SOLID WHITE LINE
- ⑪ THPL PAVT MK LINE 12", SOLID WHITE DIAGONAL, 45°
- ⑫ THPL PAVT MK LINE 24", SOLID WHITE STOP BAR
- ⑬ THPL PAVT MK, LETTERS AND SYMBOLS
- ⑭ LIMIT OF RESURFACING - BUTT JOINT
- ⑮ THPL PAVT MK LINE 4", SOLID WHITE LINE



MODEL: Default
 FILE: Model: 2019-018-R5-IL-Route-60-IL-Route-120-IL-Route-176-Plan.dwg
 PROJECT: 2019-018-R5-IL-Route-60-IL-Route-120-IL-Route-176-Plan.dwg
 DATE: 7/20/2020 10:58:11 AM


① REVISED SHEET 7/22/2020

USER NAME = daasia	DESIGNED -	REVISED -
PLOT SCALE = 100,0000' / in.	DRAWN -	REVISED -
PLOT DATE = 7/20/2020	CHECKED -	REVISED -
	DATE -	REVISED -


STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

ROADWAY PLAN			
IL. ROUTE 60 (IL. ROUTE 120 - IL. ROUTE 176)			
SCALE: 1"=50'	SHEET	OF SHEETS	STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
535	2019-018-R5	LAKE	41	11
CONTRACT NO. 62J32				
ILLINOIS FED. AID PROJECT				



- ① THPL PAVT MK LINE 4", DOUBLE SOLID YELLOW CENTERLINE
- ② HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" DOUBLE SOLID YELLOW CENTERLINE, 2 @ 11" C-C (TYP.)
- ③ HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" SOLID WHITE EDGE LINE (TYP.)
- ④ THPL PAVT MK LINE 4", SKIP DASH WHITE LANE LINE, 10' DASH - 30' SKIP
- ⑤ THPL PAVT MK LINE 6", SKIP DASH WHITE LANE LINE, 2' DASH - 6' SKIP
- ⑥ THPL PAVT MK LINE 6", SOLID WHITE LINE
- ⑦ THPL PAVT MK LINE 6", SOLID WHITE DIAGONAL, 45°
- ⑧ THPL PAVT MK LINE 8", SOLID WHITE LINE
- ⑨ THPL PAVT MK LINE 12", SOLID YELLOW DIAGONAL, 45°
- ⑩ THPL PAVT MK LINE 12", SOLID WHITE LINE
- ⑪ THPL PAVT MK LINE 12", SOLID WHITE DIAGONAL, 45°
- ⑫ THPL PAVT MK LINE 24", SOLID WHITE STOP BAR
- ⑬ THPL PAVT MK, LETTERS AND SYMBOLS
- ⑭ LIMIT OF RESURFACING - BUTT JOINT
- ⑮ THPL PAVT MK LINE 4", SOLID WHITE LINE



MODEL: Default
 FILE: \\bls01\pub\baronm.d\at\links\gov\PHWDOT\Documents\DOT_Offices\Dir\et_1\Projects\2123120\CADD\Drawings\Design\2123120-sh-rl-bn.dgn


USER NAME = daasia	DESIGNED -	REVISED -
PLOT SCALE = 100,0000 ' / in.	DRAWN -	REVISED -
PLOT DATE = 7/20/2020	CHECKED -	REVISED -
	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**



ROADWAY PLAN	
IL. ROUTE 60 (IL. ROUTE 120 - IL. ROUTE 176)	
SCALE: 1"=50'	SHEET OF SHEETS STA. TO STA.

F.A.P. RTE. 535	SECTION 2019-018-R5	COUNTY LAKE	TOTAL SHEETS 41	SHEET NO. 12
CONTRACT NO. 62J32				
ILLINOIS FED. AID PROJECT				

REVISED SHEET 7/22/2020



- ① THPL PAVT MK LINE 4", DOUBLE SOLID YELLOW CENTERLINE
- ② HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" DOUBLE SOLID YELLOW CENTERLINE, 2 @ 11" C-C (TYP.)
- ③ HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" SOLID WHITE EDGE LINE (TYP.)
- ④ THPL PAVT MK LINE 4", SKIP DASH WHITE LANE LINE, 10' DASH - 30' SKIP
- ⑤ THPL PAVT MK LINE 6", SKIP DASH WHITE LANE LINE, 2' DASH - 6' SKIP
- ⑥ THPL PAVT MK LINE 6", SOLID WHITE LINE
- ⑦ THPL PAVT MK LINE 6", SOLID WHITE DIAGONAL, 45°
- ⑧ THPL PAVT MK LINE 8", SOLID WHITE LINE
- ⑨ THPL PAVT MK LINE 12", SOLID YELLOW DIAGONAL, 45°
- ⑩ THPL PAVT MK LINE 12", SOLID WHITE LINE
- ⑪ THPL PAVT MK LINE 12", SOLID WHITE DIAGONAL, 45°
- ⑫ THPL PAVT MK LINE 24", SOLID WHITE STOP BAR
- ⑬ THPL PAVT MK, LETTERS AND SYMBOLS
- ⑭ LIMIT OF RESURFACING - BUTT JOINT
- ⑮ THPL PAVT MK LINE 4", SOLID WHITE LINE



MODEL: Default
 FILE: \\nrcs-pub\pubroom\dat\illroads\gov\RWIDOT\Documents\IBDOT_Offices\Bartlett_1\Projects\1213120\CADData\Design\1213120-sh-rt-lan.dgn

REVISED SHEET 7/22/2020


USER NAME = daasia	DESIGNED -	REVISED -
PLOT SCALE = 100,0000' / in.	DRAWN -	REVISED -
PLOT DATE = 7/20/2020	CHECKED -	REVISED -
	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION


ROADWAY PLAN			
IL. ROUTE 60 (IL. ROUTE 120 - IL. ROUTE 176)			
SCALE: 1"=50'	SHEET	OF SHEETS	STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
535	2019-018-R5	LAKE	41	13
CONTRACT NO. 62J32				
ILLINOIS FED. AID PROJECT				

MODEL: Default
 FILE: \bldg\proj\pub\arooms\dot\Documents\DOT - Offices\District 1\Projects\123120\Cadd\Drawings\123120-sh-rlan.dgn



- | | |
|---|---|
| ① THPL PAVT MK LINE 4", DOUBLE SOLID YELLOW CENTERLINE | ⑧ THPL PAVT MK LINE 8", SOLID WHITE LINE |
| ② HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" DOUBLE SOLID YELLOW CENTERLINE, 2 @ 11" C-C (TYP.) | ⑨ THPL PAVT MK LINE 12", SOLID YELLOW DIAGONAL, 45° |
| ③ HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" SOLID WHITE EDGE LINE (TYP.) | ⑩ THPL PAVT MK LINE 12", SOLID WHITE LINE |
| ④ THPL PAVT MK LINE 4", SKIP DASH WHITE LANE LINE, 10' DASH - 30' SKIP | ⑪ THPL PAVT MK LINE 12", SOLID WHITE DIAGONAL, 45° |
| ⑤ THPL PAVT MK LINE 6", SKIP DASH WHITE LANE LINE, 2' DASH - 6' SKIP | ⑫ THPL PAVT MK LINE 24", SOLID WHITE STOP BAR |
| ⑥ THPL PAVT MK LINE 6", SOLID WHITE LINE | ⑬ THPL PAVT MK, LETTERS AND SYMBOLS |
| ⑦ THPL PAVT MK LINE 6", SOLID WHITE DIAGONAL, 45° | ⑭ LIMIT OF RESURFACING - BUTT JOINT |
| | ⑮ THPL PAVT MK LINE 4", SOLID WHITE LINE |




① REVISED SHEET 7/22/2020

USER NAME = daasia	DESIGNED -	REVISED -
PLOT SCALE = 100.0000' / in.	DRAWN -	REVISED -
PLOT DATE = 7/20/2020	CHECKED -	REVISED -
	DATE -	REVISED -


**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

ROADWAY PLAN			
IL. ROUTE 60 (IL. ROUTE 120 - IL. ROUTE 176)			
SCALE: 1"=50'	SHEET	OF SHEETS	STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
535	2019-018-R5	LAKE	41	14
CONTRACT NO. 62J32				
ILLINOIS FED. AID PROJECT				



- ① THPL PAVT MK LINE 4", DOUBLE SOLID YELLOW CENTERLINE
- ② HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" DOUBLE SOLID YELLOW CENTERLINE, 2 @ 11" C-C (TYP.)
- ③ HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" SOLID WHITE EDGE LINE (TYP.)
- ④ THPL PAVT MK LINE 4", SKIP DASH WHITE LANE LINE, 10' DASH - 30' SKIP
- ⑤ THPL PAVT MK LINE 6", SKIP DASH WHITE LANE LINE, 2' DASH - 6' SKIP
- ⑥ THPL PAVT MK LINE 6", SOLID WHITE LINE
- ⑦ THPL PAVT MK LINE 6", SOLID WHITE DIAGONAL, 45°
- ⑧ THPL PAVT MK LINE 8", SOLID WHITE LINE
- ⑨ THPL PAVT MK LINE 12", SOLID YELLOW DIAGONAL, 45°
- ⑩ THPL PAVT MK LINE 12", SOLID WHITE LINE
- ⑪ THPL PAVT MK LINE 12", SOLID WHITE DIAGONAL, 45°
- ⑫ THPL PAVT MK LINE 24", SOLID WHITE STOP BAR
- ⑬ THPL PAVT MK, LETTERS AND SYMBOLS
- ⑭ LIMIT OF RESURFACING - BUTT JOINT
- ⑮ THPL PAVT MK LINE 4", SOLID WHITE LINE



MODEL: Default
 FILE: Model: p:\pub\barroom.dwg
 PROJECT: 123120-CADD\data\Design\123120-shl-rln.dwg
 PROJECT: 123120-CADD\data\Design\123120-shl-rln.dwg

△ REVISED SHEET 7/22/2020

USER NAME = daasia	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100,0000' / in.	CHECKED -	REVISED -
PLOT DATE = 7/20/2020	DATE -	REVISED -


**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

ROADWAY PLAN			
IL. ROUTE 60 (IL. ROUTE 120 - IL. ROUTE 176)			
SCALE: 1"=50'	SHEET	OF SHEETS	STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
535	2019-018-R5	LAKE	41	15
CONTRACT NO. 62J32				
ILLINOIS FED. AID PROJECT				


RESURFACING OMISSION

FROM STA 339+50 TO STA 355+00



- ① THPL PAVT MK LINE 4", DOUBLE SOLID YELLOW CENTERLINE
- ② HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" DOUBLE SOLID YELLOW CENTERLINE, 2 @ 11" C-C (TYP.)
- ③ HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" SOLID WHITE EDGE LINE (TYP.)
- ④ THPL PAVT MK LINE 4", SKIP DASH WHITE LANE LINE, 10' DASH - 30' SKIP
- ⑤ THPL PAVT MK LINE 6", SKIP DASH WHITE LANE LINE, 2' DASH - 6' SKIP
- ⑥ THPL PAVT MK LINE 6", SOLID WHITE LINE
- ⑦ THPL PAVT MK LINE 6", SOLID WHITE DIAGONAL, 45°
- ⑧ THPL PAVT MK LINE 8", SOLID WHITE LINE
- ⑨ THPL PAVT MK LINE 12", SOLID YELLOW DIAGONAL, 45°
- ⑩ THPL PAVT MK LINE 12", SOLID WHITE LINE
- ⑪ THPL PAVT MK LINE 12", SOLID WHITE DIAGONAL, 45°
- ⑫ THPL PAVT MK LINE 24", SOLID WHITE STOP BAR
- ⑬ THPL PAVT MK, LETTERS AND SYMBOLS
- ⑭ LIMIT OF RESURFACING - BUTT JOINT
- ⑮ THPL PAVT MK LINE 4", SOLID WHITE LINE

IL. ROUTE 60



MODEL: Default
 FILE: \\nas01c.pw.state.il.us\pub\baronm.d\at\illroads\gov\PWIDOT\Documents\DOT_Offices\Dist\ctc_1\Projects\123120\CADD\Drawings\Design\123120-sh-erh-bar.dgn

△ REVISED SHEET 7/22/2020

USER NAME = daasia	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100,0000' / in.	CHECKED -	REVISED -
PLOT DATE = 7/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

ROADWAY PLAN			
IL. ROUTE 60 (IL. ROUTE 120 - IL. ROUTE 176)			
SCALE: 1"=50'	SHEET	OF SHEETS	STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
535	2019-018-R5	LAKE	41	16
CONTRACT NO. 62J32				
ILLINOIS FED. AID PROJECT				




MATCHLINE STA. 368+00


MATCHLINE STA. 383+00

IL. ROUTE 60

PROP. HMA SURFACE REMOVAL, 2 1/2"
 PROP. POLY HMA SURFACE COURSE, MIX "E", N70, 1 3/4"
 PROP. POLY. HMA BINDER COURSE, IL-4.75, N50, 3/4"



- ① THPL PAVT MK LINE 4", DOUBLE SOLID YELLOW CENTERLINE
- ② HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" DOUBLE SOLID YELLOW CENTERLINE, 2 @ 11" C-C (TYP.)
- ③ HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" SOLID WHITE EDGE LINE (TYP.)
- ④ THPL PAVT MK LINE 4", SKIP DASH WHITE LANE LINE, 10' DASH - 30' SKIP
- ⑤ THPL PAVT MK LINE 6", SKIP DASH WHITE LANE LINE, 2' DASH - 6' SKIP
- ⑥ THPL PAVT MK LINE 6", SOLID WHITE LINE
- ⑦ THPL PAVT MK LINE 6", SOLID WHITE DIAGONAL, 45°
- ⑧ THPL PAVT MK LINE 8", SOLID WHITE LINE
- ⑨ THPL PAVT MK LINE 12", SOLID YELLOW DIAGONAL, 45°
- ⑩ THPL PAVT MK LINE 12", SOLID WHITE LINE
- ⑪ THPL PAVT MK LINE 12", SOLID WHITE DIAGONAL, 45°
- ⑫ THPL PAVT MK LINE 24", SOLID WHITE STOP BAR
- ⑬ THPL PAVT MK, LETTERS AND SYMBOLS
- ⑭ LIMIT OF RESURFACING - BUTT JOINT
- ⑮ THPL PAVT MK LINE 4", SOLID WHITE LINE




MATCHLINE STA. 383+00

MATCHLINE STA. 398+00

IL. ROUTE 60

PROP. HMA SURFACE REMOVAL, 2 1/2"
 PROP. POLY HMA SURFACE COURSE, MIX "E", N70, 1 3/4"
 PROP. POLY. HMA BINDER COURSE, IL-4.75, N50, 3/4"



① REVISED SHEET 7/22/2020

MODEL: Default
 FILE: h:\a\c\p\pub\lans\room\dat\illinois\pwr\p\dot\Documents\DOT - Offices\Distct - 1\Projects\123120\CADD\Drawn\Design\123120-sh-rt-lan.dgn

USER NAME = daasia	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100,0000' / in.	CHECKED -	REVISED -
PLOT DATE = 7/20/2020	DATE -	REVISED -


**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

**ROADWAY PLAN
 IL. ROUTE 60 (IL. ROUTE 120 - IL. ROUTE 176)**


SCALE: 1"=50' SHEET OF SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
535	2019-018-R5	LAKE	41	17
CONTRACT NO. 62J32				
ILLINOIS FED. AID PROJECT				

MODEL: Default
 FILE: h:\mhc\proj\suplancorn.dwg
 PROJECT: 123120\CD\DATA\Design\123120-sh-rt-lb.dwg



- ① THPL PAVT MK LINE 4", DOUBLE SOLID YELLOW CENTERLINE
- ② HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" DOUBLE SOLID YELLOW CENTERLINE, 2 @ 11" C-C (TYP.)
- ③ HOT SPRAY THERMOPLASTIC PAVEMENT MARKING, 4" SOLID WHITE EDGE LINE (TYP.)
- ④ THPL PAVT MK LINE 4", SKIP DASH WHITE LANE LINE, 10' DASH - 30' SKIP
- ⑤ THPL PAVT MK LINE 6", SKIP DASH WHITE LANE LINE, 2' DASH - 6' SKIP
- ⑥ THPL PAVT MK LINE 6", SOLID WHITE LINE
- ⑦ THPL PAVT MK LINE 6", SOLID WHITE DIAGONAL, 45°
- ⑧ THPL PAVT MK LINE 8", SOLID WHITE LINE
- ⑨ THPL PAVT MK LINE 12", SOLID YELLOW DIAGONAL, 45°
- ⑩ THPL PAVT MK LINE 12", SOLID WHITE LINE
- ⑪ THPL PAVT MK LINE 12", SOLID WHITE DIAGONAL, 45°
- ⑫ THPL PAVT MK LINE 24", SOLID WHITE STOP BAR
- ⑬ THPL PAVT MK, LETTERS AND SYMBOLS
- ⑭ LIMIT OF RESURFACING - BUTT JOINT
- ⑮ THPL PAVT MK LINE 4", SOLID WHITE LINE



1 REVISED SHEET 7/22/2020

USER NAME = daasia	DESIGNED -	REVISED -
DRAWN -	REVISED -	
PLOT SCALE = 100,0000' / in.	CHECKED -	REVISED -
PLOT DATE = 7/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

ROADWAY PLAN			
IL. ROUTE 60 (IL. ROUTE 120 - IL. ROUTE 176)			
SCALE: 1"=50'	SHEET	OF SHEETS	STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
535	2019-018-R5	LAKE	41	18
CONTRACT NO. 62J32				
ILLINOIS FED. AID PROJECT				