



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

June 9, 2017

SUBJECT: FAP Route 607 (US 52/Jefferson St.)
Project NHPP-0607(084)
Section 128 RS-5
Will County
Contract No. 62C83
Item No. 12, June 16, 2017 Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Replaced the Schedule of Prices
2. Revised the Table of Contents to the Special Provisions
3. Added pages 84 & 85 to the Special Provisions
4. Revised sheet 3 of the Plans

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

Maureen M. Addis, P.E.
Engineer of Design and Environment

A handwritten signature in black ink, appearing to read "Ted B. Walschleger" followed by a small "P.E." to the right.

By: Ted B. Walschleger, P. E.
Engineer of Project Management

cc: Anthony Quigley, Region 1, District 1; Tim Kell; Estimates

MS/ab

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT
 NUMBER - 62C83

State Job # - C-91-390-16

County Name - WILL - -
 Code - 197 - -
 District - 1 - -
 Section Number - 128RS-5

Project Number
 NHPP-0607/084/
 *REVISED: JUNE 07, 2017

Route
 FAP 607

Item Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
X0320050	CONSTRUCTN LAYOUT SPL	L SUM	1.000				
X5537800	SS CLEANED 12	FOOT	2,600.000				
X6030310	FR & LIDS ADJUST SPL	EACH	20.000				
X7030005	TEMP PAVT MKING REMOV	SQ FT	30,740.000				
Z0004562	COMB C C&G REM & REPL	FOOT	1,260.000				
Z0018500	DRAINAGE STR CLEANED	EACH	134.000				
Z0030850	TEMP INFO SIGNING	SQ FT	128.500				
20200100	EARTH EXCAVATION	CU YD	50.000				
21101615	TOPSOIL F & P 4	SQ YD	370.000				
25000400	NITROGEN FERT NUTR	POUND	5.000				
25000500	PHOSPHORUS FERT NUTR	POUND	5.000				
25000600	POTASSIUM FERT NUTR	POUND	5.000				
25200110	SODDING SALT TOLERANT	SQ YD	370.000				
25200200	SUPPLE WATERING	UNIT	4.000				
40600290	BIT MATLS TACK CT	POUND	57,340.000				

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT
 NUMBER - 62C83

State Job # - C-91-390-16

County Name - WILL - -
 Code - 197 - -
 District - 1 - -
 Section Number - 128RS-5

Project Number
 NHPP-0607/084/
 *REVISED: JUNE 07, 2017

Route
 FAP 607

Item Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
40600400	MIX CR JTS FLANGEWYS	TON	130.000				
40600827	P LB MM IL-4.75 N50	TON	3,510.000				
40600982	HMA SURF REM BUTT JT	SQ YD	650.000				
40603565	P HMA SC "E" N70	TON	8,330.000				
42001300	PROTECTIVE COAT	SQ YD	650.000				
42400200	PC CONC SIDEWALK 5	SQ FT	4,000.000				
42400800	DETECTABLE WARNINGS	SQ FT	600.000				
44000159	HMA SURF REM 2 1/2	SQ YD	84,940.000				
44000600	SIDEWALK REM	SQ FT	4,000.000				
44201803	CL D PATCH T2 13	SQ YD	930.000				
44201807	CL D PATCH T3 13	SQ YD	48.000				
44201809	CL D PATCH T4 13	SQ YD	55.000				
60250200	CB ADJUST	EACH	3.000				
60266600	VALVE BOX ADJ	EACH	3.000				
60300105	FR & GRATES ADJUST	EACH	4.000				

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT
 NUMBER -

62C83

State Job # - C-91-390-16

Project Number

Route

County Name - WILL - -

NHPP-0607/084/

FAP 607

Code - 197 - -

*REVISED: JUNE 07, 2017

District - 1 - -

Section Number - 128RS-5

Item Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
60406100	FR & LIDS T1 CL	EACH	3.000				
*REV 66900200	NON SPL WASTE DISPOSL	CU YD	45.000				
66900450	SPL WASTE PLNS/REPORT	L SUM	1.000				
*REV 66900530	SOIL DISPOSAL ANALY	EACH	4.000				
67000400	ENGR FIELD OFFICE A	CAL MO	8.000				
67100100	MOBILIZATION	L SUM	1.000				
70100310	TRAF CONT-PROT 701421	L SUM	1.000				
70102625	TR CONT & PROT 701606	L SUM	1.000				
70102632	TR CONT & PROT 701602	L SUM	1.000				
70102634	TR CONT & PROT 701611	L SUM	1.000				
70102635	TR CONT & PROT 701701	L SUM	1.000				
70102640	TR CONT & PROT 701801	L SUM	1.000				
70300100	SHORT TERM PAVT MKING	FOOT	20,000.000				
70300150	SHRT TRM PAVT MK REM	SQ FT	6,670.000				
70300210	TEMP PVT MK LTR & SYM	SQ FT	1,250.000				

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT
 NUMBER -

62C83

State Job # - C-91-390-16

Project Number

Route

County Name - WILL - -

NHPP-0607/084/

FAP 607

Code - 197 - -

*REVISED: JUNE 07, 2017

District - 1 - -

Section Number - 128RS-5

Item Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
70300220	TEMP PVT MK LINE 4	FOOT	60,840.000				
70300240	TEMP PVT MK LINE 6	FOOT	5,700.000				
70300250	TEMP PVT MK LINE 8	FOOT	250.000				
70300260	TEMP PVT MK LINE 12	FOOT	3,000.000				
70300280	TEMP PVT MK LINE 24	FOOT	550.000				
70300520	PAVT MARK TAPE T3 4	FOOT	10,000.000				
78000100	THPL PVT MK LTR & SYM	SQ FT	1,250.000				
78000200	THPL PVT MK LINE 4	FOOT	60,840.000				
78000400	THPL PVT MK LINE 6	FOOT	5,700.000				
78000500	THPL PVT MK LINE 8	FOOT	250.000				
78000600	THPL PVT MK LINE 12	FOOT	3,000.000				
78000650	THPL PVT MK LINE 24	FOOT	550.000				
78100100	RAISED REFL PAVT MKR	EACH	1,500.000				
78300200	RAISED REF PVT MK REM	EACH	1,250.000				
88600600	DET LOOP REPL	FOOT	2,841.000				

CONTRACT NUMBER

62C83

THIS IS THE TOTAL BID

\$ _____

NOTES:

1. Each PAY ITEM should have a UNIT PRICE and a TOTAL PRICE.
2. The UNIT PRICE shall govern if no TOTAL PRICE is shown or if there is a discrepancy between the product of the UNIT PRICE multiplied by the QUANTITY.
3. If a UNIT PRICE is omitted, the TOTAL PRICE will be divided by the QUANTITY in order to establish a UNIT PRICE.
4. A bid may be declared UNACCEPTABLE if neither a unit price nor a total price is shown.

TABLE OF CONTENTS

LOCATION OF PROJECT	1
DESCRIPTION OF PROJECT	1
MAINTENANCE OF ROADWAYS	2
CLEANING EXISTING DRAINAGE STRUCTURES	2
TRAFFIC CONTROL PLAN	3
CONSTRUCTION LAYOUT SPECIAL FOR RESURFACING WITH ADA AND STAND ALONE ADA (D-1)	4
ADJUSTMENTS AND RECONSTRUCTIONS	5
DRAINAGE AND INLET PROTECTION UNDER TRAFFIC (DISTRICT 1)	6
FRICTION AGGREGATE (D-1)	8
GROUND TIRE RUBBER (GTR) MODIFIED ASPHALT BINDER (D-1).....	11
HMA MIXTURE DESIGN REQUIREMENTS (D-1).....	12
PUBLIC CONVENIENCE AND SAFETY (DIST 1)	20
RECLAIMED ASPHALT PAVEMENT AND RECLAIMED ASPHALT SHINGLES (D-1).....	20
STATUS OF UTILITIES (D-1).....	32
KEEPING ARTERIAL ROADWAYS OPEN TO TRAFFIC (LANE CLOSURES ONLY)	35
TEMPORARY INFORMATION SIGNING	36
SIDE CURBS AND RAMP SIDE FLARES.....	38
ADJUSTING FRAMES AND GRATES (BDE)	38
BUTT JOINTS (BDE)	40
COMPENSABLE DELAY COSTS (BDE).....	41
CONSTRUCTION AIR QUALITY – DIESEL RETROFIT (BDE).....	45
DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION (BDE)	47
HOT MIX ASPHALT - PAY FOR PERFORMANCE USING PERCENT WITHIN LIMITS -JOBSITE SAMPLING (BDE).....	60
QUALITY CONTROL FOR PERFORMANCE (BDE).....	66
HOT-MIX ASPHALT – TACK COAT (BDE)	71
PAVEMENT MARKING REMOVAL (BDE).....	71
PROGRESS PAYMENTS (BDE)	72
TEMPORARY PAVEMENT MARKING (BDE).....	73
WARM MIX ASPHALT (BDE)	75
WEEKLY DBE TRUCKING REPORTS (BDE).....	77
WORKING DAYS (BDE)	77
BITUMINOUS MATERIALS COST ADJUSTMENTS (BDE) (RETURN FORM WITH BID).....	77
FUEL COST ADJUSTMENT (BDE) (RETURN FORM WITH BID)	80
REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES	84

REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES

This work shall be according to Article 669 of the Standard Specifications and the following:

Qualifications. The term environmental firm shall mean an environmental firm with at least five (5) documented leaking underground storage tank (LUST) cleanups or that is pre-qualified in hazardous waste by the Department. Documentation includes but not limited to verifying remediation and special waste operations for sites contaminated with gasoline, diesel, or waste oil in accordance with all Federal, State, or local regulatory requirements and shall be provided to the Engineer for approval. The environmental firm selected shall not be a former or current consultant or have any ties with any of the properties contained within and/or adjacent to this construction project.

General. This Special Provision will likely require the Contractor to subcontract for the execution of certain activities.

All contaminated materials shall be managed as either “uncontaminated soil” or non-special waste. This work shall include monitoring and potential sampling, analytical testing, and management of a material contaminated by regulated substances. The Environmental Firm shall continuously monitor all soil excavation for worker protection and soil contamination. **Phase I Preliminary Engineering information is available through the District's Environmental Studies Unit.** Soil samples or analysis without the approval of the Engineer will be at no additional cost to the Department. The lateral distance is measured from centerline and the farthest distance is the offset distance or construction limit whichever is less.

The Contractor shall manage any excavated soils and sediment within the following areas:

Intersection of Jefferson Street (US 52) and River Road

- All excavation planned at the northwest quadrant, northeast quadrant, southwest quadrant, and southeast quadrant at the intersection of Jefferson Street and River Road, Shorewood. This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of Jefferson Street (US 52) and Robin Hill Drive

- All excavation planned at the northeast quadrant at the intersection of Jefferson Street and Robin Hill Drive, Shorewood. This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of Jefferson Street (US 52) and Earl Road

- All excavation planned at the southwest quadrant, and southeast quadrant at the intersection of Jefferson Street and Earl Road, Shorewood. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Added 6/9/17

Intersection of Jefferson Street (US 52) and Raven Road

- All excavation planned at the northwest quadrant at the intersection of Jefferson Street and Raven Road, Shorewood. This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- All excavation planned at the northeast quadrant, southwest quadrant, and southeast quadrant at the intersection of Jefferson Street and Raven Road, Shorewood. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of Jefferson Street (US 52) and Brookshore Drive

- All excavation planned at the southeast quadrant at the intersection of Jefferson Street and Brookshore Drive, Shorewood. This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- All excavation planned at the northwest quadrant, northeast quadrant, and southwest quadrant at the intersection of Jefferson Street and Brookshore Drive, Shorewood. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of Jefferson Street (US 52) and Turtle Street

- All excavation planned at the southwest quadrant at the intersection of Jefferson Street and Turtle Street, Shorewood. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of Jefferson Street (US 52) and McDonald Avenue

- All excavation planned at the southeast quadrant at the intersection of Jefferson Street and McDonald Avenue, Shorewood. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of Jefferson Street (US 52) and Houbolt Road

- All excavation planned at the northwest quadrant, northeast quadrant, southwest quadrant, and southeast quadrant at the intersection of Jefferson Street and Houbolt Road, Shorewood. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Added 6/9/17